

The HARRIS BARGAIN BOOK OF BUILDING MATERIAL

CATALOG NO. 204

CORNER CABINET



\$9.95

10-AX-1001. Open face corner cabinet with paneled lower door. Made of clear W. P. soft pine. 7 ft. 4 in. high. Chromium hardware. Ready to set up and finish. Shipping weight 90 lbs.

Others Page 16

COMBINATION DOOR

CHOICE OF SIZES BELOW

\$4.75



10-AX-1753. Interchangeable glazed storm and galvanized wire screen sections. Clear W. P. soft pine 1 1/4 inches thick. Add 30c for copper wire screen.

Average weight 45 lbs. Choice of sizes.

2' 8 1/2" x 6' 9"
2' 10 1/2" x 6' 9"
2' 10 1/2" x 6' 11"
2' 8 1/2" x 7' 1"
2' 10 1/2" x 7' 1"
3' 0 1/2" x 7' 1"



10-AX-4040. Three piece breakfast nook set. Made of clear W. P. soft pine. Two benches 42" long with comfort curved seats, table size 23 1/2 x 40". Shipping weight 90 lbs. Ready to set up and finish. Price of set..... **\$12.75**

Others Page 16

EVERYTHING YOU NEED FOR BUILDING REPAIRS AND IMPROVEMENTS

VERIFIED VALUES that Save Your Dollars

Here are 32 pages filled with America's finest products—spread before you at the lowest prices we have been able to bring to you in years—all made possible by direct dealing with our big Chicago factories and recent special purchases which brought large quantities of all articles to us at unusual price reductions.

Study every page—every article offered. See for yourself by comparison, how low these prices actually are—how little it will cost you to complete your building repairs and improvements. Prompt buying is urged, for in many instances stocks are limited.

Our Factories, Warehouses & Offices
20 Acre Plant **Established 1892**

FIX THAT LEAK!

5 Gallons

LIQUID ROOF CEMENT

4-AX-150. Used on metal, composition or shingle roofs. Seals all leaks and holes.

5 Gallon Kit



\$1.95

Guaranteed 100% Pure LINSEED OIL.

Outside HOUSE PAINT

32 Colors Per Gallon

\$1.95

See Page 20



LADDER JACK

4-AX-1280. Jack for extension ladders. Adjustable to 3 positions. Made of strong, tough steel. Tested for safety. Price per pair. **\$2.75**



GARDEN TRELLIS

10-AX-45. Fan style trellis. Made of redwood lattice. 1 1/2" and 1 3/4" wide. 1/2" thick. Quickly and easily assembled. Packed flat.
6 foot high
Each..... **\$6.35**
Per Dozen **\$2.95**
8 foot high
Each..... **\$6.40**
Per Dozen **\$3.95**
Others Page 32.



Harris Brothers Company
35 TH AND ILLINOIS STS - CHICAGO

OTHERS CO., 35th and

HOW TO ORDER FROM THIS BOOK

It's easy to order from this book. Use the special order blank enclosed or a piece of plain paper. Be sure to give the article number, quantity desired and state size, finish and color. When giving dimensions always give width first, then height, then thickness or depth. Print or write your name and address, and if shipment is to be made to another person or to a different address than your own, give instructions carefully as outlined upon the order blank. When you have completed writing your order, please bear in mind the following:

If shipment is to be made within the State of Illinois, add 3% to the total amount of your order for the Illinois State Sales Tax.

If shipment is to be made by parcel post, prepaid express, or prepaid freight, allow sufficient to cover any charges.

How to Send Money:

Make your remittance by post office or express money order, bank draft or personal check. Do not send currency unless absolutely necessary. If there is no other way of remitting, be sure to wrap currency in heavy paper and send it by registered mail with your order.

Should the Federal Government or any State find it necessary to increase by taxes or otherwise the cost or selling price of any of the merchandise described in this Catalog, we reserve the right to add any such taxes or such increases of cost or selling price to the prices of the merchandise as shown in this Catalog.

Our Liberal Guarantee

- that you will save money in all purchases selected from this book.
- that your orders from this book will be delivered safely.
- that you will be completely satisfied with every selection you make.

WE GUARANTEE that every selection you make will be exactly as represented, and that all articles are of best quality and best manufacture in their respective classes—all fresh, new articles.

WE GUARANTEE that every article will be shipped to insure its safe and speedy arrival and that we will return your money if you are dissatisfied in any way.

Terms and Shipment:

These rock bottom prices are for cash buyers. Nothing has been added for time payment or installment plan expense. Cash in full must accompany every order or shipment will be made on orders accompanied by 25% cash, balance to be paid C. O. D.; draft attached to bill of lading. All prices are F. O. B. cars or motor transport trucks, Chicago, unless otherwise stated. **NO DELIVERIES BY OUR TRUCKS AT THESE BIG REDUCED PRICES!** Safe delivery of all your purchases is guaranteed.

Last Minute Special OVERFLOW BARGAINS!

Two Remarkable Values that arrived too late to classify in the regular Pages

CLEAR REDWOOD LATTICE

A large quantity just purchased in time for this sale and your spring improvements. Splendid, clear, redwood lattice, size $\frac{3}{8}$ "x $1\frac{3}{4}$ " in 6 ft. to 8 ft. lengths.

10-AX-155. Price per 100 lineal feet... **59c** **lin. feet**

DOOR & WINDOW TRIM

At a Special Saving of **33 $\frac{1}{3}$ %**

We purchased, at a great saving, two carloads of the finest quality CLEAR, beautifully grained KILN DRIED Yellow Pine Interior Trim, perfectly manufactured. It is $\frac{5}{8}$ "x $3\frac{1}{2}$ " square edge hollow back Door and Window Trim, in the following lengths.

Lot 10-AX-666. $\frac{5}{8}$ "x $3\frac{1}{2}$ " Hollow Back Trim, price each
5 ft. per length..... **10c** 6 ft. per length..... **12c**
7 ft. per length..... **16c** 8 ft. per length..... **18c**

HOW TO FIGURE FREIGHT CHARGES

Freight shipments are the cheapest way to secure deliveries, if your order amounts to 100 lbs. or more. Transportation charges are easily figured from the table below. **FOR EXAMPLE:**

Suppose you live 100 miles from Chicago and order a bath tub weighing 250 lbs. The freight rate per 100 lbs. to your approximate location is 44c. Simply multiply 44c by $2\frac{1}{2}$ to figure the approximate amount of freight charges required for delivery, which is \$1.10.

| Approximate Freight Charges Per 100 Lbs. For Distances From Chicago | 100 Miles | 200 Miles | 300 Miles | 500 Miles | 750 Miles |
|---|--------------|--------------|--------------|--------------|--------------|
| Air Registers..... | 50c | 65c | 85c | \$1.19 | \$1.80 |
| Barb Wire..... | 37c | 51c | 65c | 92c | 1.46 |
| Bathroom Outfits..... | 60c | 78c | \$1.01 | \$1.44 | 2.21 |
| Bath Tubs..... | 44c | 92c | 1.18 | 1.69 | 2.56 |
| Boilers, Cast Iron Heating..... | 22c | 51c | 65c | 92c | 1.46 |
| Boiler Parts..... | 22c | 51c | 65c | 92c | 1.46 |
| Building Papers..... | 22c | 51c | 65c | 92c | 1.46 |
| Cabots Ouilt..... | 37c | 51c | 65c | 92c | 1.46 |
| Cement, Asbestos..... | 37c | 51c | 65c | 92c | 1.46 |
| Closets, Sanitary..... | 50c | 65c | 85c | \$1.19 | 1.80 |
| Conductor Pipe..... | 40c | 72c | 90c | 1.33 | 2.10 |
| Doors, Wood Panel..... | 37c | 51c | 65c | 92c | 1.46 |
| Doors, Combination..... | 60c | 78c | \$1.01 | \$1.44 | 2.21 |
| Doors, Glazed..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Eave Trough..... | 60c | 78c | \$1.01 | 1.44 | 2.21 |
| Eave Trough Fittings..... | 60c | 78c | 1.01 | 1.44 | 2.21 |
| Fence Posts, Steel..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Fencing..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Flooring, Hardwood..... | 37c | 51c | 65c | 92c | 1.46 |
| Frames, Door & Window, K. D..... | 50c | 65c | 85c | \$1.19 | 1.80 |
| Furnaces..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Furnace Fittings..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Garage Door Hardware..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Gas Burners..... | 60c | 78c | \$1.01 | 1.44 | 2.21 |
| Glass..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Hardware..... | 37c | 78c | \$1.01 | 1.44 | 2.21 |
| Interior Trim, K. D..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Lavatories..... | 37c | 78c | \$1.01 | 1.44 | 2.21 |
| Laundry Tubs, Composition..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Lawn Gates..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Lumber..... | 37c | 51c | 65c | 92c | 1.46 |
| Ladders..... | 37c | 51c | 65c | 92c | 1.46 |
| Mill Work, K. D..... | 50c | 65c | 85c | \$1.19 | 1.80 |
| Oil Storage Tanks and Drums..... | 71c | 92c | \$1.18 | 1.69 | 2.56 |
| Paint..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Pipe and Fittings, Iron, Steel..... | 22c | 41c | 53c | 92c | 1.46 |
| Porch Balusters..... | 37c | 51c | 65c | 92c | 1.46 |
| Porch Columns..... | 37c | 51c | 65c | 92c | 1.46 |
| Porch Jamb and Sills..... | 37c | 51c | 65c | 92c | 1.46 |
| Porch Newels..... | 39c | 54c | 70c | 97c | 1.50 |
| Porch Rails..... | 37c | 51c | 65c | 92c | 1.46 |
| Radiators, Cast Iron Heating..... | 31c | 65c | 85c | \$1.19 | 1.80 |
| Range Boilers, with Heaters..... | 37c | 78c | \$1.01 | 1.44 | 2.21 |
| Range Boilers, Without Heaters..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Roofing, Asphalt Roll..... | 22c | 51c | 65c | 92c | 1.46 |
| Sash, Glazed..... | 50c | 65c | 85c | \$1.19 | 1.80 |
| Sash, Not Glazed..... | 37c | 78c | \$1.01 | 1.44 | 2.21 |
| Sash, Storm..... | 37c | 65c | 85c | 1.19 | 1.80 |
| Sash Weights..... | 37c | 51c | 65c | 92c | 1.46 |
| Screens, Door and Window..... | 60c | 78c | \$1.01 | \$1.44 | 2.21 |
| Septic Tanks..... | 71c | 92c | 1.18 | 1.69 | 2.56 |
| Shingles, Asphalt..... | 22c | 51c | 65c | 92c | 1.46 |
| Shutters and Blinds..... | 60c | 78c | \$1.01 | \$1.44 | 2.21 |
| Sinks..... | 37c | 78c | 1.01 | 1.44 | 2.21 |
| Tanks, Galvanized..... | 71c | 92c | 1.18 | 1.69 | 2.56 |
| Wallboards..... | 31c | 65c | 85c | 1.19 | 1.80 |
| Water Closet Bowls..... | 37c | 78c | \$1.01 | 1.44 | 2.21 |
| Water Closet Tanks..... | 37c | 78c | 1.01 | 1.44 | 2.21 |
| Water Heaters, Automatic..... | 60c | 78c | 1.01 | 1.44 | 2.21 |
| Water Heaters, Gas..... | 60c | 78c | 1.01 | 1.44 | 2.21 |
| Water Tank Heaters..... | 50c | 65c | 85c | 1.19 | 1.80 |
| Windows, Glazed..... | 50c | 65c | 85c | 1.19 | 1.80 |

HOW TO FIGURE EXPRESS CHARGES

If you are in a hurry for your order have it shipped by express. Estimate charges easily from table below.

EXAMPLE: Suppose your order weighs 25 lbs. and you live 150 miles from Chicago. Look at 150 Miles column on the 25 Pounds line. 71c is the correct amount.

| For Distances of Package Not Over | 50 Miles | 150 Miles | 300 Miles | 500 Miles | 750 Miles |
|--------------------------------------|----------|-----------|-----------|-----------|-----------|
| 5 pounds | 38c | 42c | 46c | 50c | 55c |
| 10 pounds | 42c | 49c | 56c | 65c | 75c |
| 15 pounds | 45c | 57c | 67c | 81c | 95c |
| 20 pounds | 49c | 64c | 78c | 96c | \$1.15 |
| 25 pounds | 52c | 71c | 89c | \$1.11 | 1.35 |
| 35 pounds | 59c | 86c | \$1.10 | 1.42 | 1.75 |
| 45 pounds | 66c | \$1.00 | 1.32 | 1.72 | 2.15 |
| 55 pounds | 73c | 1.15 | 1.53 | 2.03 | 2.55 |
| 65 pounds | 80c | 1.29 | 1.75 | 2.33 | 2.95 |
| 75 pounds | 87c | 1.44 | 1.96 | 2.64 | 3.35 |
| 85 pounds | 94c | 1.58 | 2.18 | 2.94 | 3.75 |
| 95 pounds | \$1.01 | 1.73 | 2.39 | 3.25 | 4.15 |
| 105 pounds | 1.05 | 1.80 | 2.50 | 3.40 | 4.35 |

WINDOW SCREENS

Half Height Sliding Screens

As Low **61c**
As

Made with frames of clear W. P. PINE: 1-inch stock, finished 1/4-inch net. Tenoned and mortised joints, mitred moulding, drum stretched wire and tacked with patented staples. A fine screen.

Furnished unpainted in the natural wood.

When ordering give WIDTH first. For these half-height screens, measure the width between blind stops (the 1/4-inch wood strips that hold the upper sash in place) the height measure should be the distance from the sill to the top or bottom sash.

Price includes "slides" or tongue strips which are to be nailed on the blind stops for screen to slide up and down on. Screen lift handle already applied is included.

Furnished with frames painted black or gray, if want, ed, at 10c extra per screen.

Note: All half height screens are made-to-order and are not subject to cancellation or exchange.

FULL HEIGHT SCREENS

Made in our factory with clear W. P. SOFT PINE frames, in natural white wood, 1 1/2 in. thick. Strongly joined with fine 16 mesh galvanized or copper screen wire stretched drum tight. Top and side rails 2-in. wide; bottom rail 3-in. wide. Average weight 12 1/2 lbs.

Now As **75c**
Low As

PORCH SCREENS

No.

10-AX-1238

Porch Screens of the same high grade manufacture and specifications as our full height window screens, without center brace. Furnished in all sizes at prices shown below.

Full height window screens and porch screens painted Gray or Black at 10c extra per screen.

No. 10-AX-1238

PARTIAL LIST—All Other Sizes Quickly Made to Order in Our Factory

| Any Size Up to and Including | | 16 Mesh Galvanized Wire | 16 Mesh Bronze Wire | Any Size Up to and Including | | 16 Mesh Galvanized Wire | 16 Mesh Bronze Wire |
|------------------------------|----------------|-------------------------|---------------------|------------------------------|----------------|-------------------------|---------------------|
| Width Ft. In. | Height Ft. In. | 10-AX-5506 | 10-AX-5509 | Width Ft. In. | Height Ft. In. | 10-AX-5506 | 10-AX-5509 |
| 1-7 | x 1-8 1/4 | \$0.61 | \$0.65 | 2-7 | x 2-8 1/4 | \$0.95 | \$1.13 |
| 2-3 | x 2-0 1/4 | .78 | .87 | 2-9 | x 2-8 1/4 | .98 | 1.18 |
| 2-3 | x 2-4 1/4 | .82 | .95 | 2-11 | x 2-10 1/4 | 1.06 | 1.29 |
| 2-3 | x 2-6 1/4 | .85 | .99 | 2-11 | x 3-4 1/4 | 1.15 | 1.44 |
| 2-3 | x 2-8 1/4 | .87 | 1.03 | 3-3 | x 3-4 1/4 | 1.23 | 1.57 |
| 2-5 | x 2-6 1/4 | .89 | 1.03 | 3-7 | x 3-4 1/4 | 1.31 | 1.69 |
| 2-7 | x 2-4 1/4 | .89 | 1.03 | 3-11 | x 3-8 1/4 | 1.49 | 1.94 |

Basement and Transom Screens



Match our window screens. 1 1/4 inches thick. Furnished unpainted in natural wood.

Painted Black or Gray 10c extra per screen. Always give Width—then Height. State size in feet and inches.

PARTIAL LIST—Others Made to Order.

| Any Size Up to and Including | | Galv. Wire | Bronze Wire |
|------------------------------|--|------------|-------------|
| Width Height Ft. In. Ft. In. | | 10-AX-5516 | 10-AX-5519 |
| 2-0 x 1-10 1/4 | | \$0.86 | \$0.93 |
| 2-8 x 2-10 1/4 | | 1.16 | 1.36 |
| 3-8 x 2-8 1/4 | | 1.37 | 1.68 |

Strong Well Made Screen Doors



"Alabama" Doors

As Low **\$1.96**
As

Made of clear W. P. SOFT PINE LUMBER, 1 1/4 inches thick. Stiles and Rails 3 1/2 inches wide. Bottom Rail 5 1/4 inches wide. All joints mortised, tenoned and pinned. Wire is drum stretched and securely tacked. Frame-work is neatly moulded. Furnished in the natural white wood. Doors are ready to fit and hang.

This door furnished painted gray at 12c extra.

"Mobile" Doors

As Low **\$2.59**
As

Made of clear W. P. SOFT PINE LUMBER, 1 1/4 inches thick. Stiles and Rails 3 1/2 inches wide. Bottom Rail 5 1/4 inches wide. All joints are mortised, tenoned and pinned. Wire is drum stretched and securely tacked. Frame-work is neatly moulded. Furnished in the natural white wood. Doors are ready to fit and hang.

This door finished with two-coats water-proof varnish at 45c extra.



| Size of Door | | ALABAMA DOORS | | MOBILE DOORS | |
|---------------|----------------|--|--|--|--|
| Width Ft. In. | Height Ft. In. | 16 Mesh Galvanized Wire 10-AX-538 Price Each | 16 Mesh Bronze Wire 10-AX-539 Price Each | 16 Mesh Galvanized Wire 10-AX-566 Price Each | 16 Mesh Bronze Wire 10-AX-569 Price Each |
| 2-6 1/2 | x 6-7 | \$1.96 | \$2.58 | \$2.59 | \$3.09 |
| 2-6 1/2 | x 6-9 | \$2.09 | \$2.67 | \$2.73 | \$3.18 |
| 2-6 1/2 | x 6-9 | \$2.13 | \$2.70 | \$2.76 | \$3.23 |
| 2-10 1/2 | x 6-9 | \$2.26 | \$2.89 | \$2.93 | \$3.38 |
| 2-10 1/2 | x 6-11 | \$2.33 | \$2.93 | \$2.99 | \$3.48 |
| 2-6 1/2 | x 7-1 | \$2.12 | \$2.78 | \$2.83 | \$3.33 |
| 2-8 1/2 | x 7-1 | \$2.18 | \$2.86 | \$2.93 | \$3.43 |
| 2-10 1/2 | x 7-1 | \$2.38 | \$2.98 | \$3.08 | \$3.53 |
| 3-0 1/2 | x 7-1 | \$2.38 | \$3.13 | \$3.13 | \$3.63 |

| Size Overall | | Galv. 16-Mesh 10-AX-528 | Bronze 16-Mesh 10-AX-529 | Size Overall | | Galv. 16-Mesh 10-AX-528 | Bronze 16-Mesh 10-AX-529 |
|--------------|--------|-------------------------|--------------------------|--------------|---------|-------------------------|--------------------------|
| Width | Height | | | Width | Height | | |
| 1'-4" | 3'-4" | \$0.75 | \$0.84 | 2'-6" | 3'-0" | \$0.96 | \$1.19 |
| 1'-4" | 3'-8" | .76 | .85 | 2'-6" | 3'-4" | 1.02 | 1.25 |
| 1'-4" | 4'-0" | .77 | .86 | 2'-6" | 3'-8" | 1.11 | 1.38 |
| 1'-4" | 4'-4" | .82 | .92 | 2'-6" | 4'-0" | 1.16 | 1.44 |
| 1'-4" | 4'-8" | .87 | .97 | 2'-6" | 4'-4" | 1.19 | 1.49 |
| 1'-4" | 5'-0" | .92 | 1.03 | 2'-6" | 4'-8" | 1.26 | 1.56 |
| 1'-4" | 5'-4" | .97 | 1.08 | 2'-6" | 5'-0" | 1.31 | 1.61 |
| 1'-6" | 3'-4" | .80 | .86 | 2'-6" | 5'-4" | 1.36 | 1.66 |
| 1'-6" | 3'-8" | .83 | .89 | 2'-6" | 5'-8" | 1.41 | 1.71 |
| 1'-6" | 4'-0" | .86 | .93 | 2'-6" | 6'-0" | 1.46 | 1.83 |
| 1'-6" | 4'-4" | .91 | .99 | 2'-6" | 6'-4" | 1.51 | 1.88 |
| 1'-6" | 4'-8" | .96 | 1.05 | 2'-6" | 6'-8" | 1.56 | 1.94 |
| 1'-6" | 5'-0" | 1.01 | 1.11 | 2'-8" | 3'-0" | 1.29 | 1.56 |
| 1'-6" | 5'-4" | 1.06 | 1.15 | 2'-8" | 3'-4" | 1.34 | 1.61 |
| 1'-8" | 3'-4" | .82 | .93 | 2'-8" | 3'-8" | 1.39 | 1.66 |
| 1'-8" | 3'-8" | .85 | .97 | 2'-8" | 4'-0" | 1.44 | 1.71 |
| 1'-8" | 4'-0" | .88 | 1.01 | 2'-8" | 4'-4" | 1.49 | 1.76 |
| 1'-8" | 4'-4" | .93 | 1.06 | 2'-8" | 4'-8" | 1.54 | 1.81 |
| 1'-8" | 4'-8" | .98 | 1.11 | 2'-8" | 5'-0" | 1.59 | 1.86 |
| 1'-8" | 5'-0" | 1.02 | 1.15 | 2'-8" | 5'-4" | 1.64 | 1.91 |
| 1'-8" | 5'-4" | 1.06 | 1.23 | 2'-8" | 5'-8" | 1.69 | 1.96 |
| 1'-8" | 5'-8" | 1.11 | 1.29 | 2'-8" | 6'-0" | 1.74 | 2.01 |
| 1'-10" | 3'-4" | .85 | .96 | 2'-8" | 6'-4" | 1.79 | 2.06 |
| 1'-10" | 3'-8" | .87 | 1.02 | 2'-10" | 3'-0" | 1.14 | 1.43 |
| 1'-10" | 4'-0" | .92 | 1.08 | 2'-10" | 3'-4" | 1.21 | 1.52 |
| 1'-10" | 4'-4" | .97 | 1.13 | 2'-10" | 3'-8" | 1.26 | 1.60 |
| 1'-10" | 4'-8" | 1.02 | 1.19 | 2'-10" | 4'-0" | 1.31 | 1.69 |
| 1'-10" | 5'-0" | 1.06 | 1.26 | 2'-10" | 4'-4" | 1.36 | 1.77 |
| 1'-10" | 5'-4" | 1.11 | 1.33 | 2'-10" | 4'-8" | 1.41 | 1.85 |
| 1'-10" | 5'-8" | 1.16 | 1.38 | 2'-10" | 5'-0" | 1.46 | 1.93 |
| 2'-0" | 3'-4" | .82 | .99 | 2'-10" | 5'-4" | 1.51 | 2.01 |
| 2'-0" | 3'-8" | .87 | 1.04 | 2'-10" | 5'-8" | 1.56 | 2.06 |
| 2'-0" | 4'-0" | .92 | 1.07 | 2'-10" | 6'-0" | 1.61 | 2.11 |
| 2'-0" | 4'-4" | .97 | 1.12 | 2'-10" | 6'-4" | 1.66 | 2.16 |
| 2'-0" | 4'-8" | 1.02 | 1.16 | 2'-10" | 6'-8" | 1.71 | 2.21 |
| 2'-0" | 5'-0" | 1.11 | 1.26 | 2'-10" | 7'-0" | 1.76 | 2.26 |
| 2'-0" | 5'-4" | 1.16 | 1.33 | 2'-10" | 7'-4" | 1.81 | 2.31 |
| 2'-0" | 5'-8" | 1.21 | 1.41 | 2'-10" | 7'-8" | 1.86 | 2.36 |
| 2'-0" | 6'-0" | 1.26 | 1.52 | 2'-10" | 8'-0" | 1.91 | 2.41 |
| 2'-2" | 3'-4" | .82 | .99 | 2'-10" | 8'-4" | 1.96 | 2.46 |
| 2'-2" | 3'-8" | .87 | 1.04 | 2'-10" | 8'-8" | 2.01 | 2.51 |
| 2'-2" | 4'-0" | .92 | 1.07 | 2'-10" | 9'-0" | 2.06 | 2.56 |
| 2'-2" | 4'-4" | .97 | 1.12 | 2'-10" | 9'-4" | 2.11 | 2.61 |
| 2'-2" | 4'-8" | 1.02 | 1.16 | 2'-10" | 9'-8" | 2.16 | 2.66 |
| 2'-2" | 5'-0" | 1.11 | 1.26 | 2'-10" | 10'-0" | 2.21 | 2.71 |
| 2'-2" | 5'-4" | 1.16 | 1.33 | 2'-10" | 10'-4" | 2.26 | 2.76 |
| 2'-2" | 5'-8" | 1.21 | 1.41 | 2'-10" | 10'-8" | 2.31 | 2.81 |
| 2'-2" | 6'-0" | 1.26 | 1.52 | 2'-10" | 10'-12" | 2.36 | 2.86 |
| 2'-4" | 3'-4" | .90 | 1.03 | 2'-10" | 11'-0" | 2.41 | 2.91 |
| 2'-4" | 3'-8" | .92 | 1.09 | 2'-10" | 11'-4" | 2.46 | 2.96 |
| 2'-4" | 4'-0" | .97 | 1.19 | 2'-10" | 11'-8" | 2.51 | 3.01 |
| 2'-4" | 4'-4" | 1.02 | 1.21 | 2'-10" | 12'-0" | 2.56 | 3.06 |
| 2'-4" | 4'-8" | 1.07 | 1.25 | 2'-10" | 12'-4" | 2.61 | 3.11 |
| 2'-4" | 5'-0" | 1.16 | 1.31 | 2'-10" | 12'-8" | 2.66 | 3.16 |
| 2'-4" | 5'-4" | 1.21 | 1.36 | 2'-10" | 13'-0" | 2.71 | 3.21 |
| 2'-4" | 5'-8" | 1.26 | 1.42 | 2'-10" | 13'-4" | 2.76 | 3.26 |
| 2'-4" | 6'-0" | 1.31 | 1.56 | 2'-10" | 13'-8" | 2.81 | 3.31 |
| 2'-4" | 6'-4" | 1.36 | 1.62 | 2'-10" | 14'-0" | 2.86 | 3.36 |
| 2'-4" | 6'-8" | 1.41 | 1.68 | 2'-10" | 14'-4" | 2.91 | 3.41 |
| 2'-4" | 7'-0" | 1.46 | 1.74 | 2'-10" | 14'-8" | 2.96 | 3.46 |
| 2'-6" | 3'-4" | .97 | 1.18 | 2'-10" | 15'-0" | 3.01 | 3.51 |
| 2'-6" | 3'-8" | 1.02 | 1.25 | 2'-10" | 15'-4" | 3.06 | 3.56 |
| 2'-6" | 4'-0" | 1.07 | 1.33 | 2'-10" | 15'-8" | 3.11 | 3.61 |
| 2'-6" | 4'-4" | 1.12 | 1.41 | 2'-10" | 16'-0" | 3.16 | 3.66 |
| 2'-6" | 4'-8" | 1.17 | 1.49 | 2'-10" | 16'-4" | 3.21 | 3.71 |
| 2'-6" | 5'-0" | 1.22 | 1.55 | 2'-10" | 16'-8" | 3.26 | 3.76 |
| 2'-6" | 5'-4" | 1.27 | 1.62 | 2'-10" | 17'-0" | 3.31 | 3.81 |
| 2'-6" | 5'-8" | 1.32 | 1.70 | 2'-10" | 17'-4" | 3.36 | 3.86 |
| 2'-6" | 6'-0" | 1.37 | 1.78 | 2'-10" | 17'-8" | 3.41 | 3.91 |
| 2'-6" | 6'-4" | 1.42 | 1.86 | 2'-10" | 18'-0" | 3.46 | 3.96 |
| 2'-6" | 6'-8" | 1.47 | 1.94 | 2'-10" | 18'-4" | 3.51 | 4.01 |
| 2'-6" | 7'-0" | 1.52 | 2.02 | 2'-10" | 18'-8" | 3.56 | 4.06 |
| 2'-8" | 3'-4" | 1.03 | 1.23 | 2'-10" | 19'-0" | 3.61 | 4.11 |
| 2'-8" | 3'-8" | 1.08 | 1.31 | 2'-10" | 19'-4" | 3.66 | 4.16 |
| 2'-8" | 4'-0" | 1.13 | 1.39 | 2'-10" | 19'-8" | 3.71 | 4.21 |
| 2'-8" | 4'-4" | 1.18 | 1.47 | 2'-10" | 20'-0" | 3.76 | 4.26 |
| 2'-8" | 4'-8" | 1.23 | 1.55 | 2'-10" | 20'-4" | 3.81 | 4.31 |
| 2'-8" | 5'-0" | 1.28 | 1.63 | 2'-10" | 20'-8" | 3.86 | 4.36 |
| 2'-8" | 5'-4" | 1.33 | 1.71 | 2'-10" | 21'-0" | 3.91 | 4.41 |
| 2'-8" | 5'-8" | 1.38 | 1.79 | 2'-10" | 21'-4" | 3.96 | 4.46 |
| 2'-8" | 6'-0" | 1.43 | 1.87 | 2'-10" | 21'-8" | 4.01 | 4.51 |
| 2'-8" | 6'-4" | 1.48 | 1.95 | 2'-10" | 22'-0" | 4.06 | 4.56 |
| 2'-8" | 6'-8" | 1.53 | 2.03 | 2'-10" | 22'-4" | 4.11 | 4.61 |
| 2'-8" | 7'-0" | 1.58 | 2.11 | 2'-10" | 22'-8" | 4.16 | 4.66 |
| 2'-8" | 7'-4" | 1.63 | 2.19 | 2'-10" | 23'-0" | 4.21 | 4.71 |
| 2'-8" | 7'-8" | 1.68 | 2.27 | 2'-10" | 23'-4" | 4.26 | 4.76 |
| 2'-8" | 8'-0" | 1.73 | 2.35 | 2'-10" | 23'-8" | 4.31 | 4.81 |
| 2'-8" | 8'-4" | 1.78 | 2.43 | 2'-10" | 24'-0" | 4.36 | 4.86 |
| 2'-8" | 8'-8" | 1.83 | 2.51 | 2'-10" | 24'-4" | 4.41 | 4.91 |
| 2'-8" | 9'-0" | 1.88 | 2.59 | 2'-10" | 24'-8" | 4.46 | 4.96 |
| 2'-8" | 9'-4" | 1.93 | 2.67 | 2'-10" | 25'-0" | 4.51 | 5.01 |
| 2'-8" | 9'-8" | 1.98 | 2.75 | 2'-10" | 25'-4" | 4.56 | 5.06 |
| 2'-8" | 10'-0" | 2.03 | 2.83 | 2'-10" | 25'-8" | 4.61 | 5.11 |
| 2'-8" | 10'-4" | 2.08 | 2.91 | 2'-10" | 26'-0" | 4.66 | 5.16 |
| 2'-8" | 10'-8" | 2.13 | 2.99 | 2'-10" | 26'-4" | 4.71 | 5.21 |
| 2'-8" | 11'-0" | 2.18 | 3.07 | 2'-10" | 26'-8" | 4.76 | 5.26 |
| 2'-8" | 11'-4" | 2.23 | 3.15 | 2'-10" | 27'-0" | 4.81 | 5.31 |
| 2'-8" | 11'-8" | 2.28 | 3.23 | 2'-10" | 27'-4" | 4.86 | 5.36 |
| 2'-8" | 12'-0" | 2.33 | 3.31 | 2'-10" | 27'-8" | 4.91 | 5.41 |
| 2'-8" | 12'-4" | 2.38 | 3.39 | 2'-10" | 28'-0" | 4.96 | 5.46 |
| 2'-8" | 12'-8" | 2.43 | 3.47 | 2'-10" | 28'-4" | 5.01 | 5.51 |
| 2'-8" | 13'-0" | 2.48 | 3.55 | 2'-10" | 28'-8" | 5.06 | 5.56 |
| 2'-8" | 13'-4" | 2.53 | 3.63 | 2'-10" | 29'-0" | 5.11 | 5.61 |
| 2'-8" | 13'-8" | 2.58 | 3.71 | 2'-10" | 29'-4" | 5.16 | 5.66 |
| 2'-8" | 14'-0" | 2.63 | 3.79 | 2'-10" | 29'-8" | 5.21 | 5.71 |
| 2'-8" | 14'-4" | 2.68 | 3.87 | 2'-10" | 30'-0" | 5.26 | 5.76 |
| 2'-8" | 14'-8" | 2.73 | 3.95 | 2'-10" | 30'-4" | 5.31 | 5.81 |
| 2'-8" | 15'-0" | 2.78 | 4.03 | 2'-10" | 30'-8" | 5.36 | 5.86 |
| 2'-8" | 15'-4" | 2.83 | 4.11 | 2'-10" | 31'-0" | 5.41 | 5.91 |
| 2'-8" | 15'-8" | 2.88 | 4.19 | 2'-10" | 31'-4" | 5.46 | 5.96 |

HARRIS GLAZED STORM SASH

FUEL SAVINGS Pay for them in ONE YEAR

Enjoy clear frostless windows—
and steady even room tempera-
tures without chilling draughts.
Install storm sash—you are pay-
ing for them year after year in
heat losses and wasted fuel.

The nation's experts agree that
up to 30% of fuel is saved when
storm sash and doors are in-
stalled, regardless of any other
type of insulation. And this sav-
ing is yours every heating season.

Harris Sash Features:

- Clear W. P. Pine 1½ in. frames.
- Extra wide bottom rail.
- Glazed with clear glass.
- Extra deep putty rabbit.
- Sanded—ready for paint.

4-LIGHT STORM SASH



AS LOW AS

\$1.44

Made with clear
W. P. Pine frames
1½ in. thick, glazed.
Manufactured same
as two-light sash
shown above. Average
weight 20 lbs.

| Will Fill Opening Ft. In. Ft. In. | 10-AX-91 Price Glazed |
|--------------------------------------|--------------------------|
| 2-1 x 4-0 | \$1.44 |
| 2-1 x 4-4 | 1.52 |
| 2-1 x 4-8 | 1.53 |
| 2-1 x 5-0 | 1.69 |
| 2-1 x 5-4 | 1.70 |
| 2-5 x 4-0 | 1.42 |
| 2-5 x 4-4 | 1.61 |
| 2-5 x 4-8 | 1.62 |
| 2-5 x 5-0 | 1.76 |
| 2-5 x 5-4 | 2.11 |
| 2-9 x 4-0 | 1.70 |
| 2-9 x 4-4 | 1.85 |
| 2-9 x 4-8 | 1.86 |
| 2-9 x 5-0 | 2.13 |
| 2-9 x 5-4 | 2.47 |
| 2-11 x 4-8 | 2.02 |

Cottage Window STORM SASH



AS LOW AS

\$3.95

Made to order
with clear W. P.
Pine frames 1½ in.
thick. Glazed.
Same construction
as two-light sash.
Require five days
for special manu-
facture. Average
weight 22 lbs.

| Will Fill Opening Ft. In. Ft. In. | Bottom Glass Size | Top Glass Size | 10-AX-90 Price Glazed |
|--------------------------------------|----------------------|-------------------|--------------------------|
| 3-8 x 5-4 | 40x42 | 40x14 | \$3.95 |
| 3-8 x 5-4 | 40x40 | 40x16 | 3.98 |
| 3-8 x 5-8 | 40x44 | 40x16 | 4.03 |
| 4-0 x 5-4 | 44x40 | 44x16 | 4.45 |
| 4-0 x 5-8 | 44x44 | 44x16 | 4.67 |
| 4-0 x 6-0 | 44x48 | 44x16 | 4.69 |
| 4-0 x 6-0 | 44x46 | 44x18 | 4.73 |
| 4-0 x 6-4 | 44x50 | 44x18 | 4.92 |



BEST SASH MADE Two Light Style **92c** As Low As

Over 200 stock and special sizes to fit any
window opening. Made with steel dowel
pinned, mortise and tenoned frames of clear
W. P. Pine, 1½ in. thick, glazed with high
quality clear glass, held weather-tight by best
putty and tacks. Wide bottom rail with high
mortise and tenon joint which permits trim-
ming off up to 2 in. for fitting, without im-
pairing strength of sash; ½ in. can be trimmed
off each side.

HOW TO ORDER SASH Always Use a **RULE**,—NOT a Tape

Give width first, then height. State
size in feet and inches. Storm sash fill the
frame opening from top to bottom and are
flush with the outside casing or brick
mould. A variation of about ½ inch from
actual size is allowed for fitting.

Special Note:

If you are unable to find Storm Sash in the
sizes listed below to fit your window openings
and require an intermediate size, take the
price of the next larger size and add 35c.

We furnish any of the 2-lt. Storm Sash in
the sizes shown, changed to 4-lt. at 25c extra
per sash.

8 and 12 LIGHT STORM SASH



\$1.42 AS LOW AS \$1.48

Made with clear W. P. Pine frames,
1½ in. thick. Glazed. Manufactured
same as two-light sash. Average weight
24 lbs.

8 Light Storm Sash

| Will Fill Opening Ft. In. Ft. In. | 10-AX-93 Price Glazed |
|--------------------------------------|--------------------------|
| 1-11 x 4-8 | \$1.42 |
| 2-1 x 4-8 | 1.43 |
| 2-1 x 5-4 | 1.62 |
| 2-5 x 5-4 | 1.80 |
| 2-5 x 6-0 | 2.09 |

12 Light Storm Sash

| Will Fill Opening Ft. In. Ft. In. | 10-AX-92 Price Glazed |
|--------------------------------------|--------------------------|
| 2-5 x 4-0 | \$1.48 |
| 2-5 x 4-8 | 1.65 |
| 2-8 x 4-8 | 1.76 |
| 2-8 x 5-4 | 1.98 |
| 2-11 x 4-8 | 1.82 |
| 2-11 x 5-4 | 2.07 |
| 2-11 x 6-0 | 2.47 |

Bottom Rail Ventilators

If ventilators are
wanted in bottom rail,
add 12c to the price of
each sash.



Storm Sash Hardware



10-AX-2000. Cadmium plated, weather
proof, storm sash adjusters, with screws,
per pair.....15c

10-AX-2005. Storm sash
hangers to match, with screws,
per pair.....5c

10-AX-3925. Hooks and eyes. Length
1½ in. Dozen.....10c

10-AX-3655. Black sash buttons, 1½
in. long, with screws. Dozen.....10c

10-AX-3656. Aluminum sash buttons,
1½ in. long, with screws. Dozen.....18c

SASH HANGERS AND SILENT ADJUSTERS

10-AX-2005. Weather-proof cadmium plated sash fasteners shown above.
Adjusts sash securely to any position for ventilation control. Wind and rattle
proof. Per pair, with screws.....40c

10-AX-2005. Cadmium plated storm sash hangers to match. Per pair,
with screws.....5c

2-LIGHT STORM SASH

| Will Fill Opening Ft. In. Ft. In. | 10-AX-89 Price Glazed | Will Fill Opening Ft. In. Ft. In. | 10-AX-89 Price Glazed | Will Fill Opening Ft. In. Ft. In. | 10-AX-89 Price Glazed |
|--------------------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------------------|--------------------------|
| 1-4x3-4 | \$0.92 | 2-0x6-0 | \$1.95 | 2-10x4-8 | \$1.87 |
| 1-4x3-8 | .96 | 2-0x6-4 | 2.12 | 2-10x5-0 | 2.07 |
| 1-4x4-0 | .98 | 2-0x6-8 | 2.24 | 2-10x5-4 | 2.30 |
| 1-4x4-4 | 1.08 | 2-2x3-4 | 1.32 | 2-10x5-8 | 2.59 |
| 1-4x4-8 | 1.14 | 2-2x3-8 | 1.37 | 2-10x6-0 | 2.80 |
| 1-4x5-0 | 1.20 | 2-2x4-0 | 1.52 | 2-10x6-4 | 3.05 |
| 1-4x5-4 | 1.30 | 2-2x4-4 | 1.56 | 2-10x6-8 | 3.33 |
| 1-4x5-8 | 1.35 | 2-2x4-8 | 1.59 | | |
| 1-4x6-0 | 1.37 | 2-2x5-0 | 1.64 | | |
| 1-4x6-4 | 1.39 | 2-2x5-4 | 1.74 | | |
| 1-4x6-8 | 1.84 | 2-2x5-8 | 1.77 | | |
| | | 2-2x6-0 | 1.77 | | |
| | | 2-2x6-4 | 1.32 | | |
| | | 2-2x6-8 | | | |
| 1-6x3-4 | .99 | 2-4x3-4 | 1.42 | 3-0x3-4 | 1.63 |
| 1-6x3-8 | 1.05 | 2-4x3-8 | 1.47 | 3-0x3-8 | 1.97 |
| 1-6x4-0 | 1.09 | 2-4x4-0 | 1.52 | 3-0x4-0 | 1.97 |
| 1-6x4-4 | 1.17 | 2-4x4-4 | 1.56 | 3-0x4-4 | 2.00 |
| 1-6x4-8 | 1.22 | 2-4x4-8 | 1.61 | 3-0x4-8 | 2.00 |
| 1-6x5-0 | 1.26 | 2-4x5-0 | 1.64 | 3-0x5-0 | 2.00 |
| 1-6x5-4 | 1.30 | 2-4x5-4 | 1.67 | 3-0x5-4 | 2.00 |
| 1-6x5-8 | 1.32 | 2-4x5-8 | 1.67 | 3-0x5-8 | 2.00 |
| 1-6x6-0 | 1.39 | 2-4x6-0 | 1.67 | 3-0x6-0 | 2.00 |
| 1-6x6-4 | 1.39 | 2-4x6-4 | 1.67 | 3-0x6-4 | 2.00 |
| 1-6x6-8 | 1.97 | 2-4x6-8 | 1.67 | 3-0x6-8 | 2.00 |
| | | | | | |
| 1-8x3-4 | 1.04 | 2-6x3-4 | 1.46 | 3-2x3-4 | 1.71 |
| 1-8x3-8 | 1.11 | 2-6x3-8 | 1.52 | 3-2x3-8 | 1.81 |
| 1-8x4-0 | 1.17 | 2-6x4-0 | 1.56 | 3-2x4-0 | 1.81 |
| 1-8x4-4 | 1.25 | 2-6x4-4 | 1.59 | 3-2x4-4 | 1.81 |
| 1-8x4-8 | 1.26 | 2-6x4-8 | 1.59 | 3-2x4-8 | 1.81 |
| 1-8x5-0 | 1.36 | 2-6x5-0 | 1.59 | 3-2x5-0 | 1.81 |
| 1-8x5-4 | 1.36 | 2-6x5-4 | 1.59 | 3-2x5-4 | 1.81 |
| 1-8x5-8 | 1.36 | 2-6x5-8 | 1.59 | 3-2x5-8 | 1.81 |
| 1-8x6-0 | 1.36 | 2-6x6-0 | 1.59 | 3-2x6-0 | 1.81 |
| 1-8x6-4 | 1.36 | 2-6x6-4 | 1.59 | 3-2x6-4 | 1.81 |
| 1-8x6-8 | 2.09 | 2-6x6-8 | 1.59 | 3-2x6-8 | 1.81 |
| | | | | | |
| 1-10x3-4 | 1.11 | 2-8x3-4 | 1.51 | 3-4x3-4 | 1.81 |
| 1-10x3-8 | 1.11 | 2-8x3-8 | 1.51 | 3-4x3-8 | 1.81 |
| 1-10x4-0 | 1.11 | 2-8x4-0 | 1.51 | 3-4x4-0 | 1.81 |
| 1-10x4-4 | 1.11 | 2-8x4-4 | 1.51 | 3-4x4-4 | 1.81 |
| 1-10x4-8 | 1.11 | 2-8x4-8 | 1.51 | 3-4x4-8 | 1.81 |
| 1-10x5-0 | 1.11 | 2-8x5-0 | 1.51 | 3-4x5-0 | 1.81 |
| 1-10x5-4 | 1.11 | 2-8x5-4 | 1.51 | 3-4x5-4 | 1.81 |
| 1-10x5-8 | 1.11 | 2-8x5-8 | 1.51 | 3-4x5-8 | 1.81 |
| 1-10x6-0 | 1.11 | 2-8x6-0 | 1.51 | 3-4x6-0 | 1.81 |
| 1-10x6-4 | 1.11 | 2-8x6-4 | 1.51 | 3-4x6-4 | 1.81 |
| 1-10x6-8 | 2.06 | 2-8x6-8 | 1.51 | 3-4x6-8 | 1.81 |
| | | | | | |
| 2-0x3-4 | 1.12 | 2-8x3-4 | 1.51 | 3-8x3-4 | 1.81 |
| 2-0x3-8 | 1.20 | 2-10x3-4 | 1.59 | 3-8x3-8 | 1.81 |
| 2-0x4-0 | 1.30 | 2-10x3-8 | 1.73 | 3-8x4-0 | 1.81 |
| 2-0x4-4 | 1.46 | 2-10x4-0 | 1.85 | 3-8x4-4 | 1.81 |
| 2-0x4-8 | 1.46 | | | 3-8x4-8 | 1.81 |
| 2-0x5-0 | 1.46 | | | 3-8x5-0 | 1.81 |
| 2-0x5-4 | 1.46 | | | 3-8x5-4 | 1.81 |
| 2-0x5-8 | 1.76 | | | 3-8x5-8 | 1.81 |
| | | | | 3-8x6-0 | 1.81 |

BASEMENT STORM SASH

Glazed basement sash. Made with frames of
clear W. P. Pine, 1½ in. thick. Manufactured
same as two-light sash above. Warm basements
mean warm floors in upstairs rooms. Send list
of sizes. Priced as low as, each.....69c






FOR SUMMER
INSERT
SCREEN SECTION

HARRIS Easy-Change COMBINATION DOORS


- A Two-purpose door for the price of one.
- A Screen Door in Summer—A Storm Door in Winter.
- Quickly and Easily Converted without Disturbing Hinges.

**THE MOST PRACTICAL AND CON-
venient combination doors made, for summer and winter use.** The re-
movable sections and openings in door are both rabbetted. When
sections are in place there is formed a double lap joint which makes
them dust and weather-proof.

HUNG LIKE ANY REGULAR DOOR—
once hung—always hung. Made of clear W.P. Pine, 1½ in. thick.
Furnished complete as shown with Glazed Storm Section and 16-mesh
galvanized or 16-mesh copper bronze wire Screen Sections.




FOR WINTER
INSERT GLAZED
STORM SECTION



\$4.90


**6-LIGHT
STYLE**

Note:
See 4-light
style door
on Page 1



\$5.20


**8-LIGHT
STYLE**



\$5.63

**MARGINAL
STYLE**

**Patented
"QUICK-CHANGE"
Fasteners**




Our improved Patented Locking De-
vice has reduced time required to change
sections to a few moments. Lock is on
the inside and cannot be tampered with
from the outside.

| Width | | Height | | 10-AX-1756 | 6-Light | 10-AX-1758 | 8-Light | 10-AX-1754 | Marginal |
|----------|------|----------|------|-----------------|-------------|-----------------|-------------|-----------------|-------------|
| Ft. In. | | Ft. In. | | Galvanized Wire | Bronze Wire | Galvanized Wire | Bronze Wire | Galvanized Wire | Bronze Wire |
| 2-6 1/2 | 6-7 | 2-6 1/2 | 6-7 | \$4.90 | \$5.31 | \$5.20 | \$5.55 | \$5.63 | \$5.98 |
| 2-8 1/2 | 6-9 | 2-8 1/2 | 6-9 | 5.00 | 5.44 | 5.33 | 5.60 | 5.68 | 6.03 |
| 2-10 1/2 | 6-9 | 2-10 1/2 | 6-9 | 5.05 | 5.49 | 5.38 | 5.65 | 5.73 | 6.08 |
| 2-12 1/2 | 6-9 | 2-12 1/2 | 6-9 | 5.30 | 5.65 | 5.50 | 5.90 | 5.93 | 6.35 |
| 2-14 1/2 | 6-11 | 2-14 1/2 | 6-11 | 5.50 | 5.85 | 5.70 | 6.10 | 6.13 | 6.55 |
| 2-16 1/2 | 6-11 | 2-16 1/2 | 6-11 | 5.10 | 5.40 | 5.30 | 5.70 | 5.73 | 6.15 |
| 2-18 1/2 | 6-11 | 2-18 1/2 | 6-11 | 5.35 | 5.65 | 5.55 | 5.95 | 5.98 | 6.40 |
| 2-20 1/2 | 7-1 | 2-20 1/2 | 7-1 | 5.55 | 5.85 | 5.75 | 6.15 | 6.18 | 6.60 |
| 2-22 1/2 | 7-1 | 2-22 1/2 | 7-1 | 5.80 | 6.10 | 6.00 | 6.40 | 6.43 | 6.85 |
| 2-24 1/2 | 7-1 | 2-24 1/2 | 7-1 | 6.00 | 6.30 | 6.20 | 6.60 | 6.63 | 7.05 |
| 2-26 1/2 | 7-1 | 2-26 1/2 | 7-1 | 6.20 | 6.50 | 6.40 | 6.80 | 6.83 | 7.25 |
| 2-28 1/2 | 7-1 | 2-28 1/2 | 7-1 | 6.40 | 6.70 | 6.60 | 7.00 | 7.03 | 7.45 |
| 2-30 1/2 | 7-1 | 2-30 1/2 | 7-1 | 6.60 | 6.90 | 6.80 | 7.20 | 7.23 | 7.65 |

RATTLEPROOF Tight Section

When locked, sections are held se-
curely in place, will not rattle and are
fly-proof, wind-proof and dust-proof.
From an exterior view door appears to
be of one-piece construction. No un-
sightly screws or bolt heads show.

GLAZED STORM DOOR



\$2.95

AND UP

10-AX-303

Made in our
own factory of
enduring clear
fir 1½ inches
thick to resist
weather and
hard usage. Per-
fectly fitted, se-
curely doweled
and joined with
water-proof
glue.

| Width | | Height | | Price |
|----------|------|----------|------|--------------------|
| Ft. In. | | Ft. In. | | Glazed Clear Glass |
| 2-6 1/2 | 6-7 | 2-6 1/2 | 6-7 | \$2.95 |
| 2-8 1/2 | 6-9 | 2-8 1/2 | 6-9 | 3.18 |
| 2-10 1/2 | 6-9 | 2-10 1/2 | 6-9 | 3.53 |
| 2-12 1/2 | 6-9 | 2-12 1/2 | 6-9 | 3.67 |
| 2-14 1/2 | 6-11 | 2-14 1/2 | 6-11 | 3.59 |
| 2-16 1/2 | 6-11 | 2-16 1/2 | 6-11 | 3.46 |
| 2-18 1/2 | 7-1 | 2-18 1/2 | 7-1 | 3.68 |
| 2-20 1/2 | 7-1 | 2-20 1/2 | 7-1 | 3.74 |



4-LIGHT 5-LIGHT 8-LIGHT
GLAZED PORCH SASH. Made of clear W.P. Pine; 1½ inches thick.
2-inch face top rail and side stiles; 3½-inch bottom rail.

| Outside Measure | | 4-Light | 5-Light | 8-Light Sash | | Price Each |
|------------------|-------------------|--------------------------|--------------------------|--|-----|---------------|
| | | 10-AX- 1234 Glazed | 10-AX- 1235 Glazed | 10-AX-1238—Glazed | | |
| Width Ft. In. | Height Ft. In. | | | Outside Measure Width Height Ft. In. Ft. In. | | |
| 2-2 | 4-0 | \$1.68 | \$1.62 | 1-10 | 4-6 | \$1.42 |
| 2-6 | 4-0 | 1.97 | 1.91 | 2-0 | 4-6 | 1.53 |
| 2-8 | 4-0 | 2.12 | 2.08 | 2-0 | 5-2 | 1.63 |
| 1-10 | 4-6 | 1.60 | 1.55 | 2-2 | 4-6 | 1.85 |
| 2-0 | 4-6 | 1.62 | 1.56 | 2-2 | 5-2 | 1.89 |
| 2-2 | 4-6 | 1.70 | 1.66 | 2-4 | 4-6 | 1.87 |
| 2-4 | 4-6 | 1.78 | 1.73 | 2-4 | 5-2 | 1.91 |
| 2-6 | 4-6 | 1.81 | 1.76 | | | |
| 2-8 | 4-6 | 1.83 | 1.78 | | | |
| 1-10 | 5-0 | 1.88 | 1.84 | | | |
| 2-0 | 5-0 | 1.95 | 1.89 | | | |
| 2-2 | 5-0 | 2.07 | 2.02 | | | |
| 2-4 | 5-0 | 2.22 | 2.16 | | | |
| 2-6 | 5-0 | 2.26 | 2.20 | | | |
| 2-8 | 5-0 | 2.37 | 2.30 | | | |
| 1-10 | 5-6 | 1.93 | 1.88 | | | |
| 2-0 | 5-6 | 2.01 | 1.96 | | | |

DOOR HARDWARE

Mortise Door Lock Set

4-AX-15104.
Wrought Steel Mortise
Lock Set. Escutcheons
5x2 in. Screws furnished.
Lemon Brass or Anti-
Copper. (Specify
Finish.)
Each.....**\$1.15**




Rim Latch Lock Set

4-AX-15012.
Reversible Rim
Latch Set. Size 2x
2½ in. Screws furnished. Lemon
Brass or Antique Copper. (Specify
Finish.) Each.....**45c**




Ball Tipped DOOR BUTTS

4-AX-3505.
Electro-Plated
Steel Door Butts.
Lemon Brass or An-
tique Copper.
(Specify Finish.) Screws to match.
2½x2½ 3x3 3½x3½ 4x4
23c Pr. 24c Pr. 25c Pr. 33c Pr.



STORM DOOR CHECK

4-AX-444. Screen and Storm Door Check,
designed for 2-inch jamb space. Made of malle-
able steel and brass tubing. Each, with
screws.....**65c**
4-AX-555.
Heavy type, each.....**\$1.10**



Hot Bed Sash



Best made Hot Bed Sash with frames of thoroughly seasoned W. P. Pine; securely fitted. Mortise and tenoned joined; strengthened by heavy brads. Glazed with standard size glass, held by zinc points and best putty in deep putty rabbet.

Regular Size

10-AX-1702. Size 3 ft. by 6 ft., 1 1/4 in. thick. Glazed with 7x9 in. glass. Each..... **\$3.33**

Garden Size

10-AX-1755. Size 3 ft. by 3 ft., 1 1/4 in. thick. Glazed with 7x9 in. glass. Each..... **\$2.29**

Single Light Sash

No. 10-AX-84
Clear W. P. Pine
One Light,
1 1/4 Inches Thick



| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|----------------------------|-----------------|
| 1- 2x1- 5 | 10x12 | \$0.44 |
| 1- 4x1- 9 | 12x16 | .52 |
| 1- 8x2- 1 | 16x20 | .59 |
| 1- 8x2- 5 | 16x24 | .68 |
| 1-10x2- 1 | 18x20 | .66 |
| 1-10x2- 5 | 18x24 | .74 |
| 2- 0x2- 1 | 20x20 | .67 |
| 2- 0x2- 5 | 20x24 | .74 |
| 2- 4x2- 1 | 24x20 | .76 |
| 2- 4x2- 5 | 24x24 | .83 |
| 2- 4x2- 9 | 24x28 | .93 |
| 2- 4x2-11 | 24x30 | .99 |
| 2-10x1- 7 | 30x14 | .79 |
| 2-10x1- 9 | 30x16 | .82 |
| 2-10x1-11 | 30x18 | .88 |
| 3- 4x1- 9 | 36x16 | .85 |
| 3- 4x1-11 | 36x18 | 1.03 |
| 3- 8x1-11 | 40x18 | 1.12 |

Barn or Garage Sash

No. 10-AX-86
Clear W. P. Pine
Four Lights,
1 1/4 Inches Thick



| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|----------------------------|-----------------|
| 1- 8x2- 1 | 8x10 | \$0.57 |
| 1-10x2- 5 | 9x12 | .67 |
| 1-10x2- 9 | 9x14 | .74 |
| 2- 0x2- 5 | 10x12 | .69 |
| 2- 0x2- 9 | 10x14 | .75 |
| 2- 0x3- 1 | 10x16 | .90 |
| 2- 4x2- 9 | 12x14 | .89 |
| 2- 4x3- 1 | 12x16 | .99 |

Fireplace Sash

No. 10-AX-88
Clear W. P. Pine
Three Lights,
1 1/4 Inches Thick



| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|----------------------------|-----------------|
| 2- 0x2- 5 | 20x24 | \$1.03 |
| 2- 4x2- 1 | 24x20 | 1.04 |
| 2- 4x2- 5 | 24x24 | 1.12 |

NOTE: We furnish special sash and windows of every kind, made to order at lowest prices.

French Windows



10-AX-306


Clear Western Ponderosa Pine

Artistic French windows harmonize with any style of architecture. Made of best quality clear grade Soft W. P. Pine, glazed with clear glass, held with best grade putty. Each sash is rabbetted on the side where they close together, insuring a close fit. Strong wood dividing bars. 1 1/4 inches thick.

For Swing-In Sash

We will rabbet bottom rail of any sash for swing in style frames at 12c extra. Frames for these windows and sash are illustrated and priced elsewhere in this catalog.

Water Drip Moulding



Water Drip Moulding
10-AX-265

We will furnish Clear W. P. Pine water drip moulding 3/4 in. x 2 in., 10-AX-265, as illustrated, to be nailed on bottom rail of windows, per window extra 5c.

Priced Per Window. Two Sash

No. 10-AX-306. Glazed French or casement windows with frames of clear W. P. pine. Average weight 2 sash, 38 lbs. 1 1/4 Inches Thick

| Window Opening Size | Two-Sash | Window Opening Size | Two-Sash | Window Opening Size | Two-Sash |
|---------------------|---------------|---------------------|---------------|---------------------|---------------|
| 2-8x3-6 | \$2.75 | 2-10x4-10 | \$3.14 | 3-0x5-2 | \$3.42 |
| 2-8x4-6 | 2.96 | 2-10x5-2 | 3.20 | 3-0x5-6 | 3.56 |
| 2-8x5-2 | 3.04 | 2-10x5-6 | 3.39 | 3-4x5-6 | 3.65 |
| 2-8x5-6 | 3.12 | 3-0x4-6 | 3.35 | 3-8x5-6 | 3.84 |

Single Sash and Door Transoms



No. 10-AX-80 Transom Sash, Clear W. P. Pine
1 Light 1 1/4 Inches Thick

| Outside Measure Width Height ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|--|-------------------------|-----------------|
| 2- 6x1- 0 | 26x 8 | \$0.55 |
| 2- 6x1- 2 | 26x10 | .57 |
| 2- 6x1- 4 | 26x12 | .61 |
| 2- 8x1- 0 | 28x 8 | .57 |
| 2- 8x1- 2 | 28x10 | .58 |
| 2- 8x1- 4 | 28x12 | .63 |
| 2- 8x1- 6 | 28x14 | .73 |
| 2- 8x1- 8 | 28x16 | .78 |
| 2-10x1- 0 | 30x 8 | .59 |
| 2-10x1- 2 | 30x10 | .61 |
| 2-10x1- 4 | 30x12 | .70 |
| 2-10x1- 6 | 30x14 | .76 |
| 2-10x1- 8 | 30x16 | .81 |
| 3- 0x1- 0 | 32x 8 | .65 |
| 3- 0x1- 2 | 32x10 | .69 |
| 3- 0x1- 4 | 32x12 | .74 |
| 3- 0x1- 6 | 32x14 | .81 |
| 3- 0x1- 8 | 32x16 | .86 |



No. 10-AX-87 Colonial Sash, Clear W. P. Pine
6 Lights 1 1/4 Inches Thick

| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|-------------------------|-----------------|
| 2- 4x2- 1 | 8x10 | \$0.76 |
| 2- 7x2- 5 | 9x12 | .92 |
| 2-10x2- 5 | 10x12 | .93 |
| 2-10x2- 9 | 10x14 | 1.13 |
| 2-10x3- 1 | 10x16 | 1.32 |
| 3- 4x2- 9 | 12x14 | 1.43 |
| 3- 4x3- 1 | 12x16 | |

COLONIAL 6-LIGHT SASH

Also see six light sash at top of page.

HARRIS GLAZED W. P. PINE SASH

These Sash are made the same as our highest class Windows of Clear White Ponderosa Pine Lumber, standard width, thickness and manufacture, glass strongly tacked with zinc points and carefully puttied in. Special sizes made to order.



10-AX-332. Nine Light Sash Clear White Pine. 1 1/4 In. Thick.

| Outside Meas. ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|----------------------------------|-------------------------|-----------------|
| 2- 4x2-11 | 8x10 | \$1.23 |
| 2- 4x3- 5 | 8x12 | 1.36 |
| 2- 7x3- 5 | 9x12 | 1.48 |
| 2-10x3- 5 | 10x12 | 1.56 |

Six Light Casement or Porch Sash

As Low **\$1.03**
As


10-AX-330
Six Light Single Sash
1 1/4 Inches Thick

| Outside Meas. ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|----------------------------------|-------------------------|-----------------|
| 1- 8 1/4 x2-11 1/4 | 8x10 | \$1.03 |
| 1-10 1/4 x3- 5 1/4 | 9x12 | 1.16 |
| 2- 0 1/4 x3- 5 1/4 | 10x14 | 1.21 |
| 2- 0 1/4 x3-11 1/4 | 10x16 | 1.33 |



Cellar Sash

Clear
W. P.
Pine



No. 10-AX-81 Two Lights, 1 1/4 Inches Thick

| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|-------------------------|-----------------|
| 2- 1x1- 5 | 10x12 | \$0.56 |
| 2- 1x1- 7 | 10x14 | .61 |
| 2- 1x1- 9 | 10x16 | .68 |
| 2- 1x1-11 | 10x18 | .74 |
| 2- 1x2- 1 | 10x20 | .77 |
| 2- 5x1- 7 | 12x14 | .66 |
| 2- 5x1- 9 | 12x16 | .69 |
| 2- 5x1-11 | 12x18 | .75 |
| 2- 5x2- 1 | 12x20 | .77 |
| 2- 5x2- 5 | 12x24 | .86 |
| 2- 9x1- 9 | 14x16 | .75 |
| 2- 9x1-11 | 14x18 | .82 |
| 2- 9x2- 1 | 14x20 | .86 |



No. 10-AX-82 Clear W. P. Pine
Three Lights, 1 1/4 Inches Thick

| Outside Measure ft. in. ft. in. | Size of Glass Inches | Price Glazed |
|------------------------------------|-------------------------|-----------------|
| 2- 1x1- 2 | 7x9 | \$0.54 |
| 2- 4x1- 3 | 8x10 | .55 |
| 2- 4x1- 5 | 8x12 | .63 |
| 2- 4x1- 7 | 8x14 | .67 |
| 2- 7x1- 5 | 9x12 | .64 |
| 2- 7x1- 7 | 9x14 | .69 |
| 2- 7x1- 9 | 9x16 | .70 |
| 2-10x1- 5 | 10x12 | .65 |
| 2-10x1- 7 | 10x14 | .70 |
| 2-10x1- 9 | 10x16 | .78 |
| 3- 4x1- 5 | 12x12 | .82 |
| 3- 4x1- 7 | 12x14 | .88 |
| 3- 4x1- 9 | 12x16 | .90 |
| 3- 4x1-11 | 12x18 | 1.04 |


STANDARD CHECK RAIL WINDOWS

Clear Ponderosa Pine—1 $\frac{3}{8}$ Inches Thick

These windows are manufactured in our own factory. They are of clear kiln dried Ponderosa pine, tenoned and mortised, pinned and sanded. High Quality glass extra strongly tacked, and puttied with high grade putty.

The term "window" means two sash—upper and lower.

All check rail windows are plowed and bored for sash cord and can be used either with or without weights. The check is the beveled rail where the two sash come together. The check rail prevents windows rattling and makes them stormproof.



No. 10-AX-71

When ordering be sure to give width first. Price includes both top and bottom sash.


Height—a window 28 x 28—2 lights check rail 1 $\frac{3}{8}$ inches thick is considered an average size and weighs 28 pounds, shipping weight.



No. 10-AX-1344



No. 10-AX-1342



No. 10-AX-72

Special Windows and Sash of all kinds made to order at lowest possible prices.

For price of Top or Bottom Sash separately take one-half of regular Window price and add 25 cents.

| Outside Measure Width Height ft. in. ft. in. | 10AX-71 per Window Glazed | 10AX-1344 per Window Glazed | 10AX-1342 per Window Glazed | Size of Glass | Size of Sash Weights Needed |
|--|------------------------------------|--------------------------------------|--------------------------------------|------------------|--------------------------------------|
| 1-4x3-2 | \$.92 | \$ 1.15 | \$ 1.26 | 12x16 | 3 lbs. |
| 1-4x3-10 | 1.03 | 1.26 | 1.36 | 12x20 | 3 lbs. |
| 1-4x4-6 | 1.14 | 1.36 | 1.48 | 12x24 | 3 $\frac{1}{2}$ lbs. |
| 1-8x3-2 | 1.04 | 1.26 | 1.38 | 16x16 | 3 lbs. |
| 1-8x3-6 | 1.11 | 1.33 | 1.44 | 16x18 | 3 lbs. |
| 1-8x3-10 | 1.17 | 1.40 | 1.50 | 16x20 | 3 lbs. |
| 1-8x4-6 | 1.29 | 1.50 | 1.61 | 16x24 | 3 $\frac{1}{2}$ lbs. |
| 1-8x4-10 | 1.46 | 1.66 | 1.78 | 16x28 | 4 lbs. |
| 1-8x5-2 | 1.52 | 1.73 | 1.84 | 16x28 | 4 lbs. |
| 1-10x3-6 | 1.18 | 1.40 | 1.51 | 18x18 | 3 $\frac{1}{2}$ lbs. |
| 1-10x3-10 | 1.25 | 1.46 | 1.58 | 18x20 | 3 $\frac{1}{2}$ lbs. |
| 1-10x4-6 | 1.46 | 1.68 | 1.78 | 18x24 | 4 lbs. |
| 1-10x4-10 | 1.53 | 1.74 | 1.85 | 18x28 | 4 $\frac{1}{2}$ lbs. |
| 1-10x5-2 | 1.60 | 1.80 | 1.91 | 18x28 | 4 $\frac{1}{2}$ lbs. |
| 2-0x3-10 | 1.31 | 1.52 | 1.63 | 20x20 | 4 lbs. |
| 2-0x4-2 | 1.46 | 1.68 | 1.78 | 20x22 | 4 lbs. |
| 2-0x4-6 | 1.46 | 1.68 | 1.78 | 20x24 | 4 $\frac{1}{2}$ lbs. |
| 2-0x4-10 | 1.54 | 1.75 | 1.85 | 20x26 | 5 lbs. |
| 2-0x5-2 | 1.61 | 1.82 | 1.91 | 20x28 | 5 $\frac{1}{2}$ lbs. |
| 2-0x5-6 | 1.76 | 1.95 | 2.06 | 20x30 | 5 $\frac{1}{2}$ lbs. |
| 2-0x5-10 | 1.95 | 2.14 | 2.25 | 20x32 | 6 lbs. |
| 2-2x3-10 | 1.42 | 1.63 | 1.74 | 22x20 | 4 lbs. |
| 2-2x4-2 | 1.56 | 1.76 | 1.88 | 22x22 | 4 $\frac{1}{2}$ lbs. |
| 2-2x4-6 | 1.57 | 1.78 | 1.88 | 22x24 | 5 lbs. |
| 2-2x4-10 | 1.64 | 1.84 | 1.95 | 22x26 | 5 lbs. |
| 2-2x5-2 | 1.74 | 1.94 | 2.05 | 22x28 | 5 $\frac{1}{2}$ lbs. |
| 2-2x5-6 | 1.87 | 2.06 | 2.18 | 22x30 | 5 $\frac{1}{2}$ lbs. |
| 2-2x5-10 | 2.07 | 2.25 | 2.36 | 22x32 | 6 lbs. |

| Outside Measure Width Height ft. in. ft. in. | 10AX-71 per Window Glazed | 10AX-1344 per Window Glazed | 10AX-1342 per Window Glazed | Size of Glass | Size of Sash Weights Needed |
|--|------------------------------------|--------------------------------------|--------------------------------------|------------------|--------------------------------------|
| 2-4x3-2 | \$ 1.21 | \$ 1.43 | \$ 1.54 | 24x16 | 3 $\frac{1}{2}$ lbs. |
| 2-4x3-6 | 1.37 | 1.58 | 1.69 | 24x18 | 4 lbs. |
| 2-4x3-10 | 1.42 | 1.64 | 1.74 | 24x20 | 4 $\frac{1}{2}$ lbs. |
| 2-4x4-2 | 1.57 | 1.78 | 1.88 | 24x22 | 5 lbs. |
| 2-4x4-6 | 1.62 | 1.83 | 1.93 | 24x24 | 5 lbs. |
| 2-4x4-10 | 1.65 | 1.85 | 1.95 | 24x26 | 5 $\frac{1}{2}$ lbs. |
| 2-4x5-2 | 1.76 | 1.96 | 2.05 | 24x28 | 6 lbs. |
| 2-4x5-6 | 1.89 | 2.08 | 2.18 | 24x30 | 6 $\frac{1}{2}$ lbs. |
| 2-4x5-10 | 2.15 | 2.33 | 2.44 | 24x32 | 6 $\frac{1}{2}$ lbs. |
| 2-6x3-2 | 1.46 | 1.66 | 1.78 | 26x16 | 4 lbs. |
| 2-6x3-10 | 1.54 | 1.74 | 1.85 | 26x20 | 5 lbs. |
| 2-6x4-2 | 1.66 | 1.86 | 1.98 | 26x22 | 5 lbs. |
| 2-6x4-6 | 1.68 | 1.88 | 1.98 | 26x24 | 5 $\frac{1}{2}$ lbs. |
| 2-6x4-10 | 1.76 | 1.96 | 2.05 | 26x26 | 6 lbs. |
| 2-6x5-2 | 1.93 | 2.12 | 2.21 | 26x28 | 6 lbs. |
| 2-6x5-6 | 2.09 | 2.28 | 2.36 | 26x30 | 6 $\frac{1}{2}$ lbs. |
| 2-6x5-10 | 2.28 | 2.39 | 2.56 | 26x32 | 7 lbs. |
| 2-8x4-6 | 1.81 | 1.94 | 2.10 | 28x24 | 6 $\frac{1}{2}$ lbs. |
| 2-8x4-10 | 1.93 | 2.10 | 2.21 | 28x26 | 6 lbs. |
| 2-8x5-2 | 2.03 | 2.20 | 2.31 | 28x28 | 6 $\frac{1}{2}$ lbs. |
| 2-8x5-6 | 2.09 | 2.25 | 2.36 | 28x30 | 7 lbs. |
| 2-8x5-10 | 2.50 | 2.66 | 2.78 | 28x32 | 7 $\frac{1}{2}$ lbs. |
| 2-10x4-6 | 1.89 | 2.06 | 2.18 | 30x24 | 6 $\frac{1}{2}$ lbs. |
| 2-10x4-10 | 2.09 | 2.25 | 2.36 | 30x26 | 6 $\frac{1}{2}$ lbs. |
| 2-10x5-2 | 2.11 | 2.28 | 2.39 | 30x28 | 7 lbs. |
| 2-10x5-6 | 2.38 | 2.53 | 2.64 | 30x30 | 7 $\frac{1}{2}$ lbs. |
| 2-10x5-10 | 2.59 | 2.75 | 2.86 | 30x32 | 8 lbs. |
| 3-0x4-6 | 2.20 | 2.38 | 2.49 | 32x24 | 6 $\frac{1}{2}$ lbs. |
| 3-0x4-10 | 2.22 | 2.40 | 2.51 | 32x26 | 7 lbs. |
| 3-0x5-2 | 2.50 | 2.66 | 2.78 | 32x28 | 7 $\frac{1}{2}$ lbs. |
| 3-0x5-6 | 2.59 | 2.75 | 2.86 | 32x30 | 8 lbs. |
| 3-0x5-10 | 2.79 | 2.95 | 3.06 | 32x32 | 8 lbs. |
| 3-4x4-6 | 2.29 | 2.46 | 2.58 | 36x24 | 7 lbs. |
| 3-4x4-10 | 2.57 | 2.74 | 2.85 | 36x26 | 8 lbs. |
| 3-4x5-2 | 2.76 | 2.91 | 3.03 | 36x28 | 8 lbs. |
| 3-4x5-6 | 2.83 | 2.99 | 3.10 | 36x30 | 9 lbs. |

| Outside Measure Width Height ft. in. ft. in. | 10-AX-72 per Window Glazed | Size of Glass | Size of Sash Weights Needed |
|--|-------------------------------------|------------------|--------------------------------------|
| 2-1x3-10 | \$ 1.44 | 10x20 | 4 lbs. |
| 2-1x4-2 | 1.48 | 10x22 | 4 lbs. |
| 2-1x4-6 | 1.52 | 10x24 | 4 $\frac{1}{2}$ lbs. |
| 2-1x4-10 | 1.67 | 10x26 | 4 $\frac{1}{2}$ lbs. |
| 2-1x5-2 | 1.69 | 10x28 | 5 lbs. |
| 2-1x5-6 | 1.76 | 10x30 | 5 $\frac{1}{2}$ lbs. |
| 2-5x3-10 | 1.42 | 12x20 | 4 $\frac{1}{2}$ lbs. |
| 2-5x4-2 | 1.60 | 12x22 | 5 lbs. |
| 2-5x4-6 | 1.61 | 12x24 | 5 lbs. |
| 2-5x4-10 | 1.72 | 12x26 | 5 $\frac{1}{2}$ lbs. |
| 2-5x5-2 | 1.78 | 12x28 | 5 $\frac{1}{2}$ lbs. |
| 2-5x5-6 | 2.09 | 12x30 | 6 lbs. |
| 2-5x5-10 | 2.31 | 12x32 | 6 lbs. |
| 2-5x6-2 | 2.41 | 12x34 | 6 $\frac{1}{2}$ lbs. |
| 2-9x3-10 | 1.70 | 14x20 | 5 lbs. |
| 2-9x4-2 | 1.83 | 14x22 | 5 $\frac{1}{2}$ lbs. |
| 2-9x4-6 | 1.86 | 14x24 | 6 lbs. |
| 2-9x4-10 | 1.93 | 14x26 | 6 lbs. |
| 2-9x5-2 | 2.15 | 14x28 | 6 $\frac{1}{2}$ lbs. |
| 2-9x5-6 | 2.33 | 14x30 | 7 lbs. |
| 2-9x5-10 | 2.44 | 14x32 | 7 $\frac{1}{2}$ lbs. |
| 2-9x6-2 | 2.68 | 14x34 | 7 $\frac{1}{2}$ lbs. |
| 2-9x6-6 | 2.81 | 14x36 | 8 lbs. |



10-AX-3643. Four weights of the sizes listed are required to hold each window. Weights range from 3 to 9 pounds by half pounds. Heavier than 9 pounds, graduated by pounds. **2 $\frac{1}{4}$ C**

SASH WEIGHTS

SASH CORD



Made of special selected long fiber cotton, firmly braided. The strongest and most durable manufacture. Put up in bundles of 100 feet. Average window requires about 20 feet.

10-AX-3645. No. 7 Sash Cord. 7-32 in. diam. Per bundle... **75c**

EIGHT AND TWELVE LIGHT WINDOWS

Our Check Rail Windows are plowed and bored for sash cord and can be used with or without weights. The Check Rail feature where the two sash come together, prevents rattling and makes the windows stormproof.

8 LIGHT WINDOWS No. 10-AX-74—1 $\frac{3}{8}$ Inches Thick


| Outside Measure Width Height ft. in. ft. in. | Price per Window Glazed | Size of Glass | Size of Sash Weight Needed |
|--|----------------------------------|------------------|-------------------------------------|
| 1-9x3-10 | \$ 1.31 | 8x10 | 3 $\frac{1}{2}$ lbs. |
| 1-9x4-6 | 1.45 | 8x12 | 3 $\frac{1}{2}$ lbs. |
| 1-11x4-6 | 1.51 | 9x12 | 4 lbs. |
| 2-1x4-6 | 1.52 | 10x12 | 4 $\frac{1}{2}$ lbs. |
| 2-1x5-2 | 1.72 | 10x14 | 5 lbs. |
| 2-5x5-2 | 1.90 | 12x14 | 5 $\frac{1}{2}$ lbs. |
| 2-5x5-10 | 2.22 | 12x16 | 6 lbs. |

12 LIGHT WINDOWS No. 10-AX-76—1 $\frac{3}{8}$ Inches Thick

| Outside Measure Width Height ft. in. ft. in. | Price per Window Glazed | Size of Glass | Size of Sash Weight Needed |
|--|----------------------------------|------------------|-------------------------------------|
| 2-4 $\frac{1}{2}$ x3-10 | \$ 1.56 | 8x10 | 4 $\frac{1}{2}$ lbs. |
| 2-4 $\frac{1}{2}$ x4-6 | 1.74 | 8x12 | 5 lbs. |
| 2-7 $\frac{1}{2}$ x4-6 | 1.86 | 9x12 | 5 $\frac{1}{2}$ lbs. |
| 2-7 $\frac{1}{2}$ x5-2 | 2.09 | 9x14 | 6 lbs. |
| 2-10 $\frac{1}{2}$ x4-6 | 1.93 | 10x12 | 5 $\frac{1}{2}$ lbs. |
| 2-10 $\frac{1}{2}$ x5-2 | 2.14 | 10x14 | 6 $\frac{1}{2}$ lbs. |
| 3-4 $\frac{1}{2}$ x5-2 | 2.70 | 12x14 | 8 lbs. |



No. 10-AX-74




No. 10-AX-76

WINDOW


FOR FRAME AND BRICK BUILDINGS

FRAMES



Made of
Clear
Kiln
Dried
Lumber

Jam
Proof
Pulleys
Included



Drip Cap Frame

Box Window Frame

OUR WINDOW FRAMES ARE OF THE HIGHEST GRADE MANUFACTURED. We use Clear Soft Ponderosa Pine for all exposed surfaces that are to be painted. Yellow Pine for pulley stiles and parting stop, which are generally varnished and get the hardest wear. All frames are machined, ready to put together, no further cutting or fitting is necessary. All that is necessary after receiving our frames is to nail them together. Frames are shipped knocked down, securely bundled. We carry a complete stock.

No. 10-AX-458—Drip Cap Frames

For frame buildings. Specifications: Outside casing $1\frac{1}{2}$ x 4 inches, pulley stiles $\frac{1}{2}$ x $5\frac{1}{2}$ inches over all, including blind stop; plowed for parting stop. Pulley stiles are bored and countersunk for pulleys and pockets are cut for weights. Solid sill $1\frac{1}{2}$ x 7 inches, drip cap $1\frac{1}{2}$ x $5\frac{1}{2}$ inches.

No. 10-AX-108—"Box" Style Frames

For solid brick, stone or cement block buildings. Specifications: This frame has $1\frac{1}{2}$ x $1\frac{1}{2}$ inch brick mould, $1\frac{1}{2}$ x $4\frac{1}{2}$ inch head, $\frac{1}{2}$ x $1\frac{1}{2}$ inch head inside lining and $1\frac{1}{2}$ x $5\frac{1}{2}$ inch main sill, $\frac{1}{2}$ x $4\frac{1}{2}$ inch blind stop, $\frac{1}{2}$ x $4\frac{1}{2}$ inch pulley stile, $\frac{1}{2}$ x $3\frac{1}{2}$ inch parting stop, $\frac{1}{2}$ x $3\frac{1}{2}$ inch rabbeted box lining, $\frac{1}{2}$ x $4\frac{1}{2}$ inch back box lining.

MULLION OR DOUBLE FRAMES are double the price of regular single frames of the same window opening size, plus 50c.

TRIPLE FRAMES are three times the price of a single frame plus 70c; quadruple frames are four times the price of single frames, plus \$1.50.

FOR PLASTER-BOARD WALLS. We furnish frames $\frac{1}{2}$ inch narrower at same price. Be sure to specify for "Plaster-board Walls."


Glass size shown is for 2 light windows. For other style or size windows see "Note" below

| Outside Window Measurement, Inside Opening of Frame ft. in. | Glass Sizes, Prices, Cover Frame only | DRIP CAP PRICE EACH | BOX WINDOW FRAMES |
|---|---------------------------------------|--|---------------------------------------|
| | | Frame with 1 1/2 inch Casing including Pulleys 10-AX-458 | Box Frame including Pulleys 10-AX-108 |
| 1-8 x 3-2 | 16x16 | \$1.86 | \$2.06 |
| 1-8 x 3-10 | 16x20 | 1.97 | 2.16 |
| 1-8 x 4-6 | 16x24 | 2.09 | 2.36 |
| 1-8 x 4-10 | 16x28 | 2.17 | 2.44 |
| 1-10 x 3-6 | 18x18 | 1.91 | 2.09 |
| 1-10 x 3-10 | 18x20 | 1.99 | 2.19 |
| 1-10 x 4-6 | 18x24 | 2.11 | 2.47 |
| 1-10 x 4-10 | 18x26 | 2.14 | 2.47 |
| 1-10 x 5-2 | 18x28 | 2.28 | 2.55 |
| 2-0 x 3-10 | 20x20 | 2.05 | 2.23 |
| 2-0 x 4-2 | 20x22 | 2.12 | 2.32 |
| 2-0 x 4-6 | 20x24 | 2.18 | 2.41 |
| 2-0 x 4-10 | 20x26 | 2.24 | 2.49 |
| 2-0 x 5-2 | 20x28 | 2.28 | 2.58 |
| 2-0 x 5-6 | 20x30 | 2.35 | 2.68 |
| 2-0 x 5-10 | 20x32 | 2.47 | 2.76 |
| 2-2 x 3-10 | 22x20 | 2.09 | 2.29 |
| 2-2 x 4-2 | 22x22 | 2.18 | 2.36 |
| 2-2 x 4-6 | 22x24 | 2.28 | 2.43 |
| 2-2 x 4-10 | 22x26 | 2.34 | 2.51 |
| 2-2 x 5-2 | 22x28 | 2.42 | 2.60 |
| 2-4 x 3-2 | 24x16 | 2.02 | 2.04 |
| 2-4 x 3-6 | 24x18 | 2.09 | 2.16 |
| 2-4 x 3-10 | 24x20 | 2.15 | 2.25 |
| 2-4 x 4-2 | 24x22 | 2.22 | 2.35 |
| 2-4 x 4-6 | 24x24 | 2.28 | 2.53 |
| 2-4 x 4-10 | 24x26 | 2.39 | 2.61 |
| 2-4 x 5-2 | 24x28 | 2.46 | 2.70 |
| 2-4 x 5-6 | 24x30 | 2.53 | 2.79 |
| 2-4 x 5-10 | 24x32 | 2.66 | 2.87 |
| 2-6 x 3-2 | 26x16 | 2.14 | 2.17 |
| 2-6 x 3-10 | 26x20 | 2.21 | 2.31 |
| 2-6 x 4-2 | 26x22 | 2.29 | 2.55 |
| 2-6 x 4-6 | 26x24 | 2.37 | 2.64 |
| 2-6 x 4-10 | 26x26 | 2.43 | 2.72 |
| 2-6 x 5-2 | 26x28 | 2.55 | 2.82 |
| 2-6 x 5-6 | 26x30 | 2.65 | 2.91 |
| 2-6 x 5-10 | 26x32 | 2.77 | 3.01 |
| 2-8 x 4-6 | 28x24 | 2.44 | 2.58 |
| 2-8 x 4-10 | 28x26 | 2.51 | 2.66 |
| 2-8 x 5-2 | 28x28 | 2.58 | 2.75 |
| 2-8 x 5-6 | 28x30 | 2.64 | 2.85 |
| 2-8 x 5-10 | 28x32 | 2.79 | 2.95 |
| 2-10 x 4-6 | 30x24 | 2.49 | 2.66 |
| 2-10 x 4-10 | 30x26 | 2.56 | 2.75 |
| 2-10 x 5-2 | 30x28 | 2.66 | 2.85 |
| 2-10 x 5-6 | 30x30 | 2.73 | 2.93 |
| 2-10 x 5-10 | 30x32 | 2.83 | 3.05 |
| 2-10 x 6-6 | 30x36 | 2.99 | 3.21 |
| 3-0 x 4-6 | 32x24 | 2.53 | 2.70 |
| 3-0 x 4-10 | 32x26 | 2.61 | 2.80 |
| 3-0 x 5-2 | 32x28 | 2.67 | 2.87 |
| 3-0 x 5-6 | 32x30 | 2.74 | 2.98 |
| 3-0 x 5-10 | 32x32 | 2.82 | 3.08 |
| 3-4 x 5-6 | 36x30 | 2.84 | 3.12 |
| 3-8 x 5-10 | 40x32 | 2.95 | 3.21 |
| 4-0 x 5-10 | 44x32 | 3.04 | 3.31 |

Note—Special sizes of all kinds furnished at the price of the next larger size frame shown. For frames larger than listed above add 5c for each 2 inches additional in width and / or height.


FOR CROWN MOULD Cap add 35c to price of Drip Cap Frames and specify "Crown Mould."

FOR BRICK VENEER and Stucco Frames add 25c to price of Drip Cap Frame and specify "Brick Veneer," or "Stucco," as wanted.



"Swing In"
or
"Swing Out"
French
Window
or
Casement
Sash Frames

For Frame
or Brick
Construction



"Swing In" Style

"Swing Out" Style

These frames, like all of our frames, are manufactured from Clear lumber and are machined so that each piece fits perfectly. The jambs are $1\frac{1}{2}$ x $5\frac{1}{2}$ inches. Frames No. 4881 and 4882 have $1\frac{1}{2}$ x 4 inches outside casing and $1\frac{1}{2}$ x $7\frac{1}{2}$ inches sill. Frame No. 4901 has $1\frac{1}{2}$ x $5\frac{1}{2}$ inch sill and $1\frac{1}{2}$ x $1\frac{1}{2}$ inch brick mould. We will rabbet frames Nos. 4901 and 4902 for extension jambs at the same price if specified. Always give thickness of walls. "Swing In" Frames are made with parting stop in sill and sash should be ordered rabbeted for same.

All our frames are made to exact size. Every piece is cut to fit, ready to put together, easily assembled. For frames larger than listed add 5c for each 2 inches additional in width and / or height.


DRIP CAP STYLE Sash Frames—1 1/2-Inch Casing 10-AX-4881 "Swing-Out" 10-AX-4882 "Swing-In"

CROWN MOULD STYLE Sash Frames—For 9-Inch Wall 10-AX-4901 "Swing-Out" 10-AX-4902 "Swing-In"

| Size ft. in. | Each | Size ft. in. | Each | Size ft. in. | Each | Size ft. in. | Each |
|--------------|--------|--------------|--------|--------------|--------|--------------|--------|
| 1-8x2-1 | \$1.47 | 2-4x2-1 | \$1.73 | 1-8x2-1 | \$1.26 | 2-4x2-1 | \$1.51 |
| 1-8x2-5 | 1.58 | 2-4x2-5 | 1.83 | 1-8x2-5 | 1.38 | 2-4x2-5 | 1.60 |
| 1-8x3-5 | 2.03 | 2-4x2-9 | 1.96 | 1-8x3-5 | 1.81 | 2-4x2-9 | 1.72 |
| 1-8x3-9 | 2.13 | 2-4x2-11 | 2.03 | 1-8x3-9 | 1.92 | 2-4x2-11 | 1.81 |
| 1-8x3-11 | 2.15 | 2-4x3-5 | 1.93 | 1-8x3-11 | 1.92 | 2-4x3-5 | 1.74 |
| 1-10x2-1 | 1.53 | 2-7x3-5 | 2.38 | 1-10x2-1 | 1.32 | 2-7x3-5 | 2.16 |
| 1-10x2-5 | 1.63 | 2-8x2-1 | 1.88 | 1-10x2-5 | 1.41 | 2-8x2-1 | 1.66 |
| 1-10x2-9 | 1.75 | 2-10x3-4 | 2.46 | 1-10x2-9 | 1.52 | 2-10x3-4 | 2.24 |
| 1-10x3-5 | 2.08 | 2-10x4-10 | 3.08 | 1-10x3-5 | 1.84 | 2-10x4-10 | 2.81 |
| 1-10x4-5 | 2.48 | 2-10x5-2 | 3.13 | 1-10x4-5 | 2.21 | 2-10x5-2 | 3.09 |
| 2-0x2-1 | 1.63 | 2-10x5-6 | 3.27 | 2-0x2-1 | 1.43 | 2-10x5-6 | 3.22 |
| 2-0x2-5 | 1.66 | 3-8x2-1 | 3.23 | 2-0x2-5 | 1.43 | 3-8x2-1 | 3.20 |
| 2-0x2-9 | 1.78 | 3-8x5-2 | 3.43 | 2-0x2-9 | 1.56 | 3-8x5-2 | 3.21 |
| | | 4-2x2-3 | 2.46 | | | 4-2x2-3 | 2.21 |

MULLION OR DOUBLE FRAMES are double the price of the above listed single frames plus 50c; triple frames are three times the price of single frames plus 70c; quadruple frames are four times the price of single frames plus \$1.50.


PLANK SASH FRAME—DRIP CAP FRAME



For
Brick,
Stone or
Concrete
Walls

Frames for
Stationary
or "Swing-
In Sash"

For
Frame
Build-
ings



Frame 10-AX-107, made with $1\frac{1}{2}$ x $5\frac{1}{2}$ inches Jambs and Sills; $1\frac{1}{2}$ x 2 inches Brick Moulding. Rabbeted for $1\frac{1}{2}$ inches Sash, unless otherwise specified when ordered. Machined, ready to nail together.

10-AX-476, made with $1\frac{1}{2}$ x 4 inches Outside Casing; $1\frac{1}{2}$ x $1\frac{1}{2}$ inches Drip Cap; $1\frac{1}{2}$ x $5\frac{1}{2}$ inches Jambs and $1\frac{1}{2}$ x $7\frac{1}{2}$ inches Sill. Rabbeted for $1\frac{1}{2}$ inches Sash, unless otherwise specified when ordered. Machined ready to nail together.

| SIZES OF FRAMES | | 10-AX-107 | 10-AX-476 |
|-----------------|----------------|------------------|---------------------|
| Width ft. in. | Height ft. in. | Plank Sash Frame | Drip Cap Sash Frame |
| 2-1 | 1-5 | \$0.69 | \$1.19 |
| 2-1 | 1-7 | .72 | 1.22 |
| 2-1 | 1-9 | .74 | 1.24 |
| 2-1 | 1-11 | .77 | 1.27 |
| 2-4 | 1-3 | .69 | 1.19 |
| 2-5 | 1-7 | .76 | 1.26 |
| 2-5 | 1-9 | .79 | 1.29 |
| 2-5 | 1-11 | .81 | 1.31 |
| 2-5 | 2-5 | .89 | 1.42 |
| 2-7 | 1-5 | .76 | 1.26 |
| 2-7 | 1-7 | .79 | 1.29 |
| 2-9 | 1-9 | .84 | 1.34 |
| 2-9 | 1-11 | .86 | 1.38 |
| 2-9 | 2-1 | .89 | 1.42 |
| 2-10 | 1-5 | .78 | 1.28 |
| 2-10 | 1-7 | .81 | 1.32 |
| 2-10 | 1-9 | .83 | 1.34 |

Improved "Jam-Proof" Pulley

On all our window frames, new improved one-piece face jam-proof pulley is furnished. These new pulleys are easy to thread or cord. Wheel is completely enclosed, making it impossible for cord to jamb or jump off. Also eliminates frayed and broken sash cords. Pulleys are mahogany finish with special lacquer, which eliminates rust. Being completely enclosed, pulley will give many more years' service than the old open faced type.

10-AX-3183. Harris Jam-proof Pulleys including screws.
Price per dozen.....

57c

FRENCH AND TERRACE DOORS



Ten Light "COLONIAL" French Doors
Price per Pair Including Flat Astragal $\frac{3}{4}$ x $1\frac{1}{2}$ inches
GLAZED HIGH QUALITY GLASS

| SIZES Per Pair | | FIR | W. P. PINE | W. P. PINE |
|------------------|-------------------|---|---|---|
| Width Ft. In. | Height Ft. In. | 10-AX-110 $1\frac{1}{8}$ Inches Thick | 10-AX-310 $1\frac{1}{8}$ Inches Thick | 10-AX-310 $1\frac{3}{4}$ Inches Thick |
| 3-8 | 6-8 | \$7.69 | \$7.89 | |
| 4-0 | 6-8 | 7.78 | 7.93 | \$9.93 |
| 4-4 | 6-8 | 7.98 | 8.14 | |
| 4-8 | 6-8 | 8.09 | 8.34 | |
| 5-0 | 6-8 | 8.29 | 8.56 | 11.19 |
| 5-4 | 6-8 | 8.65 | 8.78 | 11.39 |
| 6-0 | 6-8 | 8.98 | | |
| 3-8 | 7-0 | 7.98 | 8.19 | |
| 4-0 | 7-0 | 8.19 | 8.38 | |
| 4-4 | 7-0 | 8.45 | 8.58 | |
| 4-8 | 7-0 | 8.65 | 8.79 | |
| 5-0 | 7-0 | 8.85 | 8.99 | |
| 5-4 | 7-0 | 9.09 | 9.23 | |
| 6-0 | 7-0 | | 9.69 | |

INSIDE DOOR JAMBS

5-AX-101. Made of Clear Yellow Pine— $\frac{3}{4}$ inches thick by $5\frac{1}{4}$ inches wide. Cut, sanded and dadoed ready to set up.

2-6x6-6.....72c 2-8x6-8.....73c 3-0x7-0.....74c
6-0x7-0.....98c 8-0x8-0.....\$1.14

Special sizes quickly made to order in our own factory. Jambs for plasterboard walls— $\frac{3}{4}$ in. x $4\frac{1}{4}$ in.—furnished at same price as above.

Finest Ponderosa Pine and Fir Doors—Glazed!


Improve your home with French Doors. Plenty of sunshine and air make a clean and healthful home. These doors are ideal for the Living Room, Library, Dining Room, or Sun Porch, for interior and exterior use. French doors can be purchased singly, or in pairs; single doors furnished at one-half price of pair.

Our French and Terrace Doors are made of carefully selected materials, and the workmanship is the very best. They are perfectly fitted, doweled, glued and joined. Average shipping weight 60 lbs. per door.


Glazed with high quality Glass, held in place with wood stops.

Special Size and Design Doors made in our own factory at low prices. Any door shown on this or following page can be furnished with Plain or Beveled Plate Glass at lowest market price.


All doors come to you in the natural wood; smoothly sanded and ready for paint, enamel, stain or varnish.



Georgia
W. P. Pine 10-AX-315



Carolina
W. P. Pine 10-AX-309



Maryland
W. P. Pine 10-AX-312

PRICE PER PAIR—SINGLE DOORS AT HALF PRICES SHOWN

| SIZE, EACH DOOR | | 10-AX-315 Glazed Clear Glass | | 10-AX-309 Glazed Clear Glass | | 10-AX-312 Glazed Clear Glass | |
|------------------|-------------------|---------------------------------|--------------------------------|---------------------------------|--------------------------------|---------------------------------|--------------------------------|
| Width Ft. In. | Height Ft. In. | $1\frac{1}{8}$ Inches Thick | $1\frac{3}{4}$ Inches Thick | $1\frac{1}{8}$ Inches Thick | $1\frac{3}{4}$ Inches Thick | $1\frac{1}{8}$ Inches Thick | $1\frac{3}{4}$ Inches Thick |
| 2-6 | 6-8 | \$ 9.68 | | \$ 9.78 | | | |
| 2-8 | 6-8 | 9.89 | \$11.95 | 9.98 | \$11.89 | \$8.98 | |
| 2-10 | 6-8 | 10.09 | 12.14 | | | 9.17 | |
| 3-0 | 6-8 | | 12.35 | | | | |
| 2-0 | 7-0 | | | | 11.94 | | |
| 2-6 | 7-0 | 10.13 | | | | | |
| 2-8 | 7-0 | 10.13 | 12.60 | 10.07 | | 9.57 | |
| 2-10 | 7-0 | 10.22 | 12.79 | | | | |
| 3-0 | 7-0 | 10.43 | 12.98 | 10.41 | | 9.79 | \$12.42 |

Finest Outside Door Frames

DOOR FRAMES in stock for immediate delivery made of selected clear kiln dried soft Ponderosa pine. A first class exceptionally well manufactured and correctly cut frame, easily assembled. Rabbeted for $1\frac{1}{8}$ -inch thick doors unless otherwise specified when ordered. Weight each frame, about 55 lbs. Shipped K. D., carefully bundled. For frames larger than listed add 5c for each 2 inches additional in width and/or height.

Drip Cap Door Frames

$1\frac{1}{4}$ Inch Outside Casing

Includes everything complete as shown; $1\frac{1}{2}$ x $1\frac{1}{2}$ drip cap; $1\frac{1}{2}$ x4 outside casing; $1\frac{1}{2}$ x $7\frac{1}{4}$ solid sill; $1\frac{1}{2}$ x $5\frac{1}{4}$ inches, rabbeted jamb.

10-AX-99. Outside door frames for 2x4 stud-
ding, with solid sills, any size up to and including
3 ft. by 7 ft. rabbeted for doors $1\frac{1}{8}$ or
 $1\frac{3}{4}$ inches thick.

2 ft. 6 in. x 6 ft. 6 in.....\$2.96
2 ft. 8 in. x 6 ft. 8 in.....3.10
3 ft. 0 in. x 6 ft. 8 in.....3.20
3 ft. 0 in. x 7 ft. 0 in.....3.30

Oak sills for any of above frames, 55c per frame
extra.

Cement Block, Stone or Brick Wall Door Frames

This frame has a $1\frac{1}{2}$ x $1\frac{1}{2}$ -inch clear brick moulding.
No sill furnished with this frame.


10-AX-106. For 9-inch Brick Wall.
 $1\frac{1}{2}$ x $5\frac{1}{4}$ inch Jambs.

2 ft. 6 in. x 6 ft. 6 in.....\$1.98
2 ft. 8 in. x 6 ft. 8 in.....2.15
3 ft. x 7 ft.....2.35

10-AX-206. For 13-inch Brick Wall.
 $1\frac{1}{2}$ x $10\frac{1}{4}$ -inch Jambs.

2 ft. 6 in. x 6 ft. 6 in.....\$3.98
2 ft. 8 in. x 6 ft. 8 in.....4.25
3 ft. x 7 ft.....4.70

10-AX-415. Plank door frame with transom
head not exceeding 2 feet in height.
Add to above prices.....\$1.05



FINEST PINE AND FIR DOORS

NOTE: All doors come to you in the natural wood; smoothly sanded and ready for paint, enamel, stain or varnish. Doors are glazed with high quality clear glass. Plain or beveled plate glass can be furnished upon request.

NOTE: Special Size and Design Doors including Oak and Birch made in our own factory at lowest prices. We can furnish any of these doors glazed with Plain or Bevel Plate Glass; write for prices.

Many of These Doors Are Furnished 1 3/4 Inch Thick. Write for Low Prices.

Popular Designs — Built for Long Service

\$4⁹³

You can pick out the doors you need from this page and know that every selection you make is the biggest value the market affords. Those who admire beautiful doors will be quick to see the possibilities of these doors. They include most popular designs in clear Ponderosa pine and fir—of finest construction built to stand constant hard use. Perfectly fitted, securely doweled and joined with waterproof glue.

\$3²¹

Aster—Ponderosa Pine

| SIZES 1 3/4 Inches Thick | | 10-AX-328 4-Light Glazed Clear Glass |
|-----------------------------|-------------------|---|
| Width Ft. In. | Height Ft. In. | |
| 2-6 | 6-6 | \$4.93 |
| 2-8 | 6-8 | 5.12 |
| 2-10 | 6-8 | 5.31 |
| 3-0 | 6-8 | 5.50 |
| 2-8 | 7-0 | 5.69 |
| 2-10 | 7-0 | 5.88 |
| 3-0 | 7-0 | 6.07 |

CHICAGO—PONDEROSA PINE AND FIR DOORS

| SIZES 1 3/4 Inches Thick | | Ponderosa Pine 10-AX-333 1-Light Glazed Clear Glass | 10-AX-696 "A" Grade 1-Light Glazed Clear Glass | Fir Doors 10-AX-777 "B" Grade 1- Light Glazed Clear Glass |
|-----------------------------|-------------------|---|--|---|
| Width Ft. In. | Height Ft. In. | | | |
| 2-6 | 6-6 | \$3.72 | \$3.87 | \$3.21 |
| 2-8 | 6-8 | 3.81 | 3.95 | 3.43 |
| 2-10 | 6-8 | 3.93 | | |
| 3-0 | 6-8 | 4.08 | | |
| 2-8 | 7-0 | 4.19 | | |
| 2-10 | 7-0 | 4.23 | | |
| 3-0 | 7-0 | 4.41 | | |
| 3-0 | 7-0 | 4.63 | | |

ASTER DOOR

CHICAGO DOOR

OREGON CLEAR FIR

\$3⁹⁸

| SIZES | | 10-AX-381 Glazed Clear Glass |
|------------------|-------------------|------------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2-6 | 6-6 | \$3.98 |
| 2-8 | 6-8 | 4.14 |
| 2-10 | 6-10 | 4.52 |
| 2-8 | 7-0 | 4.35 |
| 3-0 | 7-0 | 4.73 |

Peony Glazed → Doors

\$4⁷⁸

10-AX-445 One Light → W. P. Pine

| Width Ft. In. | Height Ft. In. | 1 3/4 In. Thick | 1 3/4 In. Thick |
|------------------|-------------------|--------------------|--------------------|
| 2-6 | 6-6 | \$4.78 | \$6.93 |
| 2-8 | 6-8 | 4.93 | 7.06 |
| 2-10 | 6-8 | | 7.18 |
| 3-0 | 6-8 | | 7.31 |
| 2-8 | 7-0 | 5.33 | 7.39 |
| 2-10 | 7-0 | | 7.48 |
| 3-0 | 7-0 | 5.60 | |

← 10-AX-644—Three Light Fir

| Width Ft. In. | Height Ft. In. | 1 3/4 In. Thick | 1 3/4 In. Thick |
|------------------|-------------------|--------------------|--------------------|
| 2-8 | 6-8 | \$5.32 | \$6.06 |
| 2-10 | 6-8 | | 6.17 |
| 3-0 | 6-8 | | 6.36 |
| 3-0 | 7-0 | | 6.78 |

COLUMBIA CLEAR FIR

\$5²³


| SIZES | | 10-AX-393 Glazed Clear Glass |
|--------------|--------------|------------------------------------|
| Wd. F. I. | Ht. F. I. | |
| 2-8 | 6-8 | \$5.23 |
| 2-8 | 7-0 | 7.46 |
| 2-10 | 7-0 | 7.58 |
| 3-0 | 7-0 | 7.63 |

Doors Made to Order

You pay no penalty for Doors of special size and design here. They are quickly made to order under our direct supervision in our factory. Expert mill men and choicest stock are efficiently combined to produce really high grade doors at "Stock" prices. A Rough pencil sketch showing design, size and thickness is all we require to inform you fully.



10-AX-215
Belmont can be
furnished 1-light.
See below.



10-AX-408
Pansy can be
furnished 1-light. See
below.




COLONIAL
Ponderosa Pine

10-AX-324


| SIZES | | 1 3/4 In. Thick |
|------------------|-------------------|--------------------|
| Width Ft. In. | Height Ft. In. | |
| 2-8 | 6-8 | \$5.45 |
| 3-0 | 6-8 | 6.35 |

Send Us Your
Material Lists



BELMONT
Ponderosa Pine

| SIZES | | 10-AX-624 9-Light Glazed Clear Glass | 10-AX-215 1-Light Glazed Clear Glass |
|------------------|-------------------|---|---|
| Width Ft. In. | Height Ft. In. | 1 3/4 In. Thick | 1 3/4 In. Thick |
| 2-6 | 6-6 | \$5.49 | \$5.52 |
| 2-8 | 6-8 | 5.53 | 5.92 |
| 2-10 | 6-8 | 5.98 | 6.17 |
| 3-0 | 6-10 | | 6.28 |
| 2-8 | 7-0 | | 6.32 |
| 3-0 | 7-0 | | 8.14 |



PANSY—Ponderosa Pine

| SIZES | | 10-AX-408 1-Light Glazed Clear Glass | 10-AX-523 9-Light Glazed Clear Glass |
|------------------|-------------------|---|---|
| Width Ft. In. | Height Ft. In. | | |
| 2-6 | 6-6 | \$4.98 | \$5.98 |
| 2-8 | 6-8 | 5.19 | 6.33 |
| 2-10 | 6-10 | | 6.47 |
| 3-0 | 7-0 | 5.49 | |



IRIS—Ponderosa Pine

| SIZES | | 10-AX-627 1 3/4 Inches Thick Glazed Clear Glass |
|------------------|-------------------|--|
| Width Ft. In. | Height Ft. In. | |
| 2-8 | 6-8 | \$4.24 |
| 2-10 | 6-10 | 4.66 |
| 3-0 | 7-0 | 4.79 |

Freight Paid
Prices on Request

HARRIS BROTHERS COMPANY, 35th and Iron Streets, CHICAGO

INTERIOR DOORS PRICED LOW

Special Sizes
and all special designs are quickly made here in our factory. Send a rough sketch showing sizes and designs for low prices.

These beautiful Fir and Ponderosa Pine doors will survive the most critical inspection. Securely doweled and constructed of best stock to give long service. Flat Panels are laminated, that is, built up from two outside plies or veneers, selected for beauty of grain, and the center core has the grain of the wood running in the opposite direction: thus one layer strengthens the layer next to it, and the result is a permanent, extra strong and enduring door.

Many of These Doors Furnished 1 3/4 in. Thick. Write for Low Prices.

Please Note:
All doors come to you in the natural wood; smoothly sanded and ready for paint, enamel, stain or varnish, to match your interior woodwork.

Five Cross Panel Doors

| SIZES | | "B" FIR 10-AX-105 1 3/8 Inches Thick | "A" FIR 10-AX-325 1 3/8 Inches Thick | W. P. PINE 10-AX-59 1 3/8 Inches Thick |
|------------------|-------------------|---|---|---|
| Width Ft. In. | Height Ft. In. | | | |
| 2 — 0 | 6 — 0 | \$2.27 | \$2.39 | \$2.82 |
| 2 — 0 | 6 — 6 | 2.38 | 2.51 | 2.96 |
| 2 — 4 | 6 — 6 | 2.62 | 2.76 | 3.27 |
| 2 — 6 | 6 — 6 | 2.76 | 2.90 | 3.42 |
| 2 — 0 | 6 — 8 | 2.42 | 2.55 | 2.98 |
| 2 — 4 | 6 — 8 | 2.68 | 2.82 | 3.33 |
| 2 — 6 | 6 — 8 | 2.79 | 2.94 | 3.48 |
| 2 — 8 | 6 — 8 | 2.92 | 3.08 | 3.63 |
| 2 — 10 | 6 — 8 | | | 3.74 |
| 2 — 10 | 6 — 10 | | | 3.85 |
| 2 — 0 | 7 — 0 | | | 3.18 |
| 2 — 4 | 7 — 0 | | | 3.53 |
| 2 — 6 | 7 — 0 | | | 3.68 |
| 2 — 8 | 7 — 0 | | | 3.83 |
| 3 — 0 | 7 — 0 | | | 3.99 |

TWO REGULAR PANEL FIR DOORS

| SIZES | | 10-AX-326 1 3/8 Inches Thick |
|------------------|-------------------|------------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2 — 0 | 6 — 0 | \$2.42 |
| 2 — 6 | 6 — 0 | 2.81 |
| 2 — 8 | 6 — 0 | 3.06 |
| 2 — 0 | 6 — 6 | 2.54 |
| 2 — 2 | 6 — 6 | 2.72 |
| 2 — 4 | 6 — 6 | 2.80 |
| 2 — 6 | 6 — 6 | 2.94 |
| 2 — 0 | 6 — 8 | 2.58 |
| 2 — 2 | 6 — 8 | 2.74 |
| 2 — 4 | 6 — 8 | 2.86 |
| 2 — 6 | 6 — 8 | 2.98 |
| 2 — 8 | 6 — 8 | 3.12 |
| 2 — 10 | 6 — 8 | 3.24 |
| 2 — 0 | 7 — 0 | 2.80 |
| 2 — 2 | 7 — 0 | 2.98 |
| 2 — 4 | 7 — 0 | 3.08 |
| 2 — 6 | 7 — 0 | 3.23 |
| 2 — 8 | 7 — 0 | 3.37 |
| 2 — 10 | 7 — 0 | 3.51 |
| 3 — 0 | 7 — 0 | 3.66 |

W.P. Pine Doors with Fir Panels

| SIZES | | 10-AX-432 1 3/8 Inches Thick |
|------------------|-------------------|------------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2 — 0 | 6 — 8 | \$2.78 |
| 2 — 4 | 6 — 8 | 3.08 |
| 2 — 6 | 6 — 8 | 3.21 |
| 2 — 8 | 6 — 8 | 3.35 |


FOUR REGULAR PANEL

W.P. Pine Doors
\$3.04

| SIZES | | 10-AX-56 1 3/8 Inches Thick |
|------------------|-------------------|-----------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2 — 0 | 6 — 6 | \$3.04 |
| 2 — 8 | 6 — 6 | 3.51 |
| 2 — 0 | 6 — 8 | 3.09 |
| 2 — 6 | 6 — 8 | 3.56 |
| 2 — 8 | 6 — 8 | 3.74 |
| 2 — 0 | 7 — 0 | 3.35 |
| 2 — 6 | 7 — 0 | 3.85 |
| 2 — 8 | 7 — 0 | 4.01 |
| 3 — 0 | 7 — 0 | 4.36 |

One Regular Panel FIR DOORS

NOTE: We can furnish any of the doors shown below with first quality mirrors. Write for price, state size, style, kind of wood and whether "plain" or "bevel" mirror is wanted.



| SIZES | | 10-AX-327-M 1 3/8 Inches Thick |
|------------------|-------------------|--------------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2 — 0 | 6 — 0 | \$2.46 |
| 2 — 0 | 6 — 6 | 2.58 |
| 2 — 4 | 6 — 6 | 2.84 |
| 2 — 6 | 6 — 6 | 2.98 |
| 2 — 8 | 6 — 6 | 3.11 |
| 2 — 0 | 6 — 8 | 2.62 |
| 2 — 4 | 6 — 8 | 2.90 |
| 2 — 6 | 6 — 8 | 3.02 |
| 2 — 8 | 6 — 8 | 3.16 |
| 2 — 4 | 6 — 10 | 3.10 |
| 2 — 10 | 6 — 10 | 3.50 |
| 2 — 0 | 7 — 0 | 2.86 |
| 2 — 4 | 7 — 0 | 3.14 |
| 2 — 6 | 7 — 0 | 3.26 |
| 2 — 8 | 7 — 0 | 3.40 |
| 3 — 0 | 7 — 0 | 3.70 |



Finest Plate MIRROR DOORS

Full length doors glazed with finest quality plate mirrors. The advantage of a full length mirror, for that last minute inspection, is appreciated by everyone. Indispensable for use in Bed Room or Dressing Room. Can be placed on either side of door depending on the most advantageous light. Many use them in the Hall or Living Room where they add greatly to the appearance of the room. Select fir doors with best quality polished plate glass mirrors, opposite side of doors fitted with ribbon grain fir panel.

| SIZES 1 3/8 in. Thick | | Size of Mirror Inches | 10-AX-293 Plain Mirror |
|--------------------------|-------------------|-----------------------------|------------------------------|
| Width Ft. In. | Height Ft. In. | | |
| 2 — 0 | 6 — 0 | 15 1/2 x 57 | \$12.70 |
| 2 — 6 | 6 — 8 | 22 x 65 | 19.05 |
| 2 — 8 | 6 — 8 | 24 x 65 | 20.45 |

NOTE: We furnish mirror door in every size wanted. See our Regular Panel Fir doors at left for other sizes.

FIVE REGULAR PANEL

W.P. Pine Doors


\$3.04

WHITE PINE — FIVE
REGULAR PANEL

| SIZES | | 10-AX-57 1 3/8 Inches Thick |
|------------------|-------------------|-----------------------------------|
| Width Ft. In. | Height Ft. In. | |
| 2 — 0 | 6 — 6 | \$3.04 |
| 2 — 6 | 6 — 6 | 3.51 |
| 2 — 0 | 6 — 8 | 3.09 |
| 2 — 6 | 6 — 8 | 3.56 |
| 2 — 8 | 6 — 8 | 3.74 |
| 2 — 6 | 7 — 0 | 3.85 |
| 2 — 8 | 7 — 0 | 4.01 |
| 3 — 0 | 7 — 0 | 4.36 |

BEST SANDED INTERIOR TRIM

Made from the finest, carefully selected, clear, kiln-dried lumber, on modern, high-speed moulding machines. Perfect work. Excellent smooth finish. Flat surfaces are machine sanded at no extra charge. Yellow Pine and Gum mouldings furnished in random lengths 6 to 16 feet, Oak and Birch 6 to 14 feet, the big majority of pieces being 10 foot and longer. We charge 10 percent extra for specified lengths. Your choice of Yellow Pine, Gum, Oak and Birch, suitable for oil, stain, paint or enamel.



| Order by This No. | Name of Moulding | Size Inches | Price per 100 Lineal Ft. | | | |
|-------------------|-------------------------|----------------|--------------------------|--------|--------|--------|
| | | | Yellow Pine | Gum | Oak | Birch |
| 10-AX-8396 | Cap Mould..... | 1 1/16x2 1/4 | \$3.50 | | \$4.50 | |
| 10-AX-8394 | Square Head Casing... | 3/4x4 1/2 | 4.40 | | 6.50 | |
| 10-AX-8395 | Fillet..... | 1/16x1 | .60 | | .80 | \$0.50 |
| 10-AX-8267 | Window Stool..... | 1 1/16x3 3/8 | 5.50 | \$6.00 | 7.50 | 7.90 |
| 10-AX-8669 | Window Stool..... | 3/4x3 1/2 | 2.90 | 4.25 | 5.50 | 5.80 |
| 10-AX-8268 | Window Stool..... | 1 1/16x8 | 11.00 | 12.00 | 15.00 | 16.00 |
| 10-AX-8379 | Round Edge Apron.... | 3/4x3 3/8 | 2.90 | 4.00 | 5.20 | 5.50 |
| 10-AX-7692 | Moulded Apron..... | 3/4x3 3/8 | 3.00 | 4.00 | 5.20 | 5.50 |
| 10-AX-8541 | Round Edge Stops.... | 3/4x1 1/8 | 1.35 | 1.50 | 2.10 | 2.20 |
| 10-AX-8542 | Round Edge Stops.... | 3/4x1 1/8 | 1.60 | 1.85 | 2.40 | 2.50 |
| 10-AX-8543 | Round Edge Stops.... | 3/4x2 1/4 | 2.50 | | 3.00 | 3.15 |
| 10-AX-8083 | O. G. Stops..... | 3/4x1 1/8 | .75 | | 1.35 | 1.40 |
| 10-AX-8084 | O. G. Stops..... | 3/4x1 1/8 | .80 | 1.25 | 1.65 | 1.70 |
| 10-AX-8085 | O. G. Stop..... | 3/4x1 1/8 | 1.40 | | 2.20 | |
| 10-AX-8096 | O. G. Stops..... | 3/4x1 1/8 | 1.35 | | | |
| 10-AX-8095 | O. G. Stops..... | 3/4x1 1/8 | 1.60 | 1.85 | 2.30 | 2.35 |
| 10-AX-8093 | O. G. Stops..... | 3/4x2 1/4 | 1.90 | | | |
| 10-AX-1002 | Back Band Mould.... | 1 1/16x1 1/8 | 1.80 | | 3.00 | 3.20 |
| 10-AX-1000 | Square Edge Casing... | 3/4x3 1/8 | 2.90 | | 5.20 | 5.50 |
| 10-AX-1006 | Square Edge Mullion... | 3/4x5 3/8 | 5.50 | | | |
| 10-AX-7649 | Back Band Mould.... | 3/4x1 1/8 | .80 | 1.50 | 2.00 | 2.10 |
| 10-AX-7301 | Square Edge Casing... | 3/4x3 1/8 | 2.70 | 3.70 | 4.80 | 5.00 |
| 10-AX-7650 | Square Edge Mullion... | 5/8x5 3/8 | 5.50 | 6.00 | 7.80 | 8.20 |
| 10-AX-7630 | Rd. Edge Chair Rail... | 3/4x2 3/8 | 1.80 | 2.75 | 3.30 | 3.50 |
| 10-AX-8496 | Rd. Edge Casing..... | 3/4x3 1/8 | 2.70 | 3.70 | 4.80 | 5.00 |
| 10-AX-7311 | Rd. Edge Mullion..... | 3/4x5 3/8 | 4.34 | 6.00 | 7.80 | 8.20 |
| 10-AX-8308 | Rd. Edge Casing..... | 3/4x3 1/8 | 2.90 | | 5.20 | 5.80 |
| 10-AX-8311 | Rd. Edge Mullion..... | 3/4x5 3/8 | 4.90 | | | |
| 10-AX-8384 | O. G. Casing..... | 3/4x4 1/4 | 4.40 | | | |
| 10-AX-8385 | O. G. Base..... | 3/4x5 1/8 | 5.00 | | | |
| 10-AX-8386 | O. G. Base..... | 3/4x7 1/4 | 5.70 | | | |
| 10-AX-7605 | Square Door Jamb.... | 3/4x5 1/4 | 5.00 | 6.00 | 7.80 | 8.20 |
| 10-AX-8264 | Picture Mould..... | 3/4x1 1/8 | 1.20 | 2.00 | 2.60 | 2.75 |
| 10-AX-8234 | Closet Hook Strip... | 5/8x2 1/8 | 2.50 | | | |
| 10-AX-8343 | 2-Member Plate Rail... | 3x2 | 5.30 | | 10.00 | |
| 10-AX-8740 | Base Mould..... | 3/4x1 1/8 | 1.75 | 2.00 | 2.60 | 2.75 |
| 10-AX-8421 | Main Base..... | 3/4x7 1/4 | 6.30 | | 10.50 | |
| 10-AX-7391 | Main Base..... | 5/8x5 1/8 | 5.00 | 5.50 | 7.20 | 7.60 |
| 10-AX-8422 | Base Shoe..... | 3/4x3 1/4 | .60 | .85 | 1.35 | 1.60 |
| 10-AX-8426 | Moulded Base..... | 3/4x7 1/4 | 5.70 | | 10.50 | |
| 10-AX-1003 | Round Edge Base..... | 3/4x7 1/4 | 5.70 | | 10.50 | |
| 10-AX-8060 | Cove Mould..... | 3/4x3 3/4 | .60 | 1.00 | 1.25 | 1.30 |
| 10-AX-7639 | Ceiling Cove..... | 3/4x3 3/8 | 2.95 | 4.00 | 5.20 | 5.50 |
| 10-AX-931 | Panel Mould..... | 1/16x1 1/8 | 1.50 | | 3.15 | |
| 10-AX-8065 | Quarter Round..... | 3/4x3 3/4 | .60 | 1.00 | 1.25 | 1.30 |
| 10-AX-133 | Base Blocks.. Price Ea. | 3/4x3 3/4x9 | .06 | .08 | .10 | .11 |
| 10-AX-134 | Base Blocks.. Price Ea. | 1 1/4x3 3/4x10 | .08 | | .11 | .14 |
| 10-AX-144 | Base Block.. Price Ea. | 1 1/4x4 1/4x10 | | | .09 | .10 |
| 10-AX-1541 | Clear Oak Thresholds... | 3/4x3 3/8 | | | 7.00 | |
| 10-AX-542 | Corner Bead..... | 1 1/8x1 1/8 | 2.50 | | 5.50 | |

Stair Material

Half Circle Step



Furnished Complete as Illustrated Built—Ready to Set in Place.

Half Circle Step—Furnished Right or Left Hand Return. Illustration shows left hand return. Prices for Sizes up to 4 ft. (Width of Stairs).

| No. | Description | Wood | Price Each |
|-----------|-------------|------------|------------|
| 10-AX-660 | L.H. Return | Clear Y.P. | \$8.45 |
| 10-AX-661 | R.H. Return | Clear Y.P. | 8.45 |
| 10-AX-662 | L.H. Return | Clear Oak | 9.30 |
| 10-AX-663 | R.H. Return | Clear Oak | 9.30 |

Quarter Circle Steps

Furnished at Proportionate Savings

Stair Stringers & Wall Mould

Yellow Pine can be furnished in lengths 8 to 16 feet. Oak can be furnished in lengths 8 to 14 feet only. Write for prices.



Angle or Landing Newels

5-inch square Angle Newel, 5 feet 6 inches long, can be cut down for use as landing or starting newels.

Prices of Angle Newels
10-AX-128. Price, ea.
Yellow Pine.....\$3.90
Plain Oak..... 4.90

Main Newels

Artistic and exclusive Designs, 8 inches at Base, 6-inch Shaft, 4 feet long, extra long base.

10-AX-124. Price ea.
Yellow Pine.....\$6.20
Plain Oak..... 7.20
10-AX-206. Price, ea.
Yellow Pine.....\$5.70
Plain Oak..... 6.60




Stair Railing

10-AX-2040. 1 1/2x3 1/2 inches. Prices per lineal foot.
Yellow Pine 22c
Red Oak..... 32c

10-AX-670. 1 1/2x1 1/2 Yellow Pine. Price per foot...9c
Red Oak. Price per foot..... 16c

10-AX-2047. 2 1/4x3 1/2 inches. Prices per lineal foot.
Yellow Pine 30c
Oak..... 40c



Specify size of rabbet when ordering

Stair Balusters

Smoothly finished. Furnished in random lengths 6 to 16 ft. Square Baluster Stock. Price per 100 lineal feet.

10-AX-652. Square Baluster Yellow Pine. Size 1 1/2x1 1/2 inches.....\$1.95
10-AX-652. Square Baluster Oak. Size 1 1/2x1 1/2 inches.....\$4.00
10-AX-653. Square Baluster Yellow Pine. Size 1 1/2x1 1/2 inches.....\$4.95
10-AX-653. Square Baluster Oak. Size 1 1/2x1 1/2 inches.....\$8.95

| 10-AX-652-3 Price Each—Cut to Length | | Length 28 Inches | | Length 32 Inches | |
|--------------------------------------|-----|------------------|-----|------------------|-----|
| Cat. No. | | Y.-P. | Oak | Y.-P. | Oak |
| 1 1/4 ins. thick | | | | | |
| 10-AX-653 | 15c | 26c | 17c | 29c | |
| 1 1/2 ins. thick | | | | | |
| 10-AX-652 | 6c | 11c | 7c | 12c | |

Landing Nosing



10-AX-8262. Size, 1 1/4x2 1/4 in. Price, per 100 lineal feet
Yellow Pine.....\$3.50
Plain Red Oak..... 6.95

Return Nosing

10-AX-8262 1/2. Size, 1 1/2x1 1/2 in. Price, per 100 lineal feet
Yellow Pine.....\$2.50
Oak..... 4.75

Porch Material

Colonial Columns



10-AX-110

Our Colonial exterior Columns are made from thoroughly kiln dried Fir free from knots. Only full length staves are used. Interlocking joints and best workmanship. Prices include plain caps and bases as illustrated, which are furnished separate so as to permit cutting Columns to exact length required on the job.

**PRICES INCLUDE
PLAIN CAPS
AND BASES**



10-AX-2215

| Size Inches | Length Feet | 10-AX-110 Round Column | 10-AX-2215 Square Column | Ship. Wt. Lbs. |
|----------------|----------------|------------------------------|--------------------------------|----------------------|
| 6x6 | 6 | \$2.96 | | 30 |
| 6x6 | 8 | 3.57 | | 35 |
| 8x8 | 6 | 4.10 | \$3.50 | 40 |
| 8x8 | 8 | 4.57 | 4.33 | 48 |
| 8x8 | 9 | 5.30 | 4.76 | 50 |
| 8x8 | 10 | 5.91 | 4.95 | 54 |
| 10x10 | 6 | 5.17 | 4.42 | 55 |
| 10x10 | 8 | 6.13 | 5.46 | 62 |
| 10x10 | 9 | 6.98 | 5.96 | 68 |
| 10x10 | 10 | 7.64 | 6.15 | 72 |
| 12x12 | 6 | 6.40 | 6.20 | 64 |
| 12x12 | 8 | 8.44 | 6.46 | 68 |
| 12x12 | 9 | 9.23 | 7.10 | 72 |
| 12x12 | 10 | 10.12 | | 75 |

For Half or Full Fluted Columns add 50% or $\frac{1}{2}$ to prices of Round Columns.

CLEAR FIR NEWELS



10-AX-2224



10-AX-2227

NEWELS 10-AX-2224 and 10-AX-2227 are built up like columns and are 3 ft. 8 in. long. Nos. 10-AX-2221 and 10-AX-2222 are solid turned newels and are 4 ft. long.



10-AX-2221

Price Each

| Size Inches | 10-AX-2224 | 10-AX-2227 | 10-AX-2221 | 10-AX-2222 |
|----------------|------------|------------|------------|------------|
| 4x4 | | | \$0.81 | \$0.83 |
| 5x5 | | | 1.18 | 1.13 |
| 6x6 | \$1.39 | \$2.25 | 1.64 | 1.73 |
| 8x8 | 2.83 | 2.43 | | |
| 10x10 | | 3.19 | | |



Water Drip Moulding
10-AX-265. Clear W. P. Pine Water Drip Moulding to be nailed on bottom rail of sash. Size, $\frac{1}{2}$ x2 inches. Price per lineal foot. 2 $\frac{1}{2}$ c

Baluster Stock

10-AX-586. Clear Fir Square Baluster Stock Surfaced All Sides. Price per Size 100 lineal ft.
1 $\frac{1}{2}$ x1 $\frac{1}{2}$\$1.50
1 $\frac{1}{2}$ x1 $\frac{1}{2}$2.10
1 $\frac{1}{2}$ x1 $\frac{1}{2}$3.00

Top Rail

10-AX-146. Top Rail Clear Fir.


1 $\frac{1}{2}$ x3 $\frac{1}{2}$ inches. Per 100 lineal feet.....\$5.00

Bottom Rail

10-AX-147. Bottom Rail Clear Fir.


1 $\frac{1}{2}$ x3 $\frac{1}{2}$ inches. Per 100 lineal feet.....\$5.00

Porch Sash, Jamb and Header



10-AX-241. Select Fir. 1 $\frac{1}{2}$ x3 $\frac{1}{2}$ inches. Rabbed for Sash and Screens.
8-ft. piece.....40c
10-ft. piece.....80c
12-ft. piece.....96c
14-ft. piece.....\$1.12
16-ft. piece.....1.28

Porch Sill



10-AX-260. Select Fir. 1 $\frac{1}{2}$ x5 $\frac{1}{2}$ inches.
8-ft. piece.....\$0.72
10-ft. piece......90
12-ft. piece.....1.08
14-ft. piece.....1.26
16-ft. piece.....1.44
Oak Parting Stop 10-AX-8432 for use with 10-AX-260. Price per 100 lin. ft. \$1.00

MILL MADE DOORS FOR GARAGES—WAREHOUSES

Built to Give Long Service

Our Garage and Warehouse Doors are made of Clear Kiln Dried Fir. The stiles and rails of the doors are mortised and pinned, which construction gives you a more durable door. The panels are extra heavy, being set into the grooves of the stiles and rails by means of special machinery, making it practically impossible for the panel to warp or check. Water-proof glue is used on all our doors. Glass set with wood stops. Hardware not included.

**These Designs
Furnished in
Triple
Combination**



10-AX-1576



10-AX-1476

| Size of Each Door | | 3 Doors Will Fill Opening | Shipping Weight Per Set | 10-AX-1576 Price Per Set of Three | 10-AX-1476 Price Per Set of Three |
|-------------------|---------|---------------------------------|-------------------------------|---|---|
| Width | Height | | | | |
| 2' - 8" | 7' - 6" | 8'-0" x 7'-6" | 190-Lbs. | \$13.45 | \$13.30 |
| 2' - 8" | 8' - 0" | 8'-0" x 8'-0" | 210-Lbs. | 13.65 | 13.50 |

Garage Doors Furnished in Pairs

Free Now!

One Pair of Special "NO-SLAM" GARAGE DOOR HOLDERS free with each pair of Garage Doors ordered from this book during this sale. Made of $\frac{1}{2}$ -in. square bar steel, 17 $\frac{1}{2}$ in. long. When doors are opened these holders dropped in place prevent slamming.

**Single Doors
Furnished
at $\frac{1}{2}$ Price
of Pair or 1/3
Price of
Triple
Combination**



10-AX-776



10-AX-576

| Size of Each Door | | 2 Doors Will Fill Opening | Shipping Weight Per Set | 10-AX-776 Price Per Pair | 10-AX-576 Price Per Pair |
|-------------------|---------|---------------------------------|-------------------------------|--------------------------------|--------------------------------|
| Width | Height | | | | |
| 4' - 0" | 7' - 6" | 8'-0" x 7'-6" | 190-Lbs. | \$12.75 | \$12.60 |
| 4' - 0" | 8' - 0" | 8'-0" x 8'-0" | 210-Lbs. | 12.95 | 12.75 |

GARAGE DOOR HARDWARE SETS



Garage Door Hardware for Swinging Doors

4-AX-1605. Garage Set for double swinging door. Three pair of extra heavy 10-in. "T" hinges, one chain bolt, one foot bolt and two thumb latches, furnished complete with screws. Finished. \$2.25

"Around-the-Corner" Set for Triple Doors

Complete Set

\$4³⁵

Set is for an opening 8 ft. square and includes the following items:

- 1—6 foot Braced Rail for sidewall.
- 1—8 foot Braced Rail for over door opening.
- 1—4 foot Braced Rail curved (27-inch Radius).
- 3—Swivel Hangers.
- 1 $\frac{1}{2}$ pair Garage Door Hinges.
- 1 $\frac{1}{2}$ pair 4x4 Jap Butts.
- 2—Door Pulls.
- 1—Latch.
- 1—Adjustable Floor Guide.
- 1 pair Jap Padlock Eyes. Complete instructions with each set.
- 4-AX-8030. "Around the Corner" Garage door set. Complete..... \$4.35



The two joined doors as shown in illustration are suspended by 3 swivel hangers, each equipped with two wheels which run on a guide track. Single door swings entirely out of opening, allowing the other two doors to slide past.

The hangers are adjustable, in case of swelling or raising of cement floor. All hardware is hung on inside of building and protected from the weather.

COLONIAL SHUTTERS

As Low As

\$4.95

Per Pair



Tree Design Keyhole Design

Designs above furnished instead of Crescent Design illustrated in shutters at 15c per pair extra.

Made to order in our factory which requires a few extra days for shipment. First quality Ponderosa Pine frames 1 1/2 in. thick with theroply slash grain fir panels 1/4 inch thick. Furnished in white natural wood.

A few pair of shutters will make a splendid improvement in the appearance and comfort of your home. In addition to ornamentation, shutters afford considerable protection as they will keep the house warmer in winter and cooler in summer.

| Size of Opening Per Pair | Ship. Weight Per Pair | 10-AX-694 Price Per Pair | Size of Opening Per Pair | Ship. Weight Per Pair | 10-AX-694 Price Per Pair |
|--------------------------|-----------------------|--------------------------|--------------------------|-----------------------|--------------------------|
| 2-0 1/4 4-0 | 14 Lbs. | \$4.95 | 2-6 1/4 4-8 | 20 Lbs. | \$5.70 |
| 2-0 1/4 4-8 | 16 Lbs. | \$5.60 | 3-6 1/4 5-0 | 21 Lbs. | \$6.05 |
| 2-0 1/4 5-4 | 17 Lbs. | \$5.50 | 2-6 1/4 5-4 | 22 Lbs. | \$6.55 |
| 2-2 1/4 4-8 | 15 Lbs. | \$5.55 | 2-6 1/4 5-8 | 23 Lbs. | \$6.90 |
| 2-2 1/4 5-4 | 17 Lbs. | \$5.55 | 2-8 1/4 4-8 | 24 Lbs. | \$5.70 |
| 2-2 1/4 5-8 | 18 Lbs. | \$5.55 | 2-8 1/4 5-0 | 25 Lbs. | \$6.10 |
| 2-4 1/4 4-0 | 19 Lbs. | \$5.55 | 2-8 1/4 5-4 | 26 Lbs. | \$6.55 |
| 2-4 1/4 4-8 | 20 Lbs. | \$6.00 | 2-10 1/4 4-8 | 22 Lbs. | \$6.10 |
| 2-4 1/4 5-0 | 18 Lbs. | \$6.00 | 2-10 1/4 5-0 | 23 Lbs. | \$6.10 |
| 2-4 1/4 5-4 | 19 Lbs. | \$6.55 | 2-10 1/4 5-4 | 24 Lbs. | \$6.55 |
| 2-4 1/4 5-8 | 20 Lbs. | \$6.55 | 2-10 1/4 5-8 | 25 Lbs. | \$6.90 |
| 2-6 1/4 4-0 | 21 Lbs. | \$7.20 | 3-4 5-0 | 25 Lbs. | \$8.05 |
| 2-6 1/4 4-8 | 22 Lbs. | \$7.10 | 3-4 5-4 | 26 Lbs. | \$8.50 |

SLAT DESIGN SHUTTERS

Are also furnished to order requiring a few extra days for shipment. Slat Design shutters have the appearance of blinds but they are made of solid material with slat effect. They do not permit passage of light or air between slats. For slat design add 65c per pair to above prices.

BUILDING PAPERS

TARRED FELT BLUE PLASTER



\$1.86 Per Roll

Used for roofing, sheathing and general building purposes. Made of the best grade of wool felt, thoroughly saturated. Warranted to unroll freely. Approx. wt. 61 lbs.

22-AX-14. Medium grade, 432 Sq. Ft. to roll. Price per roll. **\$1.86**



68c Per Roll

Best grade of Blue Plaster Cardboard manufactured. Strong and tough. Used under clappboards for sheathing and on walls of summer cottages, attics, etc. Put up in rolls 36 inches wide.

22-AX-19. Rolls containing 250 Sq. Ft., weight 30 lbs. Price. **68c**

DEADENING FELT



\$1.94 Per Roll

Made of selected wool felt. It is used to deaden sound between floors and as an insulator between walls. Rolls 36 inches wide.

22-AX-15. Heavy grade, 450 Sq. Ft. to roll. Weight 75 lbs. Price. **\$2.89**

22-AX-16. Medium grade, 450 Sq. Ft. to roll. Weight 50 lbs. Per roll. **\$1.94**

SLATERS FELT



95c Per Roll

Ideal sheathing paper used generally under metal and slate roofs. It can be used in place of red rosin or any other sheathing paper. Put up in rolls 36 inches wide, each roll containing 500 square feet. Weight, per roll, approximately 30 lbs. We recommend this felt.

22-AX-18. Price, per roll. **95c**

Ornamental Metal Ceilings



Primed with One Coat of Light Gray Paint on Both Sides

Metal Ceilings are Light Weight, Easily Decorated, Permanent, Fire, Dust and Vermin-Proof. We can furnish Metal Ceiling suitable for use on any building. To the left we illustrate and price our most popular design.

22-AX-4682. Metal Ceiling, price per sheet, size 24x48 inches. **34c**
Size 24 x 96 inches. **69c**


22-AX-4190. Cornice, 3 x 4 inches, price per piece 48 inches long. **16c**
Cornice Mitres **17c** each. Nails **7c** per lb. Furring Strips **80c** per 100 lineal feet.

A Better—Cheaper—Safer—Cleaner

HOME INSULATION

IN WINTER—when icy blasts send your thermometer reeling downward to subzero temperatures, your POROSIL insulated home stands snug and warmly blanketed.

IN SUMMER—when stifling summer heat mounts dizzily upward to 100 degrees in the shade, enjoy the "cool of evening" every hour of the day within your home.



Original-Genuine
"POROSIL"

85c Per Bag

Poured three inches deep between your ceiling joists, each bag will cover about 18 square feet.

Pour-Your-Own Insulation

"POROSIL" comes to you in light easily handled bags containing about 4 cubic feet of the material. It's a simple easy job to "pour-your-own" Home Insulation and complete a perfect job.

"POROSIL" is Best by Every Test

There is but one "Porosil," and that ONE is "Harris Porosil"—made by a process which eliminates impurities and insures the cleanest, most efficient insulation for your home—different and vastly better than any imitation. Fire and water-proof—vermin and bug proof—clean and dustless. 22-AX-734. "POROSIL" Home Insulation. Per bag containing 4 cubic feet. (Weight about 31 lbs.) **85c**



Porosil comes in light, easily handled bags. It pours and runs freely, filling every crevice.



Porosil is quickly and easily installed in floored attics to insulate and deaden sound.



Porosil shuts out summer heat and makes upstairs attic rooms cool and livable.

Clear Outside Mouldings and Screen Stock

Clear Ponderosa Soft Pine is an enduring wood and holds paint well. We furnish Moulding Stock in random lengths 6 to 16 ft., the majority of pieces being 10 ft. and longer. For specified lengths add 10% extra.

Quarter Round



Price per 100 lineal feet. Clear Soft Pine.

10-AX-8065. Size 3/4 x 3/4. Price. **67c**

Lattice Strips



Clear Soft Pine. 10-AX-8230. Size 1/2 x 1 1/2. Price per 100 lineal feet. **58c**

10-AX-8231. Size 3/8 x 1 1/2. Price. **68c**
10-AX-8282. Size 1/2 x 1 1/2. Price. **87c**

Cove Mould



Price per 100 lineal feet. Clear Soft Pine.

10-AX-8060. Size 3/4 x 3/4. Price. **67c**
10-AX-8061. Size 3/4 x 1 1/2. Price. **\$1.24**



Bed Mould

10-AX-8016. Price per 100 lineal feet. Clear Soft Pine. Size 3/4 x 1 1/2. Price. **\$1.67**



Brick Mould

10-AX-8036. Price per 100 lineal feet. Clear Soft Pine. Size 1 1/2 x 1 1/2. Price. **\$1.50**
10-AX-8038. Size 1 1/2 x 1 1/2. Price. **\$2.90**



Band Mould

Clear Soft Pine. Price per 100 lineal feet. 10-AX-8178. Size 1/2 x 2. Price. **\$2.50**
10-AX-8180. Size 3/4 x 2 1/2. Price. **\$2.70**



Sprung Cove

10-AX-8024. Price per 100 lineal feet. Clear Soft Pine. Size 3/4 x 1 1/2. Price. **\$2.00**
10-AX-8029. Size 3/4 x 3 1/4. Price. **\$3.60**



Crown Mould

Price per 100 lineal feet. Clear Soft Pine.

10-AX-8008. Size 3/4 x 2 1/4. Price. **\$2.40**
10-AX-8000. Size 3/4 x 3 1/4. Price. **2.70**
10-AX-8006. Size 3/4 x 4 1/4. Price. **3.70**

Parting Stop



10-AX-8432. Per 100 lineal feet. Clear Soft Pine. Size 1 1/2 x 3/4. Price. **75c**



Drip Cap

Price per 100 lineal feet. Clear Soft Pine. Size Price
10-AX-8283 1 1/4 x 1 1/2 \$2.70
10-AX-8284 1 1/2 x 2 2.90
10-AX-8286 1 1/2 x 3 4.40



Side Rail

10-AX-603 GROOVED SIDE RAILS for half screens. Clear Ponderosa Pine. Size 3/4 x 1 1/4 in. Price, per lineal foot. **1 1/2c**



Slide Strips

10-AX-602 Slide strips for side rails of half screens. Clear Ponderosa Pine. Size 3/4 x 3/8 in. Per lineal ft. **1/2c**



Moulding

10-AX-8611 For covering screen wire where it is nailed to frame. Clear Ponderosa Pine. Size 3/4 x 3/8 inches. Per 100 lineal ft. **47c**



Screen Stock

Clear Ponderosa Pine. Price per 100 lineal feet. Size Price
10-AX-600 3/4 x 1 1/2 \$1.40
10-AX-8430 3/4 x 1 1/2 1.50
10-AX-8595 3/4 x 1 1/2 1.75
10-AX-8596 3/4 x 2 1/2 2.50

"GOLD MEDAL" AND "EUREKA" WALLBOARD

These New Low Prices Bring Big Savings!



Here is your opportunity to save money on these fine first quality wall boards at rock bottom prices. "Gold Medal" is made from wood fibre, one of the strongest and most rigid boards made. Four ply—standard $\frac{1}{16}$ inch thick. Both sides rosin-sized at the factory, this seals against moisture and makes board ready for paint, calcimine, etc. Board is cream colored both sides.

"EUREKA" Wall Board is the most economical to buy. It is about a thirty second of an inch thinner than "Gold Medal" Light colored both sides. The best quality for the price.

Wall boards are light and easy to handle. In a few hours you can add that extra room—line and insulate your garage, attic or basement—cover those old cracked plaster walls, etc., etc. Carefully wrapped and shipped in sealed, dust-proof packages—Safe delivery guaranteed.

22-AX-300. "GOLD MEDAL" Wall Board.

| Size | Price Per Sheet | Ship. Weight |
|------------------|-----------------|--------------|
| 48 in. by 6 ft. | \$.65 | 15 lbs. |
| 48 in. by 7 ft. | .75 | 17 lbs. |
| 48 in. by 8 ft. | .87 | 19 lbs. |
| 48 in. by 9 ft. | .98 | 22 lbs. |
| 48 in. by 10 ft. | 1.08 | 24 lbs. |
| 48 in. by 12 ft. | 1.29 | 29 lbs. |

22-AX-9307. Gummed Wall Board Tape. Made of tough brown kraft paper. Used to cover wall board joints. 2 inches wide. 25 yard rolls.

Price, per roll.....20c

22-AX-8281. Clear Soft Wood Panel Strips $\frac{1}{2}$ x $1\frac{1}{2}$ in. wide. Price per 100 lineal feet.....72c

22-AX-9308. 3-Penny Lath Nails for wall board—5 pounds to the average room.

Price per pound.....6c

22-AX-400. "EUREKA" Wall Board

| Size | Price Per Sheet | Ship. Weight |
|------------------|-----------------|--|
| 48 in. by 6 ft. | \$.53 | Approximately the same as "Gold Medal" |
| 48 in. by 8 ft. | .71 | |
| 48 in. by 10 ft. | .89 | |
| 48 in. by 12 ft. | 1.07 | |

Greatest Bargain PLASTIC PAINT



Modern Rough Effect

10 lb. Pkg.

98c

No special skill is required. Comes in dry form, requiring only the addition of water. Applied with paint brush, and can be textured. Gives a durable finish. Not a Kalsomine. 4-AX-700. HARRIS PLASTIC PAINT.

1 to $1\frac{1}{4}$ pounds will cover a square yard, average texture. Your choice of White, Buff or Cream.

Per 10-lb. package.....\$.95
Per 25-lb. package.....2.10
Be sure to specify color desired.

INSULATING BOARD

Highest Quality—Full $\frac{1}{2}$ " Thick
—Attractive Ivory Color—

FOR WALLS AND INSULATION

Do not confuse our price with thin boards. Insist on full $\frac{1}{2}$ -in for efficiency.

Insulate your home, attic, basement, porch and garage with this splendid board. Used by many large industrial concerns to insulate concrete roofs against condensation. Highly effective as a sound deadener. Made from long, tough all spruce fibres inter-laced and matted into an extra strong board full $\frac{1}{2}$ inch. Vermin proof and free from sugars. Makes a splendid wall in natural ivory color. Can be painted or plastered.

Plastic Paint, described in column to the left, is especially suitable for use on this board.



Screening for Joints For Plastic Paint or Plaster Finish

14-Mesh Galvanized Screen for covering joints of insulating board to prevent plastic paint and wall coverings from cracking at joints. Comes in rolls $3\frac{1}{4}$ inches wide and 100 feet long.

22-AX-750. $3\frac{1}{4}$ -inch Screening. Price per roll of 100 lineal feet.....\$2.10


—HARRIS IVORY—

INSULATING BOARD 22-AX-500

| Size | Price Per Sheet |
|---------------------|-----------------|
| 48 inches by 6 ft. | \$.93 |
| 48 inches by 7 ft. | 1.10 |
| 48 inches by 8 ft. | 1.22 |
| 48 inches by 9 ft. | 1.41 |
| 48 inches by 10 ft. | 1.56 |
| 48 inches by 12 ft. | 1.88 |

Weight approximately 60 lbs. per square, packed 8 sheets to a package, but you do not have to buy full packages.

CABOTS Heat Insulating QUILT



To-day's best flexible insulator. In use over 35 years. Used between floors and in walls. Eel-grass fibres between extra strong Kraft paper. (1) Will not rot; (2) will not burn; (3) will not harbor insects or vermin; (4) highest insulating value; (5) permanent; (6) sanitary.

Lock stitched every 3 inches. Rolls 36 inches wide.

| Thickness | Feet per Roll | Price per Roll |
|----------------------------|---------------|----------------|
| $\frac{1}{2}$ in. (Single) | 250 Sq. Ft. | \$8.93 |
| $\frac{1}{2}$ in. (Double) | 250 Sq. Ft. | 11.58 |
| $\frac{3}{8}$ in. (Triple) | 250 Sq. Ft. | 14.18 |
| 1 in. (Quad) | 125 Sq. Ft. | 9.45 |

BUY LUMBER NOW AT LOWEST PRICES!

We have one of the LARGEST LUMBER YARDS IN THE METROPOLITAN AREA OF CHICAGO. No uncertainty about grades and sizes. Sizes and grades according to Manufacturers' and Government Standard Grading rules. Prompt shipments. Safe delivery guaranteed.

DIMENSION LUMBER—Studding—rafters—joists.
No. 1 grades only.

FLOORING—"CLEAR" grade only—End matched Southern Hard Pine. Standard matched Fir.

HARDWOOD FLOORING—OAK and MAPLE—"Clear" and "Select" Grades.

BOARDS—CENTERMATCHED and SHIPLAP No. 1 and 2 Common Southern Pine. 1x12 Soft Pine Barn Boards.

TIMBERS—4x4 to 8x8—Selected No. 1 Grade—old growth Fir.



FINISHING LUMBER—Kiln dried Oak, Gum, Birch, Maple, Soft and Hard Pine, in standard widths, lengths and thicknesses. Also special wide Cypress and Redwood boards. "Knotty-Pine" Finish.

SHINGLES AND LATH—Certified brand Washington Red Cedar Shingles. Mixed Soft Pine Lath in both 48" and 32" lengths.

SIDING—Drop Siding, Bevel Siding, Colonial Siding—Fir, Soft Pine, Cypress and Redwood.

CEILING—PARTITION—Clear Kiln-dried Fir. Aromatic Red Cedar Lining.

SPECIAL NOTE:

We have our own saw and planing mill right here at our Main Plant and can make any special-pattern lumber, or moulding, to order promptly.

HOW TO GET OUR PRICES!

Send us a list of the material you will need and if you will state the size, kind, and the purpose for which it is going to be used, it will help us make a more intelligent estimate. We will gladly name you FREIGHT PREPAID PRICES. This service is offered to Carpenters, Contractors and Consumers only—not to Lumber Dealers.

HERE ARE EXTRA SPECIAL BARGAINS!

Soft Pine

22-AX-503. 40,000 feet— $\frac{1}{2}$ x6 SOFT PINE BEVEL SIDING. Standard Lengths up to and including 16-ft.—not over 10% 3 to 8-ft. Guaranteed standard size and 90% clear of knots and other defects. Price per 100 lineal feet, \$2.25 value.....\$1.85

22-AX-504. Same as above in CLEAR GRADE, \$2.50 value, per 100 lineal feet.....\$2.10

All the above is extra well seasoned, California stock—a decided bargain at these low prices. Weight 35 lbs. per 100 lineal feet.

Redwood

22-AX-501. 25,000 feet— $\frac{1}{2}$ x6 Square Edge California Redwood Siding. This is square edge and surfaced three sides to approximately $\frac{3}{4}$ x5 $\frac{1}{2}$ " net size; suitable for House Siding, or lining Porches, Attics, Basements. (Costs very little more than wall-board.) Can be used anywhere a thick board is not necessary. REDWOOD is everlasting. The grade is first quality, clear of knots of any kind, and the lengths are standard 3 to 16-ft., not over 10% 3 to 8 ft.

Price per 100 lineal feet (\$2.00 value).....\$1.65

22-AX-502. Same as above, Dressed and Matched and beaded on one side, or "V" Beaded on edges only (it is about $\frac{1}{2}$ " thinner than the above) same lengths as above—Price per 100 lineal feet (\$2.50 value).....\$1.75

When ordering, please state clearly the kind wanted. Weight 40 lbs. per 100 lineal feet.

NOTE: Can be furnished in specified lengths at slight extra cost. Write for prices, giving lengths wanted.

Aromatic Cedar

22-AX-505. Fresh, Aromatic Red CEDAR LINING. Here's a chance to line that Closet with genuine aromatic Red Cedar—death to moths; lumber size $\frac{3}{8}$ x $3\frac{1}{4}$ " face—carefully wrapped in Kraft paper. A bundle contains 32 feet board measure and is 8-ft. long. Pieces are not all 8 ft., however, as the lumber is tongued and grooved and end matched.

Price per bundle of 32 ft. (weight 25 lbs.), regular price \$2.85, special.....\$2.45

In estimating actual board feet required, add 20% to the area to be covered to make up for loss on account of tongue and groove.

STOCK CABINETS for immediate delivery



10-AX-6016. CEILING UNIT. 36 or 48 inches wide.



10-AX-6005. TOP UNIT. 36 or 48 inches wide.



10-AX-6004. TOP UNIT. 36 or 48 inches wide.

MADE OF CLEAR PONDEROSA PINE IN OUR OWN CABINET FACTORY

Precision cabinet work from our own cabinet shops featuring fine kiln-dried lumber, extra strong construction and lowest prices. Not to be confused with ordinary thin flimsy construction cabinets.

All units are made of finest clear Ponderosa Pine, smoothly sanded and come to you in natural wood, ready for finishing.

Ceiling, Top and Base Units can be manufactured as "Combined Units" at no extra charge. For price on "Combined Units" add prices of individual units desired.

PANELED BACKS

3-PLY FIR PANEL BACKS. If these units are wanted with Panel Backs, add as follows: Ceiling Units 25c; Upper Units 75c; Ceiling and Upper Units combined 95c; Base Units 50c.

CHROMIUM HARDWARE

Beautiful chromium hardware of latest modern design, with screws to match, is included in the prices of all stock cabinets. All hardware is of splendid quality heavily plated.

EASY TO ASSEMBLE

All cabinets are semi-assembled. Fronts and sides are assembled; balance of cabinet is fitted so all that is necessary is to nail together the sides and top, shelves, etc. Wall serves as back.



10-AX-7500. BASE UNIT. 36 inches wide.



10-AX-6001. BASE UNIT. 36 inches wide.



10-AX-6041. BASE UNIT. 48 inches wide.

PRICES OF STOCK CABINET UNITS

10-AX-6016. Ceiling Unit, 36 inches wide, 19 1/2 inches high, 12 1/2 inches deep. Paneled doors, one shelf. Weight 25 lbs. Each.....\$6.75
10-AX-6056. Ceiling Unit above, 48 inches wide. Weight 30 lbs. Each.....\$7.60
10-AX-6005. Upper Unit, 36 inches wide, 50 inches high, 12 1/2 inches deep. Paneled doors, two shelves. Weight 45 lbs. Each.....\$9.50
10-AX-6045. Upper Unit above, 48 inches wide. Weight 55 lbs. Each.....\$10.75
10-AX-6004. Upper Unit, 36 inches wide, 50 inches high, 12 1/2 inches deep. Glazed doors, two shelves. Weight 55 lbs. Each.....\$10.50

10-AX-6044. Upper Unit above, 48 inches wide. Weight 55 lbs. Each.....\$11.90
10-AX-7500. Base Unit, 36 inches wide, 36 inches high, 20 1/2 inches deep. Roomy cupboard with two shelves and two equal size paneled doors, chopping or bread board. Weight 75 lbs. Each.....\$9.95
10-AX-6001. Base Unit, 36 inches wide, 36 inches high, 20 1/2 inches deep. Two equal size drawers, roomy cupboard with two shelves, and bread board. Weight 65 lbs. Each.....\$11.40
10-AX-6041. Base Unit, 48 inches wide, 36 inches high, 20 1/2 inches deep. Three equal size drawers, bread board, large cupboard with two shelves, and tilting flour bin. Weight 90 lbs. Each.....\$14.95

CORNER CABINET

\$13.45



Made of clear W. P. Pine with handsomely fluted pilasters. Shelves and cleats are cut and fitted to correct angle.

Entire front is completely fitted and set-up, just as shown in the picture, ready for easy installation.

Smoothly sanded, ready to finish. Easy to set in place; corner walls of room serve as back. Fitted with glass upper door and paneled lower door. Five

spacious shelves. Size over all 34 in. wide, 7 ft. 4 in. high. Beautiful Chromium Hardware included. Carton packed weight 95 lbs.

10-AX-999. Price each, including hardware.....\$13.45

NOTE: If plywood panels are wanted for sides instead of using wall, add \$1.50.

See "Open-Front" Corner Cabinet on Page 1 of this book.

FIR PLY WOOD

For Paneling Walls and Cabinet Work



10-AX-550. Beautifully figured slash grain selected Fir Panels are just the thing for making cabinets of all kinds or for paneling living rooms, etc. Can be stained and finished to match expensive woods. Fir Panels are laminated, that is, built up 3-ply with the center layer running crosswise to the face, making them strong and warp-proof. Send list of sizes wanted for latest low prices.

| | | | | |
|-------------|-------------|-------------|------------|-------------|
| | | | | |
| 35c Pair | 55c Pair | 14c Each | 8c Each | 40c Each |

High quality cabinet hardware, heavily chromium-plated and brilliantly polished, for doors, drawers and cupboards. Screws to match furnished.

10-AX-25400. Non-Mortise Surface Flush Cabinet Butts. Pair...35c
10-AX-25901. Flush Cabinet Hinges. Pair...55c
10-AX-25902. Offset Cabinet Hinges. Pair...55c
10-AX-25136. Flush Cupboard Latches. Each...14c
10-AX-106. Drawer Pulls. Each.....8c
10-AX-25319. Flush Cupboard Latches. Each...40c

PANELED CUPBOARD DOORS

Build Your Own Cabinets, Cupboards and Closets

For Sizes Not Shown add 20c to the Next Larger Size

As Low As

58c

Rabbetted in Pairs for 25c Per Pair Extra

Our wide assortment of Cupboard Door sizes makes it easy for you to plan and build your own closets, lockers, wardrobes, kitchen cabinets, etc. Constructed with mortised and tenoned joints, well glued, assuring strong, non-sagging doors. Made with clear W. P. Pine stiles and rails with beautiful 3-ply Fir Panels.

Note.—When doors are rabbetted in pairs they measure 1/4-inch less in width. Example: Two Doors 10" wide rabbetted together will measure 1'11 1/2" in width.

| Size | 10-AX-223 | Size | 10-AX-223 |
|-----------------|------------|-----------------|------------|
| Ft. In. Ft. In. | Price Each | Ft. In. Ft. In. | Price Each |
| 1-0x2-0 | \$0.58 | 1-6x2-0 | \$0.64 |
| 1-2x2-0 | .61 | 1-6x2-6 | .83 |
| 1-2x2-6 | .81 | 1-6x3-0 | .90 |
| 1-2x3-0 | .88 | 1-6x3-6 | 1.09 |
| 1-4x2-0 | .62 | 1-6x4-0 | 1.15 |
| 1-4x2-4 | .81 | 1-8x2-0 | .69 |
| 1-4x2-6 | .82 | 1-8x2-6 | .87 |
| 1-4x4-0 | 1.13 | 1-8x4-0 | 1.23 |

BOOTH SET



This modern restaurant booth or home breakfast nook set offers unlimited decorating possibilities. Features the new shaped seat, arm rests and sloping backs, making these benches the most comfortable style on the market. When used as booths the wide ends make them more private. Top of table designed with clipped corners to permit easy entry. All pieces made of clear soft pine with 3-ply paneled settee backs.

10-AX-4148. "Hollywood" Modern nook set with table 40 inches long, 24 inches wide, 29 inches high. Two Benches, 42 inches wide, 48 inches high. Shipping weight 120 lbs. Complete Set...\$17.90
10-AX-4160. "Beverly" Modern booth set with table 40 inches long, 24 inches wide, 29 inches high. Two Benches, 42 inches wide, 60 inches high. Shipping weight 130 lbs. Complete set.....\$19.45



10-AX-851. Clear W. P. Pine medicine cabinet, size 22 1/2 inches x 27 inches. Wall opening 18 1/2 inches x 25 inches. Polished plate mirror, size 14 x 18 inches. Two shelves. Chromium hardware furnished to open door either way. Shipping weight 30 lbs. Price.....\$8.25
10-AX-889. With open shelf below making cabinet 8 inches higher. Weight 35 lbs. Price.....\$5.50




10-AX-1624. Veneer Style Steel Cabinet. Beveled edge, polished plate mirror measuring 16 inches by 24 inches. Heavy steel cabinet finished in beautiful white enamel. Fits in regular 16-inch stud space. Two plate glass shelves. Weight about 40 lbs...\$7.90

CUSTOM-BUILT CABINETS for Quick Shipment



TA
Top Unit

TB
Top Unit



A well planned, step-saving arrangement of kitchen cabinets should be your first consideration if you are figuring on modernizing, for beauty, utility, and convenience.


TOP DETAILS



Projecting
Top



Paneled
Sides



Paneled
Extension



Plain
Extension

Every Conceivable Design and Plan

This page of cabinet patterns will convey the unlimited possibilities of cabinet, cupboard and drawer arrangements. Now everyone can plan and design proper cabinets for all wall space, utilizing every nook and corner.

Harris custom built cabinets are built special to your order in strict accordance with your individual requirements. Because they are made under our direct supervision by expert cabinet makers in our own cabinet shops, they are offered at surprisingly low prices. Choicest cabinet woods are specified including W. P. soft pine, gum wood, birch, American walnut, and mahogany.

A Rough Sketch

Make a plan of the wall arrangement of your cabinets the way you want them, roughly indicating the layout showing height, widths, and depth. Select top and base units from these patterns and include special patterns of your own design if you wish. That's all we need to quote you fully.

BASE DETAILS



Paneled
Sides



Toe Space



Legs



Bread
Board



Flour Bin



CA
Top Unit



CB
Top Unit



CB-1
Top Unit



CB-2
Top Unit



CE
Top Unit



CH
Top Unit



TB
Top Unit



CA-1
Top Unit




DA—Top Unit




BE
Top Unit




BC
Top Unit




BL
Top Unit



BK
Top Unit



RA
Base Unit



RD
Base Unit



MC
Base Unit



MAF-3
Base Unit



MD
Base Unit



OA
Base Unit



TL
Wardrobe Unit



OC—Base Unit



CF-3—Base Unit



OC-1—Base Unit



IS
Wardrobe Unit

Harris custom built cabinets are shipped to you semi assembled to save freight. They are quickly and easily set up and put in place. Modern design, high quality, chromium hardware is included. All cabinets furnished in the natural white wood, smoothly sanded and ready for paint, stain, enamel or varnish. They are securely crated and safe delivery to you is guaranteed.

HARRIS BROTHERS COMPANY, 35th and Iron Streets, CHICAGO

HARRIS "Very-Best" ROOFING!

**Beautiful Slate Surfaced—Many Colors
Guaranteed for 20 Years**

**Approved by FIRE UNDERWRITERS
and bears their label**



"The proof of the pudding is in the eating"—WE USE THIS ROOFING OURSELVES—no other testimonial is needed. Guaranteed for 20 years' service. More than 30,000 Harris buildings stand erected in Chicago and suburbs, all covered with Harris "VERY-BEST" Roofings. Now we offer it to you at these low prices.

QUALITY MATERIALS THROUGHOUT

Harris "Very-Best" Roofing is the result of over 35 years' experience in roofing manufacture. We believe it is the best piece of roofing produced. Only the highest grade of long fibre rag felt is used as a base for Harris Twenty-Year Roofings. This felt is thoroughly saturated with pure, long-life asphalt, and the best weather-proofing materials; then coated with asphalt, properly tempered, into which the beautiful natural-colored flaked slate is imbedded.

BEST NATURAL NON-FADING COLOR SLATE

Only the best grade of crushed slate is used on Harris Roofings—no screenings. Harris Slate Surfaced Roofings will not fade. "Harris" roofings meet the Fire Underwriters' requirements everywhere, and carry their APPROVAL LABEL. Average weight, 90 lb. to a roll of 108 square feet—all one length. Has special 2-inch smooth lap to take cement and make tight joint.

DOES NOT CONTAIN COAL TAR

The high-grade materials used in Harris "Very-Best" Roofing make it an excellent non-conductor of heat or cold. This means a saving of fuel in the winter, and a more comfortable house in the summer. The colors are permanent—are not affected by sun, rain or snow—will not fade. Our roofings contain best quality asphalt and do not contain coal tar.

Order direct from this page. Our guarantee assures your perfect satisfaction. Samples sent free on request.

Be sure to mention color when ordering slate-surfaced roofings

"VERY-BEST" Slate Surfaced Roofing

FIRST QUALITY 90 POUNDS

Every roll contains 108 square feet and will cover 100 square feet with proper lap allowed. Complete with 1-inch Galvanized large head roofing nails and special cement for smooth lap.


22-AX-3144 Harris "VERY-BEST" Roofing, your choice of BLUE-BLACK, GREY-GREEN, EVER-GREEN, MAROON RED or TILE RED Slate Surface. Price per roll of 108 square feet..... **\$1.84**

22-AX-3155 Harris "VERY-BEST" AUTUMN-BLEND or GREENTONE TWILIGHT-BLEND, RUSSET-BLEND. Slate Surface Roofing. Price per roll of 108 square feet..... **\$1.97**
Extra long nails for over shingles. Extra per roll..... **10c**

"STAGGERED EDGE" First Quality Roofing

\$2.87

EIGHT BEAUTIFUL COLOR COMBINATIONS



Here's a new product, specially designed for re-roofing and re-siding—for jobs where low first cost is a factor. "STAGGERED EDGE"

Roofing should be applied over your old shingles, or siding. Can be used for new work with a layer of asphalt felt underneath between it and the roof board. It comes in long strips, which are easy and economical to handle; the distinctive design gives the effect of shingle roof at roll-roofing cost.

CARRIES UNDERWRITERS' LABEL

Weight 105 pounds per square; each roll is 48 feet long and will cover 100 square feet. Nails not included; cement not needed. Offered in four color combinations as mentioned below. The staggered edge tabs on all of this kind of roofing are coated with different slate which emphasizes the shingle effect.

22-AX-4170. Harris "STAGGERED EDGE" Slate Surfaced Roll Roofing, your choice of the following beautiful color combinations:

Evergreen (Black tab)
Grey-Green (Evergreen tab)
Tile-Red (Black tab)
Purple (Evergreen tab)

Price per roll..... **\$2.87**

22-AX-4174. Harris "STAGGERED EDGE" Slate Surfaced Roll Roofing, your choice of

Twilight Blend (Evergreen tab)
Russet Blend (Chocolate tab)
Twilight Blend (Same as main color)
Greenchrome (Willow green tabs)

Price per roll..... **\$3.06**

Extra long, large head galvanized roofing nails for above, for over old shingles, extra per roll..... **10c**

"MASTER" Slate Surfaced Roofing


FIRST QUALITY 75 POUNDS

Under this brand we offer you the same quality as our "VERY-BEST" in 75 lb. weight—sold many places as "heavy-weight." Put up in full rolls of 108 sq. ft. A real bargain at these prices. Complete with 1-inch galvanized nails, and lap cement.

22-AX-315. "MASTER" Slate Surfaced Roofing. Your choice of Maroon-red, Tile-Red, Ever-Green, Grey-Green and Blue-Black. Pr. per roll **\$1.75**
If nails or cement are not wanted you may deduct 6c per roll for nails and 6c per roll for cement or 12c for both.

"DIAMOND POINT"

**Slate Surfaced
Roofing
9 COLORS**



Here is a Harris 20-year roofing that has been especially designed for use over old roofs. Avoid the dirt, danger, expense and annoyance of removing old shingles, also retain the insulating value of the old roof by using Harris Diamond Point Roll Roofing. Splendid appearance; first quality. Carries Underwriters' Label; weight 105 pounds per roll; each roll 48 feet long and will cover 100 square feet. Nails not included; cement not needed.

FIRST QUALITY

22-AX-3177 Harris DIAMOND POINT Slate Surfaced Roll Roofing. Your choice of Blue-Black, Ever-Green, Grey Green, Maroon Red, or Tile Red. Price per roll..... **\$2.87**

22-AX-3174 Harris DIAMOND POINT Slate Surfaced Roll Roofing Autumn-Blend, Twilight-Blend, Russet-Blend or Greentone. Price per roll..... **\$3.06**

"RAWHIDE" Smooth Roofing

Made specially for low pitch and flat roofs where water must flow off fast.

"RAWHIDE"—the name tells the story—pliable but tough. For actual service on a roof of any kind, it has no superior. Made as "tough as its name"—for hard wear.

Roofs do not wear out—they bake out. This has been taken into consideration in the special grade of SATURATION used in Rawhide. It is a real TALC finish roofing, built of honest raw materials—only high grade felt of tested weight saturated and waterproofed with the best Asphalt and waterproofing compounds. This saturation is BINDING, PLIABLE and NON-EVAPORATING. Weight consists of pure roofing materials only—no rock surfacing added to make weight.

FIRST QUALITY

ALL "RAWHIDE" ROOFING IS FIRST QUALITY—ONE length to the roll complete with 1-in. Galvanized Nails. LAP CEMENT and directions for laying.

22-AX-4066 "Rawhide," light weight, 35 lbs. to a roll, 8 year guarantee. Price per roll of 108 sq. ft..... **\$0.92**

22-AX-4077 "Rawhide," medium weight, 45 lbs. to a roll, 10 year guarantee. Price per roll of 108 sq. ft..... **1.29**

22-AX-4088 "Rawhide" heavy weight, 55 lbs. to a roll, 15 year guarantee. Carries "Underwriters' Approval Label. Price per roll of 108 sq. ft..... **1.59**

"JUMBO"

22-AX-4099 "Harris" "Jumbo," 75 lbs. to a roll. Guaranteed 25 years. Also carries "Underwriters' Approval Label. Price per roll of 108 sq. ft..... **2.02**

NOTE—Extra long nails for laying over shingles 10c per roll extra. Extra pint cans of Special Lap Cement..... **10c**

"Rawhide"
92c
Per Roll

NEW COLORS-BLENDS AND STYLES

SLATE SURFACED SHINGLES

FIRST QUALITY—Approved by Fire Underwriters and Bears Their Label

All "HARRIS" First Quality Slate Surfacd Shingles and Roofings listed below bear FIRE UNDERWRITERS' LABEL and are sold under our own 20 years' guarantee. They are built on a foundation of the best felt obtainable for the purpose. Felt is saturated with pure asphalt and the best weather proofing materials known to roofing manufacturers. The top coating of crushed slate, in beautiful natural colors, stiffens the shingles, prevents asphalt drying out and makes them fire resistant. Every shingle guaranteed first quality.

HEXAGON SHINGLES



\$2.19

Twin tabs form a hexagon, giving the appearance of individual hexagon shingles, especially recommended for laying over old roofs.

Self spacing, the easiest shingle to lay. New work requires 1½ lbs. of 1-inch nails; relaying work 2 lbs. of 1½-inch nails to each 100 sq. ft.

22-AX-501. Hexagon 11½ inch, your choice of six colors—Blue-Black, Grey-Green, Evergreen, Maroon-Red, Tile-Red, or Russet-Brown. Weight 84 pounds. Per 50 sq. ft. bundle.....**\$2.19**

22-AX-506. Hexagon 12½ inch, gives 3-inch head lap, same colors as above except Russet-Brown. Weight 93 pounds. Per 50 sq. ft. bundle.....**\$2.35**

22-AX-513. Extra Heavy Hexagon 13½ inch. Your choice of four colors—Blue-Black, Grey-Green, Evergreen, or Tile-Red. Weight 75 pounds. Per 33½ sq. ft. bundle.....**\$2.04**

22-AX-504. Hexagon 11½ inch, your choice of Autumn-Blend or Copper-Greentone. Weight 84 pounds. Per 50 sq. ft. bundle.....**\$2.40**

22-AX-526. Hexagon 12½ inch. Choice of Autumn-Blend, or Copper-Green. Weight 93 pounds. Per 50 sq. ft. bundle.....**\$2.55**

22-AX-523. Extra Heavy Hexagon 13½ inch. Greentone only. Weight 75 pounds. Per 33½ sq. ft. bundle.....**\$2.24**

20 YEAR GUARANTEE
Goes with all roofing on this page

Octagon Shingles




\$2.66

This wonderful shingle provides two layers over the entire roof and three thicknesses at the butt where needed. Each slab has four shaped shingles (same as 4-in-1) with the corners slightly cut off giving the roof the appearance of individual, octagonal butt shingles. The cut off corners prevent curling and wind flapping. Size 11 in. by 33½ in. long. Self spacing. Weight 195 lbs. per square. New work requires 2¼ lbs. of 1-in. nails; relaying work requires 3¼ lbs. of 1½-in. nails per square.

22-AX-601. Octagon Slate Surfacd Shingles, your choice of Blue-Black, Grey-Green, Evergreen, Maroon-Red or Tile-Red. Weight 97½ pounds. Per 50 sq. ft. bundle.....**\$2.66**

4-in-1 SHINGLES



\$2.75

Illustrated above. Roof appears as though covered with square butt individual shingles. Easy to lay; self spacing. Size 10 in., 12 in., and 12½ in. by 36 in. long. New work requires 2¼ lbs. of 1-in. nails; relaying work requires 3 lbs. of 1½-in. nails for each 100 sq. ft.

22-AX-309. 4-in-1 Slate Surfacd Shingles, 10 inch, your choice of five colors, Blue-Black, Grey-Green, Evergreen, Maroon-Red, or Tile-Red. Weight 105 pounds. Per 50 sq. ft. bundle.....**\$2.75**

22-AX-304. 4-in-1 Slate Surfacd Shingles, 10 inch, your choice of Copper-Green-Tone, Natural-Slate-Tone, or Mixed-Tone. Weight 105 pounds. Per 50 sq. ft. bundle.....**\$2.95**

22-AX-1061. 4-in-1 Slate Surfacd Shingles 12½ inch, your choice of Blue-Black, Grey-Green, Evergreen, Maroon-Red, or Tile-Red. Weight 88½ pounds. Per 33½ sq. ft. bundle.....**\$2.26**

22-AX-1064. 4-in-1 Slate Surfacd Shingles, 12½ inch. Choice of Copper-Green-Tone or Mixed-Tone. Weight 85½ pounds. Per 33½ sq. ft. bundle.....**\$2.46**

HARRIS 3-IN-1 SHINGLES

Extra Heavy All the Way Through
22-AX-1071. 3-in-1 Extra Heavy Slate Surfacd Shingles, 12 inch, your choice of Blue-Black, Grey-Green, Evergreen, or Tile-Red. Weight 85½ pounds. Per 33½ sq. ft. bundle.....**\$2.34**
22-AX-1074. 3-in-1 Extra Heavy Slate Surfacd Shingles, 12 inch. Your choice of Copper-Green, Brown-Tone, or Natural-Slate-Tone. Weight 85½ pounds. Per 33½ sq. ft. bundle.....**\$2.54**

BRICK STYLE SIDING

Slate Surfacd

\$2.12



HERE IS SOMETHING NEW and attractive, as well as serviceable. It is a "wall siding" with a very high insulating value. Gives the effect of a brick wall. Used only on side walls over bevel siding, drop siding, or ordinary boarded walls. Looks like high priced face brick, giving old weather-beaten walls a fresh, trim appearance, eliminating the ever recurring necessity of a new coat of paint.

Makes your porch, house, or garage look like a new brick building.

9-inch Blue-Black Ridge Flashing Strips should be used under the first course of siding and over windows and doors.

22-AX-5001. "HARRIS" BRICK SIDING 6 in. by 36 in.; brick impression, 2½ in. by 8½ in., weight 59 lbs., choice of Light Red, Dark Red, Light Buff with black mortar lines or Russet-Brown with cream colored mortar lines. Price per bundle, which covers 33½ square feet of surface.....**\$2.12**

22-AX-5003. "HARRIS" INDIVIDUAL CORNERS, size 6 in. by 13 in., same colors as above, per carton of 50 pieces (enough for 10½ lineal feet of corner—also covers 10½ square feet of wall).....**\$2.07**

22-AX-9185. Everlasting solid tempered copper 1-in. small head nails for face nailing strips and corners. ½ lb. required per bundle. Per pound.....**37c**

Approximately 1 pound of 1-in. Large Head Galvanized or Copper Nails are required per bundle. We recommend using lath on 6-in. bevel siding jobs to fill depression between boards; approximately 2 bundles per 100 sq. ft. are required. Lath are not needed on 4-in. bevel siding or drop siding jobs. Soft Pine Lath @ 48c a bundle.

A NEW HARRIS 3 in 1

First Quality

THICK BUTT SHINGLE

\$2.10



Here's a brand new shingle, each slab represents three shingles, size of slab 12 in. by 36 in. On account of extra heavy butt is laid 5 in. to the weather—more coverage and less labor. The extra thick butts cast a beautiful heavy shadow line that makes roof look more like a slate roof than any other shingle. The blended colors are exceptionally beautiful.

Size of each strip 12 in. by 36 in. There are 80 strips to the square, 3 bundles to the square. Weight per bundle 70 lbs.

22-AX-1080. Your choice of Tile-Red, Green, Evergreen, Blue-Black, Russet-Brown, per bundle.....**\$2.10**

22-AX-1080-B. Russet-Blend, Green-Blend, Twilight-Blend, Slate-Tone-Blend, per bundle.....**\$2.25**

ROOFING NAILS

| | Per Keg | Per Lb. |
|--|---------|---------|
| 22-AX-9178. Large Head 1-in. Galvanized Roofing Nails..... | \$8.45 | 9c |
| 22-AX-9115. Large Head 1½-in. Galvanized Roofing Nails.... | 7.82 | 8½c |
| 22-AX-9180. Everlasting Solid Copper Large Head Roofing Nails. 1 in. and 1½ in. long. Per lb..... | 37c | |

RIDGE FLASHING STRIPS

Slate Surfacd Flashing Strips to be used on ridges, valleys and as starting strips. Your choice of Autumn-Blend, Blue-Black, Evergreen, Green-Tone, Holly-Green, Maroon-Red, Red-Tone, or Russet-Brown.

22-AX-900. Ridge Strips 9 in. wide and 36 ft. long, (state color).....**49c**
22-AX-902. Valley Strip 18 in. wide and 36 ft. long, (state color).....**88c**

PAINTING SUPPLIES

Guaranteed 100% Pure Linseed Oil Paint



32 Colors
Per Gallon
\$1.70

In 50 Gal. Barrels

Guaranteed best quality house paint, made with pure linseed oil, lead and zinc as the main body. Spreads evenly over the greatest possible surface. Long wearing beautiful fast colors. If for any reason you are dissatisfied with Harris House Paint, every gallon purchased will be replaced free of charge.

| | | | | | |
|--------------|--------|--------------|-------------|------------|-------------|
| White | Canary | Chocolate | Fawn | Light Gray | Bronze |
| Black | Oak | Silver Gray | Terra Cotta | Medium | Olive |
| Cream | Orange | Pink | Venetian | Gray | Pea Green |
| Light Yellow | Tan | Azure Blue | Vermilion | Slate | Moss Green |
| Special | Buff | Peacock Blue | Cherry | Dark Gray | Blind Green |
| Cream | Brown | Blue Green | Maroon | | Dark Green |
| Ivory Yellow | Russet | Blue | Drab | | |

*Indicates special colors; allow 50c per gallon extra.

No. 4-AX-700

| | | | |
|---------------------------------|--------|-------------------------------------|--------|
| 1 quart cans. Each..... | \$0.60 | 5 gallon kit. Per gallon..... | \$1.92 |
| 1 gallon cans. Each..... | 1.95 | 25 gallons (½ bbl.). Per gallon.... | 1.87 |
| 50 gallon bbls. Per gallon..... | \$1.70 | | |

SPECIAL OFFER

5 Gal. Kit of Above Paint and 4-in. Brush

The brush is of excellent quality, 4 inches wide, pure black bristles, 3½ inches long, set in rubber. Regular \$1.75 value.

4-AX-701. 5 Gallon Kit of Harris House Paint and one High Grade 4-inch brush

\$9.95

Flat Washable Paint



52c
Per Quart

Gives a beautiful, dull texture, for use in dining room, living room, bedroom, kitchen and hall. Will not rub off, spot or fade. Renewed by washing with soap and water. Will not run or lap. Average covering capacity per gallon is 200 square feet, two coats.

WHITE

| | | | |
|------|--------|-------------|---------------|
| Gray | Tan | Deep Cream | Green |
| Buff | Cream | Pale Blue | Red |
| Pink | Canary | Light Green | Leather Brown |

Order No. 4-AX-905.

| | |
|-----------------------------|--------|
| 5 gallon cans. Per gal..... | \$1.80 |
| 1 gallon cans. Per gal..... | 1.85 |
| 1 quart cans. Per can..... | .52 |

Finest Quality—Four Hour Varnish



Outside Spar

No. 4-AX-1019. For wood-work that gets hard usage or surfaces which come in contact with water. Quart can, each.....\$0.60
Gallon cans, each.....2.00

Floor and Utility Varnish

No. 4-AX-1013. Highest grade floor varnish. Elastic and durable. Quart cans, each.....\$0.55
Gallon cans, each.....1.75

Asbestos Liquid Roof Cement Stops Roof Leaks



PER GAL. 30c In Barrels

No. 4-AX-150. If used on metal and composition roofing, seals all leaks, cracks and holes. Water and sun proof. 1½ gallons covering 100 square feet.

| | |
|--|-----|
| 1 gallon can, weight 15 pounds, per gallon | 45c |
| 5 gallon can, weight 75 pounds, per gallon | 40c |
| 30 gallon, ½ barrel, weight 225 pounds, per gallon | 35c |
| 50 gallon barrel, weight 500 pounds, per gallon | 30c |

ASBESTOS PLASTIC ROOF CEMENT

No. 4-AX-151. Guaranteed to stop leaks in tin, wood, felt or paper roofs. Used on basement walls and for leaky gutters and spoutings.

| | | | |
|----------------------------------|----|---------------------------------|----|
| 5 pound can, per pound..... | 8c | 20 pound barrel, per pound..... | 6c |
| 10 pound can, per pound..... | 7c | 100 pound keg, per pound..... | 5c |
| 300 pound barrel, per pound..... | 4c | | |

Extension Ladders

Per Foot

29c

Strongly made of clear selected pine, and hickory rounds. The extension rollers are of an improved design.

4-AX-1250. Two sections from 20 to 40 ft. — per foot.....29c

Ladder Jack



4-AX-1280. Adjustable to three positions. Made of best open heart steel, ¼-in. and ½-in. thick. Each jack tested for safety. Price per pair.....\$2.75

Brushless VARNISH Just Pour and Spread

4-AX-213. A quick Drying Varnish. Dries hard in two hours. It spreads out smooth and even with a lustrous finish. Brushless instantly restores old, worn surfaces to their first time newness. It may be used on Linoleum, Wood Floors, Tables, Chairs, Picture frames and an endless variety of items.

| | |
|-----------------|--------|
| Pint Cans..... | .60c |
| Quart Cans..... | .95c |
| Gal. Cans..... | \$3.25 |



Interior Floor Paint

Harris Durable Floor Paint. Specially prepared and guaranteed to resist wear, washing with hot water and scrubbing, retains its bright shiny surface. Paint dries overnight with a high gloss. Remains dust free and will be hard enough to walk on in twenty-four hours. Made in the following colors: Gray, russet, yellow, red, lead, green, tan and maroon. Specify color desired when ordering.

| | |
|---|--------|
| No. 4-AX-809. Harris Ready Mixed Floor Paint— | |
| 5 gallon cans, per gallon. (Weight, about 75 lbs.)..... | \$1.85 |
| 1 gallon cans, per gal. (Weight, about 15 lbs.)..... | 1.88 |
| 1 quart cans. (Weight, about 5 lbs.)..... | .53 |

Porch Paint

Harris Porch Floor Paint. Specially prepared for floor work of porches and stairways. Guaranteed to resist the effects of rain, sun or most severe weather. It is particularly made of highest grade ingredients, which give the greatest preserving and resisting qualities for outside wear. Dries overnight and obtains a high luster. Made in the following colors: Gray, russet, yellow, lead, red, green, tan and maroon. When ordering specify color desired.

| | |
|---|--------|
| No. 4-AX-810. Harris Durable Porch Floor Paint— | |
| 5 gallon cans, per gallon. (Weight, about 75 lbs.)..... | \$2.75 |
| 1 gallon cans, per gallon. (Weight, about 15 lbs.)..... | 2.80 |
| 1 quart cans. (Weight, about 5 lbs.)..... | .75 |



Step Ladders



Full Rodded

4-AX-1241 Made of clear pine. Rods under every step. Steel leg spreaders. A strong, safe ladder, fitted with pailshelf, which can be readily folded up out of the way when not in use.

| | |
|---------------------------------|--------|
| Height, 5 feet. Price each..... | \$0.95 |
| Height, 6 feet. Price each..... | 1.20 |
| Height, 8 feet. Price each..... | 1.60 |

Linseed Oil and Turpentine

For the convenience of our customers who wish to purchase Linseed Oil and Turpentine with their paint, we will furnish STRICTLY PURE Boiled Linseed Oil and STRICTLY PURE TURPENTINE at the following prices:

| | |
|--------------------------------|--------|
| Linseed Oil | |
| 1 gallon cans, per gallon..... | \$1.12 |
| 5 gallon cans.. | 5.30 |
| Turpentine | |
| 1 gallon cans, per gallon..... | \$0.77 |
| 5 gallon cans.. | 3.70 |



Cement Wall Coating

Strictly formulated after careful tests to meet the exact physical and chemical requirements of a masonry surface. Guaranteed the most efficient and damp-proofing treatment. It penetrates into the pores of the surface, and on hardening thoroughly seals them. Will not wash off. Stands the hardest usage. An ideal paint for hotels, hospitals, schools or wherever cement is used. Furnished in dark cement, moss green, tan, brown, copper color and slate.

4-AX-1201.

| | |
|--------------------------------|--------|
| 5 gallon kits, per gallon..... | \$2.30 |
| 1 gallon cans, per gallon..... | 2.32 |
| 1 quart cans, each..... | .65 |

Painters' Time Saver



With this little tool you can paint as fast as you like, and need have no fear of spoiling the decorations. Made of light metal, highly polished. No danger of spoiling the wall paper, window panes or door glass, etc. Also used when washing woodwork. Shipping weight, 8 ounces.

No. 4-AX-13001. Price each.....18c

Pure Putty

Specially adapted for Painters' and Furniture Manufacturers' use. Guaranteed strictly pure. Will not crumble or crack.

| | |
|-------------------------|--------|
| No. 4-AX-1107. | |
| Price, 20 lb. cans..... | \$1.12 |
| Price, 10 lb. cans..... | .62 |
| Price, 4 lb. cans..... | .38 |
| Price, 1 lb. cans..... | .10 |



Cement Floor Coating



Harris Cement Floor Coating not only makes an attractive floor but is durable and makes it almost impossible for any dust to lie on the surface.

Harris Cement Floor Coating makes the surface waterproof and at the same time so binding the particles that the dust making feature is eliminated. Colors: Cement, Pearl Gray, Slate, Terra Cotta. Weight, gallon, 15 lbs.

4-AX-1211.

| | |
|--------------------------------|--------|
| Quart cans..... | \$0.65 |
| Gallon cans..... | 2.42 |
| 5 gallon kits, per gallon..... | 2.40 |

Farm or Long Ladders

No. 4-AX-1223. Sides are made of clear pine. Hickory rungs fastened in the same manner as our extension ladders. A strong, rigid ladder, suitable for all general purposes.

| Length | Price |
|---------|--------|
| 10 feet | \$2.20 |
| 12 feet | 2.65 |
| 14 feet | 3.10 |
| 16 feet | 3.55 |
| 18 feet | 3.95 |
| 20 feet | 4.40 |

SPECIAL LOW PRICES

Mineral Asphalt Paint



80¢ Black Per Gallon

An ideal roofing coating for wood, metal or composition roofs. Tough and elastic. The colors produce a beautiful effect, harmonizing with the colors used in your house paint. Made of the best grade Trinidad asphalt especially treated and combined with pure boiled linseed oil. When dry it forms a tough elastic surface. Is not affected by expansion or contraction, acids, gases, or alkali. One gallon will cover two hundred and fifty feet smooth surface. Supplied in four colors, maroon, green, brown and black. Weight, gallon, about 15 lbs.

| | Per Gallon | Colors |
|-----------------------------|------------|--------|
| No. 4-AX-913. | Black | |
| 1 gallon can..... | \$0.90 | \$1.20 |
| 5 gallon can..... | .88 | 1.17 |
| 25 gallon half barrels..... | .85 | 1.12 |
| 50 gallon barrels..... | .80 | 1.04 |

Bargains in Good Brushes



RUBBERSET HOME BRUSH

For varnishing, enameling, staining, or painting. A most durable brush. Selected Chinese bristles, solidly imbedded in hard vulcanized rubber.

No. 4-AX-1301. 25c
2 inches wide.....

4 INCH WALL BRUSH

This brush is specially manufactured for us from pure black bristles, 3 1/4 inches long, vulcanized in rubber. A high grade brush that is guaranteed to give satisfactory service.

No. 4-AX-58..... 75c

SPECIAL WALL BRUSH

Made of all pure black Chinese bristles, 4 inches long, 4 inches wide, vulcanized in rubber. Suitable for painters or others who use a brush continuously. Packed in individual boxes.

4-AX-1339.. \$1.60



Strictly Pure Shellac

4 lb. Cut

Made from the finest grades of Guaranteed Pure Gum Shellac in Denatured Alcohol. Used as first coat on furniture and interior work, except floors on which varnish is to be applied. Dries hard in about 2 to 4 hours.

| | |
|-------------------------------------|-------------|
| No. 4-AX-1039. Pure Orange Shellac. | |
| Weight, gallon, about 10 lbs. | |
| Pint Cans | 1 Gal. Cans |
| 38c | \$1.13 |
| No. 4-AX-1041. Pure White Shellac. | |
| Pint Cans | 1 Gal. Cans |
| 42c | \$1.25 |
| 72c | \$2.32 |



Satin-Kote Kalsomine in

13 Colors
35c Package

Can be applied by anyone. Shipped in powdered form, ready for use by mixing in hot water. Furnished in white, pea green, light green, lavender, blue, salmon, pink, light pink, light tan, buff, gray, green, ivory and yellow. Put up in 5-pound packages, enough for ordinary sized room.

No. 4-AX-315. Price per package..... 35c

White Lead



Genuine "Dutch Boy"

Our white lead is non-poisonous, is carefully ground and scientifically mixed. Ground in pure oil. Our lead is recommended and will give extra good service. Is of guaranteed quality.

No. 4-AX-1106

White Lead

| | |
|---------------------|---------|
| 100 lb. kit..... | \$10.50 |
| 50 lb. kit..... | 5.63 |
| 25 lb. kit..... | 2.82 |
| 12 1/2 lb. kit..... | 1.44 |

Creosote Shingle Stain

\$1.23 Per Gallon

The best wood preservative known. The colors are extremely durable and attractive, and are guaranteed not to fade. This shingle stain is a particularly high grade material. Can be applied with a brush after shingles are laid, or shingles can be dipped before laying. When applied with a brush one gallon will cover about 150 square feet of surface one coat. For dipping it requires 2 1/2 to 3 gallons per thousand shingles. Supplied in six colors, brown, medium green, moss green, weathered oak, venetian red and light green. Weight, gallon, about 10 lbs.

| | | |
|---------------|---|--------|
| No. 4-AX-901. | 1 gallon cans, per gallon..... | \$1.35 |
| No. 4-AX-902. | 5 gallon cans, per gallon..... | 1.32 |
| No. 4-AX-903. | 25 gallon half barrels, per gallon..... | 1.28 |
| No. 4-AX-904. | 50 gallon barrels, per gallon..... | 1.23 |



High Gloss Enamel



For fine interior enamel work. These enamels are especially prepared to meet "easy to apply" requirements of the novice or housewife. Particularly adapted for walls and ceilings in bed rooms, bath rooms, and kitchens. Made in twelve beautiful shades: White, pale blue, deep cream, vermilion, sea green, rose pink, orange, royal blue, silver gray, green, carmine and black.

| | | |
|---|--|--------|
| No. 4-AX-921. | | |
| 1 gallon cans—weight, about 15 lbs..... | | \$3.00 |
| 1 quart cans—weight, about 4 lbs..... | | .80 |
| 1/2 pint can—weight, about 1 lb..... | | .28 |

PAINTERS' "SAVOGRAN" Cleans and Prepares All Old Surfaces for Painting

Make sure of a good job by cleaning new work and old paint with Painters' Savogran before applying the fresh paint. Never attempt to paint over dirt or grease. The paint will always blister and peel off. Use one tablespoon of Painters' Savogran to each gallon of hot water, and rinse promptly with clean water.

Brightens Walls and Woodwork

4-AX-211. Painters' Savogran is a splendid all-round cleaner for walls, woodwork, glass, metal, etc. It removes grease, dirt, and smoke stains, brightening up old paint so that it looks as if freshly repainted. Try this on white woodwork.

Price, 1-lb Can..... 25c

"SAVOGRAN" Crack Filler

4-AX-210. Here's the handy product you've been looking for. Fills cracks and holes in wood, plaster, metal, stone, mends furniture and toys, moulds parts for models, makes inlays—hundreds of other uses. Saws, cuts, smooths, takes paint like wood—and will not shrink! Non-inflammable, inexpensive, no waste, no solvents to buy. Get a can today and you'll never be without it.

Price, 1-lb. Can..... 30c

MOORE'S NON-SLIP PASTE WAX

4-AX-214. Nationally recognized as the unchallenged leader in the field of paste wax. Easy to apply with finest results. Spreads farther than ordinary wax. Specially prepared for furniture, woodwork, linoleum and rubber tile.

Price 1-lb. Can..... 60c

Price 2-lb. Can..... \$1.12

MOORE'S Self Polishing LIQUID WAX

4-AX-215. Cleans, protects and polishes in one easy operation. Dries quickly and polishes itself to a mirror-like satiny sheen. No rubbing. Ideal for wood, linoleum, rubber tile, also furniture and woodwork. Non-inflammable.

Price—1-Pint Can..... 53c

Price—1-Quart Can..... 88c

Garage and Barn Paint Six Permanent Enduring Colors

Good Paint Means Real Protection!

Protect your Garage and Barn and other Buildings from the constant exposure to the elements with Harris Garage and Barn Paint. Inspect your buildings now and select the paints you need. Unnecessary delays are costly. Harris Garage and Barn Paint is scientifically made of the best ingredients that protect as well as preserve. The average covering capacity per gallon is 250 square feet, two coats.

*The colors indicated as "special colors" require more expensive color ingredients than the regular colors, and consequently we are forced to advance these prices slightly.

\$1.15
Gallon



Regular Colors

No. 816—Yellow
No. 810—Red
No. 813—Maroon

Order No. 4-AX-702

1 gal. Can, each..... \$1.30
5 gal. Kits, per gal..... 1.26
25 gal. (1/2 bbl.), per gal. 1.13

Special Colors

No. 814—*Lead
No. 815—*Slate
No. 812—*Green

Order No. 4-AX-703

1 gal. Can, per gal..... \$1.45
5 gal. Kits, per gal..... 1.43
25 gal. (1/2 bbl.), per gal. 1.40

Colors in Oil



4-AX-817. The strongest most durable unfading colors obtainable. For use in tinting or may be used as it is furnished with the addition of proper thinners.

| | |
|-----------------------------|--------|
| Colors: ☆ Gallon Cans | |
| Drop Black..... | \$0.30 |
| Lamp Black..... | .30 |
| Ultramarine Blue..... | .50 |
| Cobalt Blue..... | .68 |
| Raw Umber..... | .27 |
| Burnt Umber..... | .27 |
| Raw Sienna..... | .27 |
| Burnt Sienna..... | .27 |
| Yellow Ochre..... | .30 |
| English Rose Pink..... | .40 |
| English Rose Lake..... | .40 |
| Scarlet Vermilion..... | .60 |
| Tuscan Red..... | .50 |
| English Venetian Red..... | .20 |
| Chrome Yellow (Light)..... | .45 |
| Chrome Yellow (Medium)..... | .45 |
| Chrome Yellow (Orange)..... | .45 |
| Yellow Ochre..... | .20 |
| English Rose Pink..... | .50 |
| English Rose Lake..... | .50 |
| Light Oak Graining..... | .42 |
| Dark Oak Graining..... | .42 |
| Antique Oak Graining..... | .42 |
| Walnut Graining..... | .42 |
| Cherry Graining..... | .42 |
| Mahogany Graining..... | .42 |

| | |
|-----------------------------|-----|
| Vandyke Brown..... | .40 |
| Chrome Green..... | .40 |
| Blind Green..... | .40 |
| Scarlet Vermilion..... | .60 |
| Tuscan Red..... | .50 |
| English Venetian Red..... | .20 |
| Chrome Yellow (Light)..... | .45 |
| Chrome Yellow (Medium)..... | .45 |
| Chrome Yellow (Orange)..... | .45 |
| Yellow Ochre..... | .20 |
| English Rose Pink..... | .50 |
| English Rose Lake..... | .50 |
| Light Oak Graining..... | .42 |
| Dark Oak Graining..... | .42 |
| Antique Oak Graining..... | .42 |
| Walnut Graining..... | .42 |
| Cherry Graining..... | .42 |
| Mahogany Graining..... | .42 |




Broadaxes

4-AX-5013. Premier Bell Poll Half Hatchet.
Size.....2
Wd. of Bit 2 1/2 in.
Weight.....17 oz.
Price.....60c



Round corner Can-ada pattern Broadaxes. Made of high grade steel, properly proportioned. Ready for use. Handles not included. Wt., 7 lbs., 11 1/2 in. Each \$2.25



PLOW OR ENGINEERS' HAMMER

4-AX-7017. Made of the very best quality of steel, highly polished, complete with handles. Handle not included in weight. Weight, 18 ounces. Each.....50c



WRECKING BARS

Drop forged, 3/4 inch octagon steel, claw on one end and wedge points on other. Length 30 inches, shipping weight, 5 lbs.


4-AX-2560. Price, each.....30c
4-AX-2561. 24x3/4 inches. Price.....25c
4-AX-2562. 12x1/2 inch. Price.....9c

COUNTERSHANK & DOWEL POINTER




4-AX-5523. Reversible head. Can be used for sharpening pins or dowels. Cutter made of high grade tool steel. Price, each.....10c

HARRIS REVERSIBLE CHAIN WRENCH WITH CABLE CHAIN—Steel Handle



4-AX-2508.
Length, inches.....64 1/2
Capacity, inches.....2 to 12
Price, each.....\$2.50



COMMON AUGER BITS

4-AX-5401. Common Auger Bits. Spur Standard.
Size, inches.....1/4 1/2 3/4 1 1 1/2 2
Price, each.....15c 25c 35c 45c 55c 65c
Size, inches.....2 2 1/2 3 3 1/2 4
Price, each.....22c 25c 27c 30c 33c 35c
Size, inches.....4 4 1/2 5 5 1/2 6
Price, each.....33c 35c 40c 45c



SHIP AUGER BITS

4-AX-5449. For boring hardwoods and end boring. Made of double refined steel, finely finished. Have 4 to 6 inch twists.

Size, inches.....1/4 1/2 3/4 1 1 1/2 2
Price, each.....30c 36c 45c 55c 65c 75c
Size, inches.....2 2 1/2 3 3 1/2 4
Price, each.....48c 50c 55c 57c

SENSATIONAL BARGAIN

Price Was \$29 **\$5.50 NOW**



SPECIAL! Armstrong Adjustable STOCK AND DIES

From a special purchase complete stock and die cutting 2 1/2 and 3 inch right hand threads by reversing dies end to end. Complete with handles. Packed in heavy wood box.

17-AX-2820. Complete Now.....\$5.50

COMPASS SAW SET



4-AX-428. Three compass saw blades and handle make up this set. The sizes of blades are 16 inches, 13 inches and 9 1/2 inches. Price per set.....80c

Cabinet Saw Set



4-AX-427. This set consists of three saw blades and handle. All made of warranted spring steel accurately tempered. Hand saw is 15 1/2 inches long. Mitre box saw 12 inches long and compass saw blade 13 inches long. Price per set.....\$1.25

One Man Cross Cut Saw Handles

4-AX-4145. Supplementary handles, with rivet. Each.....15c

Interchangeable

File and Tool Holder



4-AX-2668. Will hold files and tools square, round or flat shank, smaller than 3/4 inch. Price, each.....10c

Plain Edge Chisel




4-AX-5607. Made of special high grade steel, carefully tempered. Handles White Hickory, leather tips.
Size, inches.....1/4 1/2 3/4 1 1 1/2 2
Price, each.....40c 41c 42c 43c 45c 46c
Size, inches.....2 2 1/2 3 3 1/2 4
Price, each.....51c 52c 56c 59c 75c 89c

Gas Pliers



4-AX-6113. Best grade drop forged gas pliers. Carefully tempered. 5 in. 10c



4-AX-4151. Reversible Pattern cross cut Saw handle. Per pair.....30c



4-AX-4149. Loop pattern Saw handle to fit two-man cross cut saw. Per pair.....29c



BARN DOOR PULLS

5c

4-AX-3963. Extra heavy cast iron Barn door pulls in Black Japan finish, each 5c



Adjustable Bench Stop

4-AX-4153. Instantly adjustable to any position. Reversible head can be raised 2 inches above bench. Price.....70c



Block Planes

Adjustable iron smooth plane, 9 inches long, 2-inch cutter.
4-AX-5201. Smooth bottom. Price.....\$2.50
4-AX-5203. Corrugated bottom. Price.....\$2.60

HARDWARE

One Man Cross Cut Saw



4-AX-4137. Taper ground, thin back, properly tempered and hand set and filed. Length, feet.....5
Price.....\$2.50



Buck Saws

\$1.50

4-AX-4111. Selected hardwood frame. Painted red. With tinned rod, blued clock spring blade, 2 1/4 inches wide, properly tempered. "V" shaped teeth, set and sharpened, ready for use. Fully warranted. Price.....\$1.50

4-AX-4113. Extra blades. Price, each. 50c

HAND SAW

For General Purpose Use



4-AX-426. This saw is made of warranted spring steel accurately tempered. Is 26" long and has 8 teeth to the inch. Nothing better has ever been offered at this price for a general purpose saw. Price.....\$1.10

Hinges Wrought Steel Standard Size



Size Given is Measurement from Joint to End of Hinge—Screws Not Included

4-AX-3929. Light wrought Steel Strap Hinges. Size given is length from joint to end of hinge.

Size, inches.....3 4 5 6
Takes Screw No. 6 7 8 9
Price, per pair.....6c 8c 9c 11c

4-AX-3931. Heavy wrought Steel Strap Hinges. Size given is length from joint to end of hinge.

Size, in. 6 8 10 12 14
Screw No. 10 12 12 14 16
Pr. pr. 16c 27c 48c 93c \$1.34

4-AX-3933. Wrought steel Screw Strap Hinges. Each pair requires two 3/4-inch and four 1/4-inch bolts to put them on. Bolts are not included at prices quoted.

Size, inches.....10 12 14
Price, per pair. 45c 60c 80c

Roller Bearing Trolley Hangers



Wheels run inside of hollow steel track. Can not bind or jump the track. Suitable for doors, 1 1/2 to 2 1/4 inches thick. A set consists of two hangers, two end brackets and one center bracket. Complete with screws and bolts.

4-AX-3901. Price per set, complete without track.....\$1.65

4-AX-3903. Trolley track for above hangers, brackets not included. Lengths, 4, 5, 6, 8 and 10 feet, Price, per foot. 16c

WROUGHT STEEL "T" HINGES



4-AX-3927. Light weight wrought steel "T" hinges. Size Inches 3 4 5 6 8
Price per pr. 6c 8c 11c 12c 20c

4-AX-3910. Extra heavy wrought steel "T" hinges. Size Inches 6 8 10 12
Price per pr. 20c 30c 50c 98c

Circular Saw Mandrels



Guaranteed to give satisfactory service. Castings are extra long and made of specially chilled steel and are well babitted. The shaft is cold rolled steel.

4-AX-531. Pulley on right hand side, with left hand thread.


4-AX-530. Pulley in center.

| Size | Diam. Pulley | Face of Pulley | Lgth. Shaft | Diam. Shaft | Hole in Saw | Price Each |
|------|--------------|----------------|-------------|-------------|-------------|------------|
| 0 | 2 | 3 | 16 | 3/8 | 3/8 | \$2.15 |
| 3 | 3 1/2 | 4 1/2 | 21 | 1 1/8 | 1 1/8 | 4.45 |
| 4 | 4 | 5 | 24 | 1 1/8 | 1 1/8 | 4.70 |
| 5 | 4 1/2 | 5 1/2 | 26 | 1 1/8 | 1 1/8 | 5.05 |
| 6 | 5 | 6 | 28 | 1 1/8 | 1 1/8 | 6.95 |

STEEL CENTER BRACKET

4-AX-3905. Steel Center Bracket for track
4-AX-3903. Japanned finish complete with lag screw for attaching. Price, each.....17c

BARGAINS



BENTON DESIGN Lock Sets

BENTON CYLINDER LOCK SET

Genuine wrought bronze, cylinder lock sets, highest quality workmanship, material and finish. These locks are 5-pin tumbler, non-pickable cylinder. The cylinder, bolts, strike-plates, escutcheons and all parts are of genuine wrought bronze. Reversible for right or left doors, from 1 1/2 to 2 1/4 inches thick, furnished with three keys and screws finished to match lock set.

- 4-AX-3101. Antique Copper. Price.....\$5.95
4-AX-3103. Lemon Brass. Price.....\$5.95

BIT KEY STEEL FRONT DOOR LOCK

Reversible for right or left door. Furnished with three keys and screws finished to match lock sets.

- 4-AX-3109. Antique Copper. Price.....\$1.95
4-AX-3111. Lemon Brass. Price.....\$1.95

INSIDE DOOR LOCK SET
Wrought steel plated as described above. Set furnished with plated steel escutcheon, knobs and all parts.
4-AX-3117. Antique Copper. Price.....\$0.65
4-AX-3119. Lemon Brass. Price.....\$0.65
BENTON DESIGN PUSH PLATES
4-AX-3137. Antique Copper. Price.....\$0.45
4-AX-3139. Lemon Brass. Price.....\$0.45

CYLINDER RIM NIGHT LATCH

4-AX-3489. A durable lock which affords the utmost security. Size, 3 1/2 x 2 1/2 inches, with genuine bronze metal bolts, cylinder, escutcheon, knob and stop. 3 Yale pattern German silver keys, suitable for doors up to 3 inches thick. Price.....\$1.25



Sash Buttons

4-AX-3665. Buttons. Japanned. Length 1 1/2 inches. Including screws. Per dozen.....10c
2 inches per Doz.....12c




4-AX-3925. Heavy polished Wire Hooks and Eyes.

Length.....1 1/2 2 3
Each.....2c 2c 2 1/2c
Dozen.....9c 10c 14c



4-AX-3621. For sash hinged at top. Set consists of one pair 2 1/2 inch wrought steel butts, one japanned steel sash fastener, one hook and eye. With screws. Per set.....15c

PRESSED STEEL BRACKET



4-AX-3451. Strong and unbreakable, Japanned finished without screws. Size, inches. 4x5 6x8 7x9
Price, per pr. 10c 15c 20c
Size, inches. 8x10 10x12 12x14
Price, per pr. 23c 32c 50c

Transom Lifters

Used in connection with transoms hinged at top, bottom or pivoted in the middle. By means of this lifter, transoms can be opened or locked at any angle affording ample means of ventilation. Strong and durable.



4-AX-3519. Plain Coppered Finish. Length, feet.....3 4 5
Price, each.....36c 40c 45c

Casement Fasteners



Fasteners, Size, 1 1/2 x 1 1/2 inches. Screws to match.
4-AX-3587. Antique Copper. Per set.....15c
4-AX-3587 1/2. N.P.....20c
4-AX-3588 1/2. Sand Fin.....20c
4-AX-3588. Lemon Brass. Per set.....15c

French Window or Screen Door Set



Reversible Rim latch, size 2x2 1/2 inches. Escutcheon, 1 1/2 x 4 1/2 inches. Can be set by slide knob, which prevents opening from outside.
4-AX-15012. Lemon Brass. Price.....45c
4-AX-15013. Antique Copper. Price.....45c
4-AX-15014. Sand Finish. Price.....55c

Stair Rail Brackets

Projects two inches from wall to center of rail. These brackets are used to support hand railing.



4-AX-15022. Copper bronze finish. Each.....15c

Hand Bone Mill

Grinds oyster shells, dried bones, gravel, old crockery, cracked corn, and other coarse feed for chickens. Can be adjusted to grind fine or coarse. The crusher is cone shaped, which crushes the product first, then it passes into the coarse grinding plates. This is a much better way than many other mills made with stationary burrs.



4-AX-8021. Wt., 35 lbs. Price.....\$2.85

Side Sash Locks



Holds as firm as a vise; prevents rattling of windows. Locks sash securely at any desired height. Convenient for perfect ventilation. Screws to match.

- 4-AX-3607. Antique Copper. Each.....17c
4-AX-3607 1/2. N.P. 20c
4-AX-3610. Sand Fin. 20c


Sash Fasteners



Permits opening of windows at top, bottom or both top and bottom. Electro bronze plated. Screws to match.

- 4-AX-3639. Antique Copper. Each.....30c
4-AX-3641. Lemon Brass. Each.....30c

Bar Sash Lifts



Electro plated, wrought steel. Length of handle, 3 inches. Length over all, 4 inches.

- 4-AX-3559. Lemon Brass. Each.....4c
4-AX-3559 1/2. Sand Fin.....5c
4-AX-3557. Antique Copper. Each.....4c
4-AX-3557 1/2. N.P. 7c

Steel Sash Locks



Electro plated. The strongest and most durable sash lock made. Holds sash closely together, prevents rattling. Screws furnished.

- 4-AX-3601. Antique Copper or Old or Lemon Brass. Each.....5c
4-AX-3602. N.P. 7c
4-AX-3603 1/2. Sand Fin.....6c

Yankee Door Catch



For floating open swinging doors. Made of cast iron, japanned.

Each.....8c

Hook Sash Lifts

Splendid quality, heavy and high grade. Finely finished and made with bevel edges. Size, 1 1/2 inches. Screws to match.



ELECTRO BRONZE PLATED WROUGHT STEEL

- 4-AX-3527. Antique Copper. Polished. Each.....3c
4-AX-3527 1/2. N.P. 5c
4-AX-3529. Lemon Brass Finish. Each.....3c
4-AX-3529 1/2. Sand Finish.....5c

Manila Rope

4-AX-1004. New Manila rope cut to any length. In stock now for immediate shipment. Act quickly to get full benefit of these big sale savings.



| Per 100 Feet | | Per 100 Feet | |
|--------------|--------|---------------|---------|
| 1/4 in..... | \$0.66 | 3/8 in..... | \$ 6.95 |
| 3/8 in..... | 1.25 | 1 in..... | 9.00 |
| 1/2 in..... | 2.35 | 1 1/4 in..... | 10.50 |
| 5/8 in..... | 3.80 | 1 1/2 in..... | 11.10 |
| 3/4 in..... | 4.50 | 1 3/4 in..... | 16.60 |

Home and Garage Vise

4-AX-5030. A particularly sturdy model with extra metal reinforcements to withstand severest usage. The swivel base, cast body and jaw are heavily reinforced and have hardened steel replaceable jaws with serrated faces. Takes pipe up to 1 1/2 inch diameter. Width of jaw, 3 inches. Jaws open up to 3 1/2 inches. Weight, 14 lbs. Price.....\$2.25



Emery Grinder Specials

Two Wheel No. 3

4-AX-999. Emery Grinder. Will run two wheels. Recommended size, 10x1 1/2, maximum wheel capacity, 12x2. Has a steel spindle 18 inches long. Pulley 3 1/2-inch diameter, 2 1/2-inch face. Shipping weight, 45 lbs. Price, not including stones.....\$9.95



4-AX-666. Emery Grinder. Will run two wheels. Recommended wheel size, 12x2; maximum wheel capacity, 14x2. Pulley 4 1/2 inch diameter, 3 1/2 inch face. Shipping weight, 76 pounds. Price.....\$12.95

Two Wheel No. 400 With Tight and Loose Pulleys


4-AX-777. Runs two wheels 10x1 1/2. Maximum wheel size, 12x2 1/2. Height spindle to table, 7 1/4. Length of spindle, 18 1/2. Size of pulleys, 2 1/2 x 2 1/2. Bore of wheel, 3/4. Distance between wheels, 12. Shipping weight, 42 lbs. Price.....\$7.50

Coat and Hat Hook



4-AX-3667. Made of copper plated spring steel wire. Gimlet pointed screws. Length, 3 inches. Per dozen.....6c

GUTTERS AND RAIN PIPE



Conductor Pipe

This Conductor Pipe is made of strictly first quality heavily galvanized sheets. It is made in 10-foot lengths without cross seams. Double lock seamed, will not burst when full of ice. One end tapered for easy connecting.

| 22-AX-2810 Heavy 28 Gauge | | | 22-AX-2610 Extra Heavy 26 Gauge | | |
|------------------------------|-----|-----|------------------------------------|-----|-----|
| Size, Inches..... | 2 | 3 | 2 | 3 | 4 |
| Per 10-ft. length. | 42c | 49c | 51c | 54c | 72c |

Wire Fasteners for Pipe

22-AX-2616. Made from Heavy Galvanized Wire. Holds pipe away from building.
Size, Inches..... 2 3 4 5 6
Price, Per Dozen..... 24c 26c 32c 38c 44c

22-AX-2615. Galvanized Conductor Hooks for Corrugated Conductor.

| Size Inches | Price, per doz. for wood | Price, per doz. for brick |
|----------------|-----------------------------|------------------------------|
| 2 | \$0.46 | \$0.48 |
| 3 | .58 | .64 |
| 4 | .80 | .98 |
| 5 | 1.05 | 1.38 |
| 6 | 1.26 | 1.73 |

Conductor Elbows and Shoes



45° Angle 22-AX-2641
75° Angle 22-AX-2643
Shoes 22-AX-2614

Galvanized, Corrugated. Double-lock seamed, built for long service. One end tapered for easy connecting.

| Size Inches | 28 Gauge Elbows | 26 Gauge Elbows | 28 Gauge Shoes | 26 Gauge Shoes |
|----------------|--------------------|--------------------|-------------------|-------------------|
| 2 | \$0.11 | \$0.18 | \$0.20 | \$0.25 |
| 3 | .14 | .20 | .24 | .30 |
| 4 | .22 | .32 | .46 | .46 |
| 5 | | .75 | .97 | .97 |
| 6 | | .90 | 1.10 | 1.10 |

Conductor Funnel

Used for running two conductor pipes into one outlet. Size given is size of lower spout.

| Size.. | 2' | 3' | 4' | 5' |
|--------|-----|-----|-----|-----|
| Each. | 25c | 33c | 42c | 75c |

Water Cut-off

| Size.. | 2' | 3' | 4' | 5' |
|--------|-----|-----|-----|--------|
| Each. | 50c | 53c | 74c | \$1.33 |



Valley Tin

Used in roof valleys and for flashing around walls and chimneys.

| Size | Price per foot |
|---|----------------|
| 14 in. wide painted one side, per foot..... | .6c |
| 20 in. wide painted one side, per foot..... | .9c |
| 14 in. wide galvanized, per foot..... | 6½c |
| 20 in. wide galvanized, per foot..... | 10c |

Globe Finals

Used with Ridge Roll
22-AX-2630. 26-Gauge. Galvanized.
Price, each.....28c



Ridge Roll

10" Girth. Price per 10-foot length.
22-AX-2832. 28 Gauge Plain Apron.....45c
22-AX-2632. 26 Gauge Plain Apron.....54c
22-AX-124. 28 Gauge Corrugated Apron as shown.....61c

Flat Tinned Sheets

22-AX-7450. 8 lb. Coated I. C. Tin. Size 20" x 28". Price, per sheet... 18c

Easiest to Hang

No previous experience needed. Our improved slip joints eliminate all soldering on the job. They permit steel to expand and contract without breaking the joints, and joints are water-tight at all times. A hammer and tinner's snips are the only tools needed. Pipe, elbows, trough, etc., are all carefully matched, and slip together as easily as two sections of stove pipe. They stay together.

Corner Mitre



Cut shows inside left hand mitre. Double lock seamed and reinforced. The strongest mitre made. Be sure to order according to number.

26-Gauge Galvanized, Extra Heavy

| Size, Inches..... | 4 | 5 | 6 |
|-------------------|-----|-----|-----|
| Price, each..... | 30c | 34c | 42c |

Adjustable Outlet




Consists of about 12 inches of trough with drop outlet double lock seamed on bottom to connect to the conductor pipe. Price includes slip joint connection which can be used on either end.

22-AX-2605 Extra Heavy

| Trough Size | Pipe Size | Price, Each |
|----------------|--------------|----------------|
| 4 in. | 2 in. | 20c |
| 4 in. | 3 in. | 22c |
| 5 in. | 3 in. | 25c |
| 6 in. | 4 in. | 28c |


Wire Strainer

22-AX-2607. To prevent leaves, etc., from stopping up pipe. Size of conductor pipe strainer will fit.
Size 2' 3' 4' 5' 6'
Ea. 7c 8c 12c 20c 23c



Slip Joint End Caps

26-Gauge Galvanized, Extra Heavy. Made in one piece. Used to close ends of eaves trough and adjustable outlets.
Size 4' 5' 6'
22-AX-2606 Each 9c 12c 14c



EAVES TROUGH

Cut shows right hand. Note slip joint on right hand end. Made of heavily galvanized steel sheets. Each length has an improved slip joint at one end, can quickly and easily be put together without soldering.

Slip connection is part of trough, will not leak. Be sure to state whether right or left hand trough is wanted, i. e., direction water runs when you face house.

| 22-AX-2800 Heavy 28 Gauge | | | 22-AX-2600 Extra Heavy 26 Gauge | | |
|------------------------------|-----|-----|------------------------------------|-----|-----|
| Size, inches | 4 | 5 | 4 | 5 | 6 |
| Per 10 ft. length | 45c | 50c | 54c | 58c | 78c |

Notice! This Is Important!
Size of Conductor to Use With Eaves Trough
All Fittings are Furnished Accordingly

| For Eaves Trough..... | 4 in. | 5 in. | 6 in. |
|-------------------------|------------|-------|-------|
| Use Conductor Pipe..... | 2 or 3 in. | 3 in. | 4 in. |

Triple Twist Wire Hangers

22-AX-2609. Extra heavy galvanized wire. The best wire hanger. Use 3 for each length of trough.

| Size, inches..... | 4 | 5 | 6 |
|----------------------|-----|-----|-----|
| Price per dozen..... | 22c | 25c | 30c |


Strap Hangers

22-AX-2608. Quickly attached. Makes gutter hanging an easy job. Made of heavily galvanized strap iron.

| Size, inches..... | 4 | 5 | 6 |
|-------------------|-----|-----|-----|
| Per dozen..... | 32c | 34c | 48c |



Ogee Box Gutter



Improve the appearance of your house with Box Gutters. Galvanized. Lap Joint.


| Number | 26-Gauge Extra Heavy Girth | Width | Depth | Price, per 10' Length |
|------------|-------------------------------|-------|-------|--------------------------|
| 22-AX-2671 | 12" | 4" | 3½" | \$0.74 |
| 22-AX-2673 | 15" | 5" | 4¼" | .87 |
| 22-AX-2674 | 18" | 6" | 6" | 1.02 |

22-AX-2666. Box Gutter Strap Hangers. Made of Extra Heavy Galvanized Steel. Each, 5c. Per dozen, 55c

Ogee Box Gutter Mitres

22-AX-2679. Extra heavy 26 Gauge Galvanized Lap Joint, for Inside or Outside Corners. Cut shows outside mitre. State which is wanted.

| Girth... | 12 in. | 15 in. | 18 in. |
|----------|--------|--------|--------|
| Each... | .78c | \$1.10 | \$1.28 |



Outlets



Lap Joint 26 Gauge Galvanized

22-AX-2683. Made of a piece of box gutter about 12" long with a tube about 4' long soldered to it.

| Girth | Size of Pipe | Each |
|--------|--------------|------|
| 12 in. | 2 in. | 59c |
| 15 in. | 3 in. | 74c |
| 18 in. | 4 in. | 90c |
| 18 in. | 5 in. | 95c |

End Caps for Box Gutter

Cut shows right hand. 22-AX-2689. Made to fit the ends of our box gutter and must be soldered on the job. When ordering specify right or left hand.

| Girth, inches..... | 12 | 15 | 18 |
|--------------------|-----|-----|-----|
| Price each..... | 12c | 14c | 15c |

ROOFING NAILS AND WASHERS

Lead washers should be used when nailing on corrugated roofing and siding as they guarantee an absolute water-tight job.
22-AX-128 Lead Washers, per lb. 18c
22-AX-133 1½ inch Galvanized Nails, per Pound.....10c

STEEL ROOFING

GUARANTEED GAUGE AND QUALITY

Full Weight Genuine 26 and 28 Gauge Sheets

The use of steel for roofing and for walls, both inside and outside, is becoming more extensive each year. Sheet steel is light and easy to handle. Most anyone can make a good job applying steel roofing and siding. No previous experience necessary. The only tools you need are a hammer and tinner snips. Readily nailed in place without punching or drilling.

STEEL PROTECTS YOU AGAINST FIRE AND LIGHTNING.

Galvanized Corrugated Roofing and Siding

BOTH THE GALVANIZED AND PAINTED ROOFING measures 26 inches wide after corrugated, will fit studs and rafters spaced 24-inch on centers, can easily be laid over old shingles or prepared roofing, as well as on new buildings. Do not forget to order 10% extra to take care of lapping of sheets.

ALL SHEETS MEASURE 26 INCHES WIDE—PRICE PER SHEET

| Catalog Number | Gauge | Size of Corrug. | 5 Ft. | 6 Ft. | 7 Ft. | 8 Ft. | 9 Ft. | 10 Ft. | 12 Ft. |
|----------------|-------|-----------------|-------|-------|-------|-------|-------|--------|--------|
| 22-AX-110 | 28 | 2½ inch | 44c | 54c | 63c | 72c | 83c | 90c | \$1.11 |
| 22-AX-111 | 26 | 2½ inch | 47c | 58c | 67c | 77c | 88c | 96c | 1.20 |
| 22-AX-112 | 28 | 1½ inch | 45c | 55c | 65c | 72c | 84c | 92c | 1.15 |
| 22-AX-114 | 26 | 1½ inch | 48c | 60c | 70c | 79c | 88c | 98c | 1.22 |

Painted Red Corrugated Roofing and Siding

| Catalog Number | Gauge | Size of Corrug. | 5 Ft. | 6 Ft. | 7 Ft. | 8 Ft. | 9 Ft. | 10 Ft. | 12 Ft. |
|----------------|-------|-----------------|-------|-------|-------|-------|-------|--------|--------|
| 22-AX-115 | 28 | 2½ inch | 30c | 36c | 42c | 48c | 54c | 60c | 75c |

FLAT SHEETS—"V" Crimped—Beaded Ceiling—Galvanized or Painted. Write for Prices.



Compression Stop Cock
No. 5-AX-3012. Improved automatic compression waste valve. First or last half turn of handle closes or opens flow. Cannot waste under full compression. Threaded for iron pipe. Size, 1/2 inch. **\$0.35**
Size, 3/4 inch. **.40**



STOP AND WASTE
5-AX-3013. "T" Handle Brass Stop and Waste for Iron Pipe. Size, 1/2 inch. **.52c**
Size, 3/4 inch. **.72c**



Standard Brass Globe
5-AX-4901. Size Each
1/2 inch. **\$0.29**
3/4 inch. **.30**
1 inch. **.35**
1 1/2 inch. **.50**
2 inch. **.70**
2 1/2 inch. **1.02**
3 inch. **1.40**
4 inch. **2.15**



Standard Gate
5-AX-4909. Size Each
1/2 inch. **\$0.47**
3/4 inch. **.48**
1 inch. **.53**
1 1/2 inch. **.66**
2 inch. **.90**
2 1/2 inch. **1.20**
3 inch. **1.60**
4 inch. **2.35**



STANDARD Brass Cocks
5-AX-4919. Brass Steam Cocks. 4-AX-4919. Size Each
1/2 inch. **\$0.36**
3/4 inch. **.45**
1 inch. **.54**
1 1/2 inch. **.75**
2 inch. **1.02**
2 1/2 inch. **1.65**
3 inch. **2.10**
4 inch. **3.65**



Brass Gas Service Cocks
5-AX-4921. Size Each
1/2 inch. **\$0.36**
3/4 inch. **.39**
1 inch. **.45**
1 1/2 inch. **.60**
2 inch. **.80**
2 1/2 inch. **1.30**
3 inch. **2.15**

WROUGHT STEEL PIPE

Brand new black and galvanized wrought steel pipe, fully tested and guaranteed. Best quality made, easily cut and threaded. Comes in standard full lengths ranging from 18 to 21 feet; each length threaded on both ends fitted with coupling on one end. Prices below are for full lengths only. All prices shown are for quantities up to 1,000 feet. Ask for special prices on larger quantities. Freight prepaid prices quoted on request. Size of pipe determined by its inside diameter.

Order No. 5-AX-100.

| Inside Diameter, Inches | Outside Diam., Inches | Weight per Foot, Pounds | Price per Foot, Black | Price per Foot, Galvanized |
|--------------------------|-----------------------|-------------------------|-----------------------|----------------------------|
| Three-eighths..... | 0.67 | 0.56 | \$0.03 1/2 | \$0.04 1/2 |
| One-half..... | 0.84 | 0.85 | .04 1/2 | .05 1/2 |
| Three-quarters..... | 1.05 | 1.13 | .05 1/2 | .07 |
| One..... | 1.31 | 1.68 | .07 1/2 | .09 |
| One and one-quarter..... | 1.66 | 2.28 | .10 | .12 |
| One and one-half..... | 1.9 | 2.73 | .12 | .15 |
| Two..... | 2.37 | 3.67 | .16 | .20 |
| Two and one-half..... | 2.87 | 5.81 | .25 | .32 |
| Three..... | 3.5 | 7.61 | .33 | .42 |
| Three and one-half..... | 4 | 9.20 | .43 | .54 |
| Four..... | 4.5 | 10.88 | .51 | .64 |
| Four and one-half..... | 5 | 12.64 | .59 | |
| Five..... | 5.56 | 14.81 | .68 | |
| Six..... | 6.62 | 19.18 | .89 | |

CAST SOIL PIPE

Every length of soil pipe is thoroughly tested and fully guaranteed. Comes to you in 5-ft. lengths only.

Single Hub Soil Pipe

No. 5-AX-2301. 2-in. Std. single hub. **\$0.85**
No. 5-AX-2303. 2-in. Ex. Heavy single hub. **1.05**
No. 5-AX-2305. 4-in. Std. single hub. **1.50**
No. 5-AX-2307. 4-in. Ex. Heavy single hub. **2.25**

Double Hub Soil Pipe

No. 5-AX-2302. 2-in. Std. double hub. **\$0.90**
No. 5-AX-2304. 2-in. Ex. Heavy double hub. **1.10**
No. 5-AX-2306. 4-in. Std. double hub. **1.60**
No. 5-AX-2308. 4-in. Ex. Heavy double hub. **2.35**

SOIL PIPE FITTINGS

Largest and most complete stock. All fittings in every size. Send us a list of your needs. Special low prices—25% Discount from the Standard Price List.

Closet Bends

Cast Iron
No. 5-AX-2839. Adjustable Flange Closet Bend. Size, 4x15 inches. Tapped both sides for 1 1/2 inch iron pipe. Shipping weight about 18 pounds. Price..... **95c**
No. 5-AX-2839 1/2. Plain Bend, 4x15 inches, not tapped. Price..... **80c**

Cast Iron Bath Traps

No. 5-AX-2811. Complete with nickel-plated covers for sinks, laundry tubs, bathtubs, etc. Tapped side and bottom for 1 1/2 in. iron pipe. 4x5x1 1/2 ins. **75c**
No. 5-AX-1532. Similar to No. 5-AX-2811, above except it is 8" high instead of 5", and has tapplings on opposite sides. Instead of one on side and one on bottom. Eliminates necessity of using elbows to bring waste connection on horizontal. 4x8x1 1/2 ins. **90c**



SILL COCK

5-AX-3035. Compression sill cock with 3/4-inch thread for standard hose coupling and threaded for connection to 3/4-inch iron pipe. Made of brass in rough finish with iron wheel. Price, each..... **50c**



BOILER COCK

5-AX-2129. Boiler drain cock. Made of solid brass in rough finish. Threaded for standard hose couplings, 1/2-inch connection to range or heating boiler. Price, each..... **30c**



PIG LEAD

No. 5-AX-159. Pig lead for calking and all plumbing work. 3-pound bar..... **25c**



PIPE HANGERS

Can be cut to all desired lengths by disconnecting two lower screws. The most practical pipe hanger on the market. Easy to adjust.

21-AX-185. Adjustable length, 2 to 10 ins.

| Pipe Inches | Each | Pipe Inches | Each |
|-------------|---------------|-------------|---------------|
| 1 | \$0.07 | 2 | \$0.10 |
| 1 1/2 | .08 | 2 1/2 | .11 |
| 1 3/4 | .09 | 3 | .13 |

PLUMBERS' SOLDER


5-AX-2895. Made of proper proportions of pure block tin and pig lead. Comes in bars weighing about 1 1/4 lbs. each. We sell full bars only. Guaranteed to be the best plumbers' solder on the market. Price, per bar..... **55c**

SPUN OAKUM


Used for calking soil pipe and fittings. Comes in 50-lb. bales.
No. 5-AX-2907. Price, per full bale. **\$5.00**
No. 5-AX-2908. In less than full bales, per lb. **12c**




Tee.



Union.




Bushing.




Side Opening Elbow.




Return Bend Closed.



Reducing Elbow.




Nipple.



Reducer.



45-deg. Elbow.



Floor Plate.

Cast Iron Fittings For Standard Wrought Iron Pipe are made of the best grade of material, carefully tapped, inspected before shipment, and guaranteed with uniform and perfect threads, suitable for a working pressure up to 125 lbs.; used on power plants, low pressure steam and hot water plants. In ordering fittings be sure and give the inside measurements of the pipe you will use the fittings with, as all pipe is listed by inside measurement only and fittings correspond. Give figure, number and price when ordering. Sizes not listed, furnished on application.

| SIZE | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" | 2 1/2" | 3" |
|--|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----|
| 5-AX-1. Elbows—90 degree..... | \$0.06 | \$0.08 | \$0.10 | \$0.15 | \$0.19 | \$0.27 | \$0.48 | \$0.72 | |
| 5-AX-2. Elbows—45 degree..... | .07 | .10 | .12 | .18 | .23 | .32 | .58 | .86 | |
| 5-AX-3. Elbows—Reducing..... | .07 | .09 | .12 | .18 | .23 | .32 | .58 | .86 | |
| 5-AX-4. Tees—Straight..... | .09 | .12 | .16 | .26 | .33 | .45 | .80 | 1.20 | |
| 5-AX-5. Tees—Reducing..... | .10 | .13 | .16 | .26 | .33 | .45 | .80 | 1.20 | |
| 5-AX-6. Plugs—Black..... | .02 | .03 | .03 | .04 | .05 | .07 | .13 | .18 | |
| 5-AX-7. Couplings—Black..... | .09 | .09 | .15 | .20 | .26 | .41 | .57 | .75 | |
| 5-AX-8. Standard Flanged Unions..... | .40 | .45 | .50 | .62 | .76 | .97 | 1.22 | 1.47 | |
| 5-AX-9. Ground Joint Unions—Bk..... | .14 | .17 | .23 | .35 | .46 | .58 | | | |
| 5-AX-32. Ground Joint Unions—Galv..... | \$0.12 | .13 | .22 | .29 | .44 | .58 | | | |

Malleable Iron Fittings For Standard Wrought Iron Pipe are made of the best grade of malleable iron, great care being used in the selection of material and their manufacture; all fittings are inspected and tested before shipment, guaranteed water, air and gas tight. Give figure, number and price when ordering.

| SIZE | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 5-AX-10. Elbows—90 deg. Black..... | \$0.05 | \$0.05 | \$0.06 | \$0.11 | \$0.16 | \$0.21 | \$0.33 |
| 5-AX-11. Elbows—90 deg. Galv..... | .06 | .06 | .08 | .14 | .22 | .27 | .43 |
| 5-AX-12. Elbows—45 deg. Black..... | .06 | .08 | .10 | .13 | .20 | .25 | .40 |
| 5-AX-13. Elbows—45 deg. Galv..... | .06 | .10 | .13 | .13 | .20 | .25 | .40 |
| 5-AX-14. Elbows—Reducing—Black..... | .06 | .07 | .09 | .13 | .20 | .25 | .40 |
| 5-AX-15. Elbows—Reducing—Galv..... | .06 | .09 | .10 | .13 | .20 | .25 | .40 |
| 5-AX-16. Elbows—Street—Bk..... | .08 | .09 | .13 | .13 | .20 | .25 | .40 |
| 5-AX-17. Elbows—Street—Galv..... | .08 | .09 | .13 | .13 | .20 | .25 | .40 |
| 5-AX-18. Tees—Black..... | .07 | .11 | .11 | .14 | .20 | .25 | .40 |
| 5-AX-19. Tees—Galv..... | .08 | .11 | .14 | .18 | .26 | .35 | .56 |
| 5-AX-20. Tees—Reducing—Bk..... | .08 | .09 | .17 | .17 | .26 | .35 | .56 |
| 5-AX-21. Tees—Reducing—Galv..... | .10 | .09 | .18 | .18 | .26 | .35 | .56 |
| 5-AX-22. Reducers—Black..... | .06 | .07 | .10 | .10 | .16 | .19 | .29 |
| 5-AX-23. Reducers—Galv..... | .03 | .03 | .04 | .05 | .06 | .09 | .13 |
| 5-AX-24. Plugs—Galv..... | .03 | .03 | .04 | .05 | .06 | .07 | .10 |
| 5-AX-25. Bushings—Shoulder—Bk..... | .03 | .03 | .04 | .05 | .06 | .07 | .10 |
| 5-AX-26. Caps—Black..... | .03 | .04 | .06 | .08 | .11 | .15 | .20 |
| 5-AX-27. Caps—Galv..... | .04 | .04 | .06 | .08 | .11 | .15 | .20 |
| 5-AX-28. Locknuts—Black..... | .03 | .03 | .04 | .05 | .06 | .08 | .10 |
| 5-AX-29. Locknuts—Galv..... | .03 | .04 | .05 | .06 | .07 | .11 | .13 |
| 5-AX-30. Return Bends—O.P.—Black..... | .16 | .18 | .24 | .24 | .37 | .52 | .83 |
| 5-AX-31. Return Bends—O.P.—Galv..... | .21 | .24 | .32 | .32 | .50 | .68 | 1.08 |

No. 5-AX-32 BLACK NIPPLES


| SIZE | Dia. | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" | 2 1/2" | 3" |
|-----------------|------|------|------|------|-----|--------|--------|-----|--------|----|
| Close to 2 1/4" | 2c | 3c | 4c | 4c | 6c | 7c | 9c | | | |
| 2 1/4" to 7" | 4c | 4c | 5c | 7c | 8c | 10c | 13c | 24c | 29c | |
| 7" to 12 1/4" | 7c | 8c | 10c | 12c | 16c | 19c | 27c | 45c | 60c | |

No. 5-AX-33 GALVANIZED NIPPLES


| SIZE | Dia. | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
|-----------------|------|------|------|------|-----|--------|--------|----|
| Close to 2 1/4" | 3c | 3c | 4c | 5c | 7c | 9c | 11c | |
| 2 1/4" to 7" | 5c | 5c | 6c | 8c | 10c | 13c | 16c | |
| 7" to 12 1/4" | 10c | 10c | 12c | 16c | 20c | 26c | 32c | |



Cross.



Street Elbow.




Plug.



Lock Nut.



Return Bend Open.



Flange Union.

Reducing Tee.

Cap.

Elbow.

Ceiling Plate.

BEST PLUMBING MATERIAL



Closet Outfit **\$13⁵⁰** Bath Tub Complete **\$20²⁵** Lavatory Complete **\$10⁸⁰**

Complete BATHROOM OUTFIT \$42.50

The bath tub is 5 feet long and 30 inches wide. Heavily coated on the inside and over the 3-inch roll rim with white porcelain enamel. Fitted with nickel-plated compression double bath faucet indexed for hot and cold water; nickel-plated connected waste and overflow.

The closet outfit is an improved wash down type vitreous earthenware bowl with plain neat white vitreous earthenware tank. All tank fittings are made of heavy brass and copper; operated with China lever in front. The closet seat and cover are white sprayed celluloid finished, attached to the bowl with nickel-plated bar hinges.

The deep apron lavatory is coated with white porcelain enamel and measures 18 x 21 inches with 8-inch back and "D" pattern bowl, size 10 1/4 x 14 1/4 inches. Fitted with two nickel-plated compression faucets with China tops indexed for hot and cold water. Nickel-plated 1 1/4-inch "P" trap sale price.

5-AX-67. Complete outfit as described. Shipping weight, about 465 lbs. **\$42.50**
 5-AX-67A. Bath Tub only, complete. Shipping weight about 330 lbs. **\$20.25**
 5-AX-67B. Lavatory only, complete. Shipping weight about 100 lbs. **10.80**
 5-AX-67C. Closet outfit only, complete. Shipping weight about 120 lbs. **13.50**

Basin Faucet



Lavatory Faucets of heavy cast brass, coated with durable finish of chromium plate. Indexed "Hot" or "Cold." If ordered singly, state index wanted. No. 5-AX-3110. With iron pipe tailpiece. Each..... **\$1.00**

Bath Faucet



Best on the market, of heavy cast brass, chrome plated, with china index handles. Weight about 4 lbs. 5-AX-3103. With iron pipe tailpieces..... **\$1.80**



Swinging Spout Laundry Tub Faucet

Made of brass, nickel-plated, with long swinging faucet. Saves time. Easy to install. Fitted with adjustable lock nuts threaded for iron pipe connections. Weight, about 5 lbs. No. 5-AX-1605. Each..... **\$1.95**

CHROMIUM NO-SPLASH SHOWER AND BATH COCK COMBINATION

A New Compact Unit Which Is Fast Replacing Overhead Curtain Styles

\$7⁷⁵



Adjustable Shower Head

5-AX-107. A new innovation for the bathroom designed to do away with unsightly riser pipe, shower curtain and curtain rod. Fitted with self cleaning, adjustable shower head which controls water stream within tub and keeps water off the floor. Made of heavy cast brass, chromium plated. China handles, indexed "Hot" and "Cold." (Shipping weight 7 lbs.) Each.... **\$7.75**



Straight Wall Sinks

No. 5-AX-1846. Deep apron sink with right or left drain-board, furnished with chrome plated mixing faucet, nickel-plated strainer and plug and nickel-plated brass "P" trap. Specify right or left hand drainboard. Picture shows left drainboard. 42 in. long. Weight, about 200 lbs. **\$20.25**

Roll Rim Sinks

No. 5-AX-1791. Same as above, but roll rim style. Specify right or left drainboard. 42 in. long. Weight, about 191 lbs. **\$18.00**
 52 in. long. Weight, about 230 lbs. **22.45**

Lavatory Trap

5-AX-3146. 1 1/4-inch nickel plated brass plain "P" trap. For iron pipe connection. Price, each..... **\$1.60**



Connected Waste and Overflow

5-AX-3131. Heavy nickel-plated brass tubing with nuts, ell and shoe of cast brass. Adjustable tee and nickel plated floor flange. Price, Each.... **\$1.75**

Sink Plug

5-AX-3143. Heavy Nickel Plated Brass Sink Plug adjustable to fit any sink. Tail piece 4 1/2 inches long. Price, each. 50c

UNDER SINK CABINETS

Bring New Beauty to Kitchens



Double Drainboard Roll Rim Sink Cabinet

Here is the dream of every housewife... a double drainboard sink cabinet with two big drainboards... a shelf the entire length of the drainboards for tumblers and cleaning powders and a roomy sink compartment. The sink compartment was designed with only one thought... a perfect dishpan right in the sink. The Large Double Strainer makes a dishpan unnecessary. The entire sink is heavy cast iron with a beautiful finish... the sheen of a mirror... the hardness of flint. The back of the sink is 8' from "under the window" use. The sink is extra wide, 22" from wall to front.

The spacious cabinet adds cupboard and shelf room to the kitchen... space that formerly was wasted... at the same time the cabinet gives a smart "dressed up" appearance to the entire room.

| Cabinets for 60" Sinks | | |
|------------------------|----------------------------------|---------|
| 5-AX-900. | 3 door, no drawer cabinet..... | \$27.95 |
| 5-AX-901. | 3 door, 2 drawer cabinet..... | \$30.95 |
| 5-AX-902. | 3 door, 4 drawer cabinet..... | \$33.95 |
| Cabinets for 52" Sinks | | |
| 5-AX-1000. | 2 door, no drawer cabinet..... | \$20.85 |
| 5-AX-1001. | 2 door, 1 drawer cabinet..... | \$24.75 |
| 5-AX-1002. | 2 door, 2 drawer cabinet..... | \$28.65 |
| Cabinets for 42" Sinks | | |
| 5-AX-1100. | 2 door, no drawer cabinet..... | \$14.95 |
| 5-AX-1101. | 2 door, 1 drawer cabinet..... | \$18.85 |
| 5-AX-1102. | 2 door, 2 drawer cabinet..... | \$22.75 |
| 5-AX-1200. | Price of 60" R.R. Sink only..... | \$24.35 |
| 5-AX-1201. | Price of 60" D.A. Sink only..... | \$32.10 |
| 5-AX-1202. | Duo Strainer, price..... | 2.50 |




Corner Sinks


5-AX-1853. Deep Apron Sink for right or left corner, furnished with chrome plated mixing faucet, nickel-plated strainer and plug and nickel-plated brass "P" trap. Specify right or left corner. Picture shows left corner. 42 in. long. Weight, about 229 lbs. **\$26.00**
 52 in. long. Weight, about 270 lbs. **32.50**

Roll Rim Sinks

No. 5-AX-1792. Same as above but roll rim style. Specify right or left corner. Picture shows left corner. 52 in. long. Weight, about 211 lbs. **\$29.50**



Basin Supply Pipes to Wall



5-AX-3171. Chrome plated basin supply pipes to wall, 3/4 in. brass with coupling to fit basin cock, per pair..... **\$1.25**

"S" Trap to Floor

5-AX-3173. Straight basin supplies made of heavy tubing. Size 1/2 inch, with nickel plated coupling threaded to fit basin cocks, per pair..... **\$1.50**

Lavatory "S" Trap to Floor


5-AX-3158. 1 1/4-inch nickel plated "S" trap. For iron pipe connection. Price, each..... **\$2.00**

DECIDED SAVINGS NOW!



SWING SPOUT MIXING FAUCETS

No. 5-AX-816. Chromium plated extra heavy bronze metal combination swing spout faucet made with removable seats. Spout fitted with anti-splash filter ring. Each.....\$3.50



STREAM LINE FAUCET

No. 5-AX-920. Newest design "Streamline" Faucet made of heavy bronze metal, chromium plated. Made with removable seats. Fitted with anti-splash filter ring. Each..\$3.75

CLOSET SEATS \$1.80

No. 5-AX-1312. Seat made of birch heavily constructed and reinforced. Beautiful Mahogany finish, furnished with cast brass nickel-plated bar hinge. Shipping weight, 8 lbs.

Price.....\$1.80

No. 5-AX-1313. Closet seats same as above but made of select highly finished oak.

Price.....\$1.80

Celluloid Finished Seats

The modern toilet seat. Made of one-piece from a very durable fibre which is coated with celluloid; guaranteed not to chip or turn color. Comes with nickel-plated bar hinges. Rubber bumpers.

No. 5-AX-1310. White, each.....\$1.95
No. 5-AX-1318. Green, Orchid or Yellow finish. Each.....\$2.15

Pearl Celluloid Seats

Made of finest select hardwood, heavily doweled. Covered with "Mother-of-Pearl" sheet celluloid. Guaranteed against peeling, chipping or discoloring for 5 years. Chromium plated, heavy bar hinge. Choice of Orchid, Green or Yellow.

Price, each.....\$6.50

NEW UNIT CLOSET

Combination Tank and Bowl

No. 5-AX-1707. Very latest modern design featuring a single unit closet combination with reverse trap bowl and handy shelf top tank sealed together. Quiet flushing, quick and powerful centrifugal cleaning action. Saves space. Easy and inexpensive to install. Best brass tank fittings. Designed to save water. Shipping weight 60 lbs. Price Complete.\$21.45



WASH DOWN TYPE

Low tank closet outfit. Includes white vitreous china tank with best interior fittings and strong, positive flush operated by china lever; white vitreous earthenware bowl; seat and cover white sprayed celluloid finished, with heavy nickel-plated bar hinges and elbow. Weight, 120 lbs.

No. 5-AX-1003. For iron pipe connections.....\$13.50



SYPHON JET TYPE

Low tank outfit, complete. Includes finest white vitreous china tank, and fitted with improved, sure action valve; latest pattern white vitreous earthenware Syphon jet closet bowl. Seat and cover white sprayed Celluloid finished, heavy nickel-plated bar hinges, and offset. Weight, complete, about 130 pounds.

No. 5-AX-813. For iron pipe connections.....\$20.50

Half Circle Lavatory \$12.65

One piece, white porcelain enameled. Half circled "D" pattern bowl. Easily hung with concealed wall hangers furnished. Slab, 18x21 in.; bowl, 10½x14 in. Back, 10 in. high. Has 2 compression faucets indexed "Hot" and "Cold." 1¼ in. chrome-plated "P" trap, supply pipe and flanges to wall. Chrome-plated chain and rubber stopper. Weight 99 lbs.

No. 5-AX-411. Price, complete.....\$12.65



Bath Tub Complete \$44.65 Lavatory Complete \$21.35 Closet Outfit \$20.50

Deep apron corner style bathtub cast in one piece 5 ft. long, enameled inside and out. Back and finished into the wall; base finished into floor. Concealed type wall fixtures. Furnished for right or left corner. Large illustration shows left corner.

PEDESTAL LAVATORY 31 inches high with top size 20 x 24 inches, nickel-plated Trap, and chrome plated Pop Up and Compression Faucet.

SYPHON JET CLOSET OUTFIT with white vitreous china tank; chrome-plated offset. Vitreous earthenware bowl with white sprayed celluloid finished seat.

No. 5-AX-1209. Regal Bathroom Outfit complete in white enamel, including Tub, Lavatory and Closet Outfit.....\$87.00

Above Outfit in Colored Enamel

No. 5-AX-1210. Regal Bathroom Outfit in orchid, yellow or green enamel.

Complete.....\$107.00 Colored enamel lavatory.....\$25.20

Colored enamel tub.....55.80 Colored enamel closet outfit.....26.00

NOTE: If Regal Bathroom Outfit is wanted with full recessed tub instead of corner recessed tub, shown, deduct \$4.00 for white tub and \$4.50 for colored tub. State whether right or left outlet is wanted.

Fixtures for Bath Tubs and Shower Outfits

These are guaranteed to be of the finest quality possible to manufacture. Castings are of quality bronze, all strong, clean, durable, and perfectly machined. Valves have renewable seats. Exposed metal parts are beautifully finished in highest quality chromium plate.

Fixtures for Bath Tubs

No. 5-AX-922. Built-in Tub Filler, for installation over the rim of bathtub. Consists of 2½" Bi-pass valves having metal escutcheons and cross handles; and metal

over-rim spout.....\$5.00

No. 5-AX-923. Toe trip waste and overflow. This modern fixture eliminates the objectionable chain and stopper. A twist of the floor cap (with hand or foot)

opens or closes drain.....\$4.00

No. 5-AX-5135—Complete Shower Outfits

To be used with above bathtub fixtures and No. 1209 and No. 1210 bathroom outfits listed above. Fitted with diverter valve which enables the user to test the temperature of water at spout, and then, by a touch of the diverter control lever, turn the water to shower. Also includes 4" shower head and shower arm with swivel ball joint connection, shower rod, rod flanges, curtain of pure white, 8 oz. duck, curtain hooks, and holdback chain.

Shower for 5 ft. Recess Tub.....\$12.75 Shower for 5 ft. Corner Tub.....\$15.75

Shower for 5½ ft. Recess Tub.....13.75 Shower for 5½ ft. Corner Tub.....16.75

BEAUTIFUL NEW LAVATORY

\$29.75

Style with dignity—permanency and low price are combined in this elegant modern lavatory. Size 22½x20 in. High fired, stain-proof genuine vitreous white china. Designed with handy shelf for toilet articles. Towel bars on each side. Chrome legs and fittings to match design. Includes chrome-plated compression cocks and mixing faucet with pop-up waste. Ship. wt. 85 lbs. Price complete.....\$29.75



SQUARE LAVATORY

One piece, white porcelain enameled. "D" pattern bowl. Easily hung with concealed wall hangers furnished. Fitted with 2 compression faucets indexed "Hot" and "Cold." 1¼ in. chrome-plated "P" trap, supply pipes with flanges to wall, chrome-plated chain and rubber stopper. Size of slab, 18x24 in.; bowl, 11x15 in.; back, 10 in. high. Weight, about 111 lbs.

No. 5-AX-311. Price, complete.....\$13.00



HEATING SYSTEMS AND

Our experts have reduced the old-time complications of heating system planning and installation to a simple, easily completed job. We loan, free of charge, all the pipe fitting tools you will need.

Send a rough sketch of your home showing size and layout of rooms and size and position of windows and doors. That's all we require to estimate the cost of guaranteed materials for the heating system of your choice.



"Perfection" Warm Air Furnaces


For Warm Air Heating Systems with individual pipe to each room. Made with long life, extra heavy castings. Heavy galvanized casings. Large water pan humidifier, (which has an automatic filler) humidifies the air.

| Firepot Size | Capacity Cubic Ft. | Price |
|--------------|--------------------|----------|
| 20-in. | 8,000 | \$ 70.00 |
| 22-in. | 10,000 | 85.00 |
| 24-in. | 14,000 | 100.00 |
| 26-in. | 18,000 | 120.00 |

"Perfection" Steel Furnaces

Built with inner furnace drum composed of one piece steel boiler plates securely riveted, gas and smoke tight. Has double fire brick lining. Large hot blast combustion chamber consumes most of the smoke and soot. Highly efficient with lowest fuel consumption. Air is humidified as it circulates through the heating chambers. Humidifier pan fills automatically.

| Firepot Size | Capacity Cubic Feet | Price |
|--------------|---------------------|----------|
| 20-in. | 8,000 | \$ 85.00 |
| 22-in. | 10,000 | 98.00 |
| 24-in. | 14,000 | 112.00 |
| 26-in. | 18,000 | 128.00 |
| 28-in. | 20,000 | 137.50 |



"Perfection" No. 170

Square sectional heating boilers for hot water or steam heating systems. Furnished with or without insulated red and black steel jacket. Large heating surface, long smoke travel and excellent construction bring greatest efficiency. Gauges and trimmings at slight extra charge.

| Size of Firepot | Hot Water Rating Sq. Ft. | HOT WATER | |
|-----------------|--------------------------|----------------|-------------|
| | | Without Jacket | With Jacket |
| 17x17 | 1000 | \$67.00 | \$77.00 |
| 17x21 | 1250 | 77.00 | 88.00 |
| 17x25 | 1500 | 87.00 | 99.00 |
| 17x30 | 1750 | 97.00 | 110.00 |



"Perfection" No. 300

Round sectional heating boilers for hot water or steam heating systems. Smooth, perfect fitting castings; splendid construction throughout. Large heating surface assures fast heat and rapid circulation.

| Diameter of Grate | Hot Water Rating Sq. Ft. | Price Hot Water Boilers |
|-------------------|--------------------------|-------------------------|
| 19 | 925 | \$ 63.00 |
| 22 | 1375 | 80.00 |
| 25 | 1700 | 98.00 |
| 28 | 2150 | 120.00 |



"PERFECTION" No. 2500

Square sectional heating boilers for large hot water and steam heating installations. Operate with greatest efficiency and fuel economy. Push nipple construction, conveniently assembled and easily installed. Furnished with attractive red enameled steel heavily insulated jackets at slight added cost.


| Grate Surface | Hot Water Rating Sq. Ft. | Price Hot Water Boilers |
|---------------|--------------------------|-------------------------|
| 25x28 in. | 2400 | \$135.00 |
| 25x35 in. | 2850 | 160.00 |
| 25x42 in. | 3300 | 185.00 |
| 25x49 in. | 3750 | 210.00 |



RANGE BOILERS

Standard Weight

Tested to a working pressure of 150 pounds. Furnished complete with stand, inside tube and couplings.



Combination Range Boiler and Gas Water Heater

Delivers hot water direct to fixtures. Furnished with drilled Bunsen burner.

20-gal. tank is double extra heavy steel, tested at 150 pounds working pressure. Galvanized inside and out.
5-AX-1700.
Weight 240 lbs. **\$17.95**

No. 5-AX-2101. Standard Boilers

| Cap., Gals. | Ht., in. Boiler | Ht., in. Incl. Stand | Wt., Lbs. | Boiler Only | Price, Comp. |
|-------------|-----------------|----------------------|-----------|-------------|--------------|
| 30 | 60 | 75 | 72 | \$ 5.95 | \$ 7.95 |
| 40 | 60 | 75 | 85 | 7.95 | 9.95 |
| 52 | 60 | 75 | 120 | 11.65 | 14.65 |

No. 5-AX-2109. Extra Heavy Boilers

Tested to 250 pounds working pressure. Recommended for use where working pressure is not over 150 pounds.

| Cap., Gals. | Ht., in. Boiler | Ht., in. Incl. Stand | Wt., Lbs. | Boiler Only | Price, Comp. |
|-------------|-----------------|----------------------|-----------|-------------|--------------|
| 30 | 60 | 75 | 87 | \$ 6.90 | \$ 8.90 |
| 40 | 60 | 75 | 100 | 9.15 | 11.15 |
| 52 | 60 | 75 | 135 | 14.10 | 17.10 |

TANK HEATER

\$6.95

These splendid tank heaters are far more efficient, yet lower in price than ordinary laundry stoves. Four sizes to meet the needs of small or large homes.

They are constructed with unusually smooth grey iron castings properly fitted. Hollow barrel type body through which water flows, insures quick heating and steady supply. Large fuel door at proper angle for easy feeding.



| No. | Firepot Dia. | Capacity Gal. | Ht. | Smoke Collar | Tapped | Price |
|-------|--------------|---------------|---------|--------------|--------|--------|
| 50-D | 10" | 40 | 18 1/4" | 5" | 1" | \$6.95 |
| 70-D | 10" | 52 | 22 3/4" | 5" | 1" | 8.50 |
| 90-D | 10" | 66 | 25 1/4" | 5" | 1 1/2" | 9.95 |
| 150-D | 12" | 120 | 29" | 6" | 2" | 16.75 |

WATER STORAGE TANKS



Order No. 5-AX-2705. These splendid storage tanks are made up of finest quality steel plate, securely joined, heavily and closely welded throughout. Shell head of 3/4 inch steel, convex head of 1/2 inch steel. Concave heads of all tanks including 525-gallon size of 1/2 inch steel; larger sizes have concave head made of 3/4 inch steel. They are carefully tested to 100 pounds hydrostatic pressure and are recommended for use where water working pressure does not exceed 65 pounds. Can be used in a horizontal or vertical position.

| Approx. Capacity, Gallons | SIZES Diam. Inches | Length Feet | Approx. Weight Pounds | Regular Opening Inches | Price, Each |
|---------------------------|--------------------|-------------|-----------------------|------------------------|-------------|
| 85 | 20 | 5 | 250 | 1 1/2 | \$25.75 |
| 100 | 24 | 4 | 290 | 1 1/2 | 27.00 |
| 120 | 24 | 5 | 340 | 1 1/2 | 30.25 |
| 140 | 24 | 6 | 390 | 1 1/2 | 33.45 |
| 180 | 30 | 5 | 455 | 2 | 39.65 |
| 220 | 30 | 6 | 520 | 2 | 43.85 |
| 295 | 30 | 8 | 650 | 2 | 52.25 |
| 315 | 36 | 6 | 650 | 2 | 51.00 |
| 420 | 36 | 8 | 800 | 2 | 61.95 |
| 525 | 36 | 10 | 950 | 2 | 73.00 |

LAUNDRY STOVE



Water Jacketed Firepot

5-AX-79. Strongly built of smooth gray iron castings; hollow water heating fire pot. Inside diameter of fire pot at top, 10 1/4 inches. Diameter of grate, 8 inches. Size of top, 18x20 inches. 1-inch pipe connection. 6-inch pipe collar. **\$8.75**

5-AX-800. Extra heavy 11 1/2-inch diameter fire pot at top, 9 1/2-inch grate. Size of top, 19 1/2x22. Price. **\$10.75**

Gas Water Heater

Fast heating, efficient, double copper coil water heater. Cast iron jacket of neat design. 3-inch flue connection. 1/2-inch gas supply, 3/4-inch water supply.

5-AX-2134. 19 in. high, 7 in. in diameter, 3/4-in. copper tubing, 13 1/2 ft. long. Weight, 33 pounds. Price, each. **\$3.75**

5-AX-2136. 22 in. high, 7 in. in diameter, with 3/4-in. tube, 17 1/2 ft. long. Weight, 33 pounds. Price, each. **\$5.50**




Water Heating Coil

17-AX-1204. Hot water Heating Coil. Completely assembled. Made from 1 1/4 inch pipe and fittings. Outside connection 3/4 inch. Suitable for heating 30 or 40 Gallon Range Boilers. Weight, about 12 pounds. Price, each. **\$2.00**

Cast Iron Coil

17-AX-984. For use in any standard furnace. Made of cast iron with clean-out plug enables you to remove sediment. Two openings for 1 inch pipe. Price, each. **\$2.25**



SUPPLIES PRICED LOW!

New Art Radiation



25c
Per Sq.
Foot

Perfection New Art Radiation for Hot Water and Steam Systems, brings new beauty and heating efficiency to the home. Latest open tube design, finished in prime coat of beautiful grey enamel.

All sections are 2 1/4 inches center to center. Tapped 1 1/4 inch but bushed free to smaller sizes when necessary. In ordering, specify bushing desired and whether for Hot Water or Steam.

No. 17-AX-1936

Four Tube Radiation

36 in. high, each section contains 4 1/4 sq. ft.

Five Tube Radiation

36 in. high, each section contains 5 sq. ft.
23 in. high, each section contains 3 1/4 sq. ft.
23 in. high, each section contains 3 sq. ft.
20 in. high, each section contains 2 1/4 sq. ft.

Six Tube Radiation

36 in. high, each section containing 6 sq. ft.
26 in. high, each section containing 4 sq. ft.
20 in. high, each section containing 3 sq. ft.

Seven Tube Radiation

36 in. high, each section containing 7 sq. ft.
23 in. high, each section containing 4 1/4 sq. ft.
20 in. high, each section containing 3 1/4 sq. ft.

WALL RADIATION

17-AX-900. Perfection wall and ceiling radiator, 13 1/4 inches high, 29 1/4 inches long, 2 1/4 inches deep, containing 9 square feet of heating surface. Price, per ft. **40c**



Radiator Valves

Steam Valves
5-AX-178. Jenkins Disc Angle Radiator Valve with Union, nickel plated all over.

1/4 inch.....\$0.85
1 inch.....1.00
1 1/2 inch.....1.30
1 3/4 inch.....1.70

Hot Water Union Elbows

5-AX-179. Quick Opening Hot Water Radiator Valve with Union, nickel plated all over.
5-AX-180. Hot Water Union Elbows, nickel plated all over.
Size Price, Each
1/4 inch.....\$0.75
1 inch......92
1 1/2 inch.....1.10
1 3/4 inch.....1.45
1/4 inch.....\$0.40
1 inch......50
1 1/2 inch......65
1 3/4 inch......85



LOOSE KEY AIR VALVE

5-AX-181. Entire surface nickel plated. Used to vent air from hot water radiators. Size 1/4 inch. Price.....**8c**



FLOOR AND CEILING FLANGES

5-AX-203. Price, Each
1/4 inch.....6c
1 inch.....7c
1 1/2 inch.....8c
Size, Inches Price, Each
1/4 inch.....9c
1 1/2 inch.....10c
2 inch.....12c

Automatic Vacuum AIR VALVES

No. 5-AX-1274.

1/2 Chrome, Angle Rad. Air Vent (Not Vacuum type).....\$1.10
1/2 Chrome, St. Shank Return Line (Not Vacuum type).....\$1.70
1/2 Chrome, Angle Rad. Vacuum Air Vent.....\$1.90
1/2 Chrome, St. Shank Vacuum Air Vent.....2.45

PRESSURE GOVERNOR

for Hot Water Heating Systems

A Harris Pressure Governor increases the efficiency of Hot Water Heating systems and displaces the antiquated expansion tank. Instantly adjusted for any required pressure by a set screw on top of each valve unit.

The governor is equipped with a regulating Valve and Strainer.

Constructed of best bronze—rust and scale proof. Fully guaranteed.

5-AX-7100. Harris Pressure Governor, complete.....**\$10.50**




AUTOMATIC HEAT REGULATOR

for Hot Water

HEATING SYSTEMS

5-AX-600. With this splendid heat regulator, your hot water heating boiler will respond automatically to any change in the weather by checking the fire or opening the drafts as required to maintain a uniform boiler temperature. Simply place the weight at certain point on the regulating lever and the water in your heating system will be maintained at a uniform temperature. Regulator arm opens the draft and closes the damper or reverses the operation automatically. Regulator complete.....**\$5.95**



Regulator Connected to Boiler

SEPTIC TANK FOR SEWAGE DISPOSAL

The HARRIS SEPTIC TANK is adapted to all uses, city or rural where running water is available. Full instructions for installation.

Made from purest Copper-bearing Iron. 14-gauge with 4 inch tile connection. All seams are carefully welded, and every tank is given a thorough inspection before leaving the factory.

All surfaces are covered with several coats of tested Mineral Oil Preservative, applied under intense pressure, protecting the tanks indefinitely against any corrosive action.

Order No. 5-AX-300.

| Size of Tank, Diam. Ht. | Total Capacity Gals. | Weight | Prices F. O. B. Chicago |
|-------------------------|----------------------|----------|-------------------------|
| 30 1/2" x 48" | 176 | 175 lbs. | \$16.25 |
| 38" x 48" | 235 | 225 lbs. | 18.00 |
| 48" x 48" | 345 | 275 lbs. | 24.00 |
| 52" x 60" | 432 | 450 lbs. | 36.00 |



Warm Air Tin Pipe

17-AX-145. Bright tin furnace pipe for warm air furnace installations. 2 ft. lengths
8 inch, per 2 ft. length.....30c
9 inch, per 2 ft. length.....35c
10 inch, per 2 ft. length.....40c
12 inch, per 2 ft. length.....48c

Galvanized Smoke Pipe
17-AX-7530. Galvanized smoke pipe made of 26-gauge heavy galvanized sheet iron. Comes in 2 foot lengths.

Diameter
Inch..... 5 6 7 8 9 10 12
Per foot.....24c 28c 34c 38c 42c 48c 54c

Adjustable Warm Air Tin Elbows

17-AX-146. Bright tin.
8 inch, each.....26c
9 inch, each.....29c
10 inch, each.....32c
12 inch, each.....46c

Adjustable Smoke Pipe Elbows

17-AX-7540. 26-gauge galvanized Elbows to fit above smoke pipe.
Diam.
Inch..... 5 6 7 8 9 10 12
Each.....30c 32c 35c 38c 42c 47c 60c

ASBESTOS PAPER

17-AX-710. A fireproof material made of natural, mineral asbestos fibre. It is very soft and pliable. It is usually applied with starch paste or the special asbestos paste listed below. In addition to covering hot air pipes, asbestos paper can be used for covering ceilings, walls, partitions, exposed to heat. It comes in rolls 18 inches wide, weighing about 1 lb. to the sq. yd. 25-pound rolls, each.....**\$2.00**

ASBESTOS PASTE

17-AX-712. Asbestos Paste for applying asbestos paper to pipes. Comes in 2 pound packages. Per package.....**20c**

Asbestos Air-Cell Pipe Covering

5-AX-206. 3-ply asbestos air-cell pipe covering, for steam and hot water heating systems. 3/4 inch thick. Will fit standard pipe sizes shown. Lengths 3 ft. long with brass bands and canvas jacket.

| Pipe Size | Approximate Circumference of Pipe | Per Length |
|-----------|-----------------------------------|------------|
| 1/2-in. | 3 1/4-in. | 17c |
| 1-in. | 4-in. | 20c |
| 1 1/4-in. | 5 1/4-in. | 22c |
| 1 1/2-in. | 6-in. | 27c |
| 2-in. | 7 1/2-in. | 32c |
| 2 1/4-in. | 9-in. | 37c |
| 3-in. | 11-in. | 39c |
| 3 1/2-in. | 12 1/2-in. | 39c |

Asbestos Cement

5-AX-207. For covering heating boilers to increase their heating efficiency.

100-lb. bag.....**\$1.80**
50-lb. bag.....**\$1.00**

Radiator Cabinets



Beautify your rooms and humidify the air with radiator cabinets.
17-AX-344. Strongly made of fine furniture steel, securely braced. Complete with hinged cover and humidifying pan. Choice of Cream, Mahogany, Oak and Walnut baked-on enamel finishes.

| Length of Cabinet in Inches | Cabinets Up to 24" High | Cabinets 24" to 40" High |
|-----------------------------|-------------------------|--------------------------|
| 24" | \$ 8.70 | \$ 9.75 |
| 30" | 9.25 | 10.30 |
| 36" | 9.75 | 10.80 |
| 42" | 10.30 | 11.30 |
| 48" | 11.60 | 12.60 |
| 54" | 12.60 | 13.15 |
| 60" | 13.15 | 14.25 |
| 66" | 14.00 | 15.10 |
| 72" | | |

RADIATOR FINISHING MATERIALS

5-AX-7595. Aluminum Bronze Powder. 1 lb.....55c 1 lb.....95c
5-AX-7590. Gold Bronze Powders. 1 lb.....50c 1 lb.....85c

MIXING LIQUID

5-AX-7585. Radiator bronze mixing liquid. 1 quart cans.....\$0.35
1/2 gallon can.....1.65
1 gallon can.....1.15

PEARL GRAY ENAMEL

5-AX-8400. Recommended in preference to all other radiator finishes because it not only is the latest, most attractive finish, but increases radiator efficiency.

Pint can.....\$0.55
Quart can.....1.00

PAINT BRUSH

5-AX-8410. Pure bristle paint brush. 2 inch wide. Each.....25c

REGISTERS

17-AX-132.

Newest and most efficient steel register. This register can be attached to the tin box or stack head by means of straps for which holes have been provided. Wood screws are furnished with each register for attaching to studding.

Tanbo Antique Bronze or White Japanned.
Size, 8x10.....\$1.80
Size, 8x12.....2.25
Size, 8x12.....2.50
Size, 10x12.....3.50

FLOOR REGISTERS


18-AX-600. Floor Register.

Black Japan Finish.

Size Register
8x10.....\$1.25
8x12.....1.50
10x12.....1.80
12x15.....3.25

BOILER GAUGES

5-AX-189. Altitude Gauges are used for indicating the height of water in a hot water heating system equipped with an expansion tank. 1/2-inch connection. Each.....\$1.75
With Cock.....1.95



PRESSURE GAUGE

5-AX-190. If your hot water heating system is equipped with an automatic pressure governor or a closed expansion tank, pressure gauge should be used instead of altitude gauge. Records pounds of pressure. 1/2-inch connection. Each with Cock.....\$1.95

HOT WATER THERMOMETERS

Used in connection with hot water heating plants. 1/4-inch threaded connection.


5-AX-187. Straight Thermometers. Each.....75c

5-AX-188. Angle Thermometers for use on risers or circulating pipes. Price, each.....80c

COMBINATION PRESSURE

5-AX-191. Combination pressure gauge, Tridicator and thermometer. Each.....\$1.95

CHAIN LINK FENCING



Galvanized After Weaving

A fence should improve the appearance of your property as well as give you protection for many years to come. To accomplish this, Harris Chain Link Fence is made of Copper Bearing Steel wire, galvanized with pure zinc, after weaving a combination that will resist rust and corrosion 25 to 30% longer than ordinary steel fencing. Posts, top rail and all fittings are heavily galvanized. When once erected all Harris Chain Link fences stand solid and rigid, retaining their original neat appearance through years of service.

Chain Link Fence Fabric

| Gauge | Mesh | HEIGHT OF FENCING | | | | | |
|-------|----------------------|-------------------|--------|--------|-------|-------|-------|
| | | 36 In. | 42 In. | 48 In. | 5 Ft. | 6 Ft. | 7 Ft. |
| 11 | 2 in. Per Lineal Ft. | 14c | 16c | 19c | 25c | 34c | 44c |
| 9 | 2 in. Per Lineal Ft. | 19c | 21c | 24c | 29c | 38c | 44c |

GALVANIZED WALK GATES

Made with 1 1/8 Inch Framework

Ornamental Galvanized Walk Gates made of 1 1/8-inch Outside Diameter galvanized tubing, covered with No. 11 gauge 2-inch mesh fabric. Hinges and Latches for 2 1/2" Outside Diameter posts.

| | |
|---|--------|
| 4-AX-3636. Walk Gate for Opening 36 in. wide, 36, 42 or 48 in. high. Price, each..... | \$4.50 |
| 4-AX-4236. Walk Gate for Opening 42 in. wide, 36, 42 or 48 in. high. Price, each..... | \$5.25 |
| 4-AX-4836. Walk Gate for Opening 48 in. wide, 36, 42 or 48 in. high. Price, each..... | \$6.00 |


Be Sure to State Height Wanted

DRIVEWAY GATES with 1 3/8 Inch Framework

Drive gate made of 1 3/8" Outside Diameter Galvanized Tubular Steel, covered with No. 9 gauge 2-inch mesh Chain Link Fabric. Hinges and Latches for 2 1/2-inch O. D. Posts.

| | |
|---|---------|
| 4-AX-1048. Drive Gate for Opening 8 or 10 ft. wide; 3 ft. to 6 ft. high. Price, each, any height..... | \$17.50 |
| 4-AX-1248. Drive Gate for Opening 12 ft. wide; 48, 60 or 72 inches high. Price, each, any height..... | \$20.00 |

Harris Ornamental Lawn Fencing



Double Picket Fencing

Uprights, No. 9 galvanized wire, crimped the entire length; cables, No. 12 1/2, heavily galvanized with space between the uprights at the bottom of 1 1/4 ins.; at the top, 3 ins. The cables are spaced 6 ins. apart, except the top space of 2 1/4 ins.


| | | | | | | |
|---|-----|---------|---------|-----|---------|-----|
| Height of fabric, inches..... | 30 | 36 | 42 | 48 | 54 | 60 |
| No. 4-AX-404. Price, per lineal foot..... | 10c | 11 1/2c | 12 1/2c | 14c | 15 1/2c | 17c |

Single Picket Fencing

| | | | | |
|---|----|--------|--------|---------|
| Height of fabric, inches..... | 30 | 36 | 42 | 48 |
| No. 4-AX-430. Price, per lineal foot..... | 7c | 8 1/2c | 9 1/2c | 10 1/2c |

The above fencing can be furnished in any continuous length up to 330 feet.

Tubular Fence Posts



For use with wire fencing on Lawns, Gardens, Parks, etc. Durably made of steel and painted to prevent rusting. End and corner posts should be set in concrete. Line posts may be driven but concrete is advisable. All upright posts are furnished with cap as shown. Painted Green. Posts and braces weigh about 2 1/2 lbs. per ft.

Single Braced End Posts

Outside diameter of post is 2 in. Braces, 1 1/4 in. in diameter. Furnished with 2 braces, 2 clamps and bolt.

Order by No.

4-AX-400.

| Length | Price |
|--------|--------|
| 5 Feet | \$1.45 |
| 6 Feet | 1.55 |
| 7 Feet | 1.65 |
| 8 Feet | 1.75 |

Double Braced Corner Posts

Outside diameter of post is 2 in. Braces are 1 1/4 in. in diameter. Furnished with 2 braces, 2 clamps and bolts.

Order by No.

4-AX-500.

| Length | Price |
|--------|--------|
| 5 Feet | \$2.10 |
| 6 Feet | 2.20 |
| 7 Feet | 2.30 |
| 8 Feet | 2.55 |

Ball Top Line Posts

Outside diameter of post is 1 1/4 in. Used for line posts and placed as close together as is necessary to properly support your fence.

Order by No.

4-AX-600.

| Length | Price |
|--------|--------|
| 5 Feet | \$0.65 |
| 6 Feet | .75 |
| 7 Feet | .85 |
| 8 Feet | .95 |

PUNCHED ANGLE and "T" POSTS

Made of strong heavy steel in angle or "T" style with anchor plates. Pointed for easy driving. Stand solid and rigid.

No. 4-AX-724 Angle Posts

| Height | Weight | Each |
|-----------|----------|---------|
| 5 1/2 ft. | 6.7 lbs. | 23c |
| 6 ft. | 7.3 lbs. | 25c |
| 6 1/2 ft. | 7.8 lbs. | 27c |
| 7 ft. | 8.4 lbs. | 28 1/2c |
| 8 ft. | 9.5 lbs. | 32 1/2c |

No. 4-AX-927 "T" Posts

| Height | Weight | Each |
|-----------|-----------|---------|
| 5 1/2 ft. | 7.5 lbs. | 27c |
| 6 ft. | 8.2 lbs. | 29c |
| 6 1/2 ft. | 8.8 lbs. | 31c |
| 7 ft. | 9.4 lbs. | 33 1/2c |
| 8 ft. | 10.7 lbs. | 38c |

POULTRY NETTING

4-AX-407. 19 Gauge—2" Hexagon Mesh Netting, Galv. before fabrication.

| | |
|-------------------------|--------|
| 24" Wide, 150 Ft. Bale. | \$1.95 |
| 30" Wide, 150 Ft. Bale. | 2.30 |
| 36" Wide, 150 Ft. Bale. | 2.80 |
| 42" Wide, 150 Ft. Bale. | 3.15 |
| 48" Wide, 150 Ft. Bale. | 3.50 |
| 60" Wide, 150 Ft. Bale. | 4.40 |
| 72" Wide, 150 Ft. Bale. | 5.10 |

4-AX-408. 19 Gauge—1 1/2" Hexagon Mesh, Galv. before fabrication.

| | |
|-------------------------|--------|
| 24" Wide, 150 Ft. Bale. | \$3.45 |
| 30" Wide, 150 Ft. Bale. | 4.10 |
| 36" Wide, 150 Ft. Bale. | 4.85 |
| 42" Wide, 150 Ft. Bale. | 5.55 |
| 48" Wide, 150 Ft. Bale. | 6.35 |
| 60" Wide, 150 Ft. Bale. | 7.70 |
| 72" Wide, 150 Ft. Bale. | 9.10 |

SCREEN WIRE

4-AX-405.

| | |
|-------------------------|--------|
| 12 Mesh Galvanized..... | \$2.30 |
| 14 Mesh Galvanized..... | 2.75 |
| 16 Mesh Galvanized..... | 3.25 |
| 16 Mesh Bronze..... | 6c |

HARDWARE

CLOTH

4-AX-505.

| | |
|-------------------------|----|
| 2-Inch Mesh Per Sq. Ft. | 5c |
| 4-Inch Mesh Per Sq. Ft. | 6c |

Poultry Net Staples

No. 14 gauge, 230 1-inch staples to a lb.

| | |
|--|--------|
| No. 4-AX-36. 1 inch long, per 100-lb. keg..... | \$7.00 |
| 5-lb. pkg. Each..... | .40 |
| 10-lb. pkg. Each..... | .80 |

Fencing Staples

No. 9 gauge, 100 lbs. to the keg. 108 1-in. or 100 1 1/4-in. staples to a lb.

| | |
|--|--------|
| No. 4-AX-35. 1-inch long, per 100-lb. keg..... | \$3.77 |
| 1 1/4-inch long, per 100-lb. keg..... | 3.77 |
| 10-lb. pkg. Each..... | .46 |
| 20-lb. pkg. Each..... | .90 |
| 50-lb. pkg. Each..... | 2.15 |

Gates to Match

Frame made of 1 1/4-inch galvanized steel tubing. Furnished with malleable iron hinges and automatic latch for wood posts. Give height of gate and total distance between posts. If wanted for iron posts, give diameter of post and add \$1.50 to price of gate.

Single Gates

| | |
|---|--------|
| 4-AX-405. 36 in. 42 in. or 48 in. high with single or double picket fabric. | |
| 3 ft. wide..... | \$2.93 |
| 3 1/2 ft. wide..... | 3.04 |
| 4 ft. wide..... | 3.16 |
| 5 ft. wide..... | 3.89 |
| 6 ft. wide..... | 4.08 |
| 7 ft. wide..... | 4.50 |

Double Gates

| | |
|---|---------|
| 4-AX-4056. 36 in., 42 in. or 48 in. high with single or double picket fabric. | |
| 8 ft. opening. Per pair..... | \$ 6.81 |
| 10 ft. opening. Per pair..... | 7.85 |
| 12 ft. opening. Per pair..... | 8.91 |
| 14 ft. opening. Per pair..... | 10.18 |
| 16 ft. opening. Per pair..... | 11.48 |

Galvanized Barbed Wire

Galvanized barbed wire put up 80 rods to the reel, made of 14 gauge Open Hearth Steel Wire.

4-AX-11. 2 point Galvanized Barbed Wire with barbs 5" apart, per 80 rod reel.....

4-AX-13. 2 point Galvanized Barbed Wire with barbs 3" apart, per 80 rod reel.....

Heavy Glidden Pattern

Made of 12 1/2 gauge Open Hearth Steel Wire, put up on reels containing 80 rods.

4-AX-30. 2 point Galvanized Barbed Wire with barbs spaced 5" apart, per reel.....

4-AX-31. 2 point Galvanized Barbed Wire with barbs 3" apart, per 80 rod reel.....

4-AX-32. 4 point Galvanized Barbed Wire with barbs 5" apart, per 80 rod reel.....

4-AX-33. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

4-AX-34. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

4-AX-35. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

4-AX-36. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

4-AX-37. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

4-AX-38. 4 point Galvanized Barbed Wire with barbs 3" apart, per reel.....

BUY YOUR AWNINGS NOW!

Porch Curtains to Match Awnings



Painted Striped Duck Porch Curtains, of same colors as window awnings. All sizes drop 7 ft. from top to bottom. Fitted with wood rollers, pull cords and fixtures for hanging. Be Sure to State Color Wanted.

No. 4-AX-1904.

| | | |
|----------------|------------------|--------|
| Porch Curtains | 5 ft. wide, ea. | \$1.95 |
| Porch Curtains | 6 ft. wide, ea. | 2.50 |
| Porch Curtains | 7 ft. wide, ea. | 2.95 |
| Porch Curtains | 8 ft. wide, ea. | 3.50 |
| Porch Curtains | 9 ft. wide, ea. | 3.95 |
| Porch Curtains | 10 ft. wide, ea. | 4.50 |
| Porch Curtains | 12 ft. wide, ea. | 5.00 |

Tan and Green or Orange and Green

Handsomely designed—Carefully sewn and in two color combinations. The wide stripes (about 3½" wide) are TAN and GREEN—or ORANGE and GREEN with narrow white pin stripes about ¼" wide running between. Heavier weight duck is used on all awnings over 4 ft. wide. Furnished complete with all fixtures and instructions for hanging. Strong steel frames.

Awnings up to 4 ft. wide are supplied with strong flat steel frames. Awnings over 4 ft. wide are furnished with ½-in. galvanized tubular steel frames.

Colorful Awnings

Painted Striped 6 ounce Duck

Window Awnings. Project out 2 ft. 6 in.; and extend downward from top of window 3 ft. 3 in. to lower edge of scalloped curtain. Be Sure to State Color Combination Wanted.

No. 4-AX-1506.

| | | |
|-------------------|-----------|--------|
| 2 ft. 6 in. wide, | each..... | \$1.30 |
| 3 ft. wide, each | | 1.45 |
| 3 ft. 6 in. wide, | each..... | 1.60 |
| 4 ft. wide, each | | 1.70 |

How to Measure Window Awnings

Measure from center to center of outside window casing and order nearest width. On brick buildings measure between brick opening and use next width smaller. By spreading the frame at the points where they fasten to the window casing, awnings will fit windows either 3 inches wider or narrower than widths shown.

For price of special size Awnings not shown take price of next larger size.



Large Awnings

Heavy Weight Painted Striped 8 ounce Duck Window or Porch Awnings. Same colors as window awnings. All sizes project out 3 ft. and extend downward 4 ft. from top of window to lower edge of scalloped curtain.

| | | |
|-----------------|------------------|--------|
| No. 4-AX-1510. | 8 ft. wide, ea. | \$6.95 |
| 5 ft. wide, ea. | 9 ft. wide, ea. | 7.45 |
| 6 ft. wide, ea. | 10 ft. wide, ea. | 7.95 |
| 7 ft. wide, ea. | 12 ft. wide, ea. | 8.95 |

Garden Hose



4-AX-32. High grade garden hose; now yours at lowest prices. Full moulding corrugated all black rubber hose with extra heavy wall. Inside diameter ½" fitted with ¼" couplings at each end. 50 ft. length.....

\$2.45

4-AX-33. Best black rubber braided, non-kinking moulded hose made seamless. Inside size ½" with standard ¼" brass couplings at each end. 50 ft. length.....

\$3.75

4-AX-34. Same as above but larger. Full ¾" inside diameter with brass couplings. 50 ft. length.....

\$5.25

4-AX-55. Adjustable Brass Hose Nozzle from a solid stream or complete shut-off. Size for ¾-inch hose coupling. Price, each.....

35c



Whirling Lawn Spray



\$1.35

4-AX-56. Most efficient ball bearing whirling double arm lawn sprinkler. Covers large area. Made with polished brass. Sprinkler arm fitted with two nozzles adjustable for stream or fine spray. Malleable iron base with ¼ in. hose couplings. Shipping weight, 2 lbs., each.....

\$1.35

Portable Steel Hose Reel Capacity 100 Feet Garden Hose



95c

4-AX-57. Strongly built portable all steel hose reel made with channel steel main frame, steel wheels and steel rail. Capacity 100 ft. standard garden hose. Shipping weight, 20 lbs. Sale price, each.....

95c

CHILD'S PLAY TENTS



Real tents for the kiddies. Made of tan and green painted stripe 6-ounce duck. Complete with all poles, stakes, and guy ropes. Canopy on both styles can be let down to completely close tent.

Playhouse Tent

4-AX-82. Hip roof style with scalloped curtain around tent at eaves. Floor size 5x5 ft. Height at center, 5 ft. 6 in. Wall 4 ft. high. Price, each, complete.....

Umbrella Tent

4-AX-92. Umbrella style. Easy to put up. Keeps the children at home. Floor size 5x5 ft. Size at eaves 2 ft. Center height 4 ft. 6 in. Price, each, complete.....

\$4.85

PLANT VITALIZER



Vitalize your garden and lawn as you sprinkle. This handy inexpensive fertilizing sprayer is attached to your garden hose or sprinkler. Made of indestructible aluminum. Insert the vitalizing cubes and turn on the water. Cubes are highly concentrated and compressed containing nitrogen, phosphorus and potassium.


4-AX-62. Aluminum plant vitalizer hose attachment including one filling of 5 cubes.....

\$1.50

Additional fillings vitalizing cubes. Each.....

25c

Steel Manure Hook



4-AX-7533. Made in a strong, durable manner. With four 9-inch forged crucible steel oval tines. 6-foot selected straight hardwood handle, plain capped ferrule, riveted through handle, will not pull off. Price.....

\$1.15

Steel Tray Wheelbarrow



Easy Rolling

\$3.98

4-AX-031. Pressed steel large capacity tray for wet or dry materials. Maple handles. 16 gauge tray. Capacity 3 cu. ft. Length 34 inches. Width 26 inches. Height 20 inches. Weight 45 lbs. Price.....

\$3.98

Lawn Mowers

\$5.10



8 Inch Drive Wheels Ball Bearing Mower

4-AX-7645. Wheels 8 inches. High grade ball bearings. Four-blade 6-inch cutting cylinder, continuous shearing.

| Blade, Inches | Price, Each |
|---------------|-------------|
| 12 | \$5.10 |
| 14 | 5.25 |
| 16 | 5.50 |

10 Inch Drive Wheels

4-AX-7609. Drive wheels, 10 inches in diameter with extended rim. Noiseless ratchet. Four crucible steel blades.

| Blade, Inches | Price, Each |
|---------------|-------------|
| 14 | \$6.15 |
| 16 | 6.40 |
| 18 | 6.75 |

Five Blade Mowers

4-AX-7646. 10-inch raised rim wheels. Five-blade, 6-inch reel. Highest grade, automatic adjusting ball bearings. Micrometer tested; polished balls protected by dust-proof cap. Best quality, crucible steel blades.

| Blade | Weight | Price, Each |
|-----------|---------|-------------|
| 14 inches | 41 lbs. | \$6.60 |
| 16 inches | 43 lbs. | 6.75 |
| 18 inches | 45 lbs. | 7.15 |

GRASS CATCHER

4-AX-7649. Adjustable grass catcher. Made of striped canvas, galvanized steel bottom, steel wire frame to fit 12 to 14 inch mower. To fit mowers 16 to 20 inches wide. Price, each.....

80c

90c






"Lay-Bak" Lawn Furniture

All pieces finely and strongly made of clear, soft W. P. pine, section built. Come in 4 completely made units—back, two sides and seat. Self-aligning, easy to assemble. Smoothly sanded and furnished in the natural wood. Nails to put sections together included.

| | | | |
|--|---------------|---|---------------|
| 38-AX-641. Child's Chair (weight 10 lbs.)..... | \$0.98 | 38-AX-645. Morris Chair, adjustable back (weight 35 lbs.)..... | \$2.95 |
| 38-AX-642. Adult's Chair (weight 25 lbs.)..... | \$1.63 | 38-AX-646. Out-door Table. Size 30x30 in., 31 in. high. 2x3 in. legs. Weight 30 lbs..... | \$2.35 |
| 38-AX-643. Adult's Rocker (weight 30 lbs.)..... | \$2.48 | 38-AX-647. Foot stool or Coffee Table, (weight 10 lbs.)..... | \$0.75 |
| 38-AX-644. Double Settee (weight 42 lbs.)..... | \$3.01 | | |



\$398



Garden Pergola \$975

Made in our own shop. Corner posts are 2x2, the fillers 1x2 and 1x1, smoothly surfaced clear kiln dried Fir and Pine. Is shipped in 4 completely made units, to be bolted together. Painted a good coat of white lead and oil paint. Size: Height 8 ft., width 4 ft. Depth 2 ft. overall measure. Weight 50 lbs.

A very handsome piece of garden furniture, well made of strong clear kiln dried Fir and Pine lumber, smoothly finished.

The height is 7'8", width 6'10", depth front to back 3 ft. 2x2 corner and seat posts, 1x2 fillers, 2x4 top beams, well braced seats. Shipped in 5 completely made units, sides, top and seats. A few bolts and the pergola is up. Painted a good coat of white lead and oil paint. Weight 100 lbs.

38-AX-1908. Pagoda Garden Entrance. Each.....

38-AX-1906. Garden Seat Pergola. Each.....



\$250



\$250



\$150

RUSTIC GARDEN FURNITURE

Built sturdy and rigid. Guaranteed not to crack or come apart. Made of natural bark, covered sassafras.

| | |
|--|---------------|
| 4-AX-1305. Straight back chair 35" high. Seat 29x22 1/2". | \$1.25 |
| 4-AX-1306. Arm chair 35" high..... | 1.50 |
| 4-AX-1307. Table 30" high; top 30x30"..... | 2.50 |
| 4-AX-1308. Settee 36" high. Seat 44x23"..... | 2.50 |
| 4-AX-1309. COMPLETE SET OF FOUR PIECES ABOVE..... | \$7.50 |

HICKORY GARDEN FURNITURE

Hickory Garden Furniture with woven rattan seat and back.

| | | | |
|-------------------------------|---------------|----------------------------------|---------------|
| 4-AX-1200. Settee..... | \$9.50 | 4-AX-1202. Arm Chair..... | \$4.75 |
| 4-AX-1201. Rocker..... | 5.50 | 4-AX-1203. Table..... | 6.50 |

SENSATIONAL TRELLIS SALE! Enduring Clear California Redwood

A GREAT PURCHASE AND GREATER SAVINGS



10-AX-30



10-AX-25

NOW

35¢

Each

Choice of Four Styles

\$295

For Carton of 12

Any ONE Style



10-AX-35



10-AX-40

LIMITED QUANTITY! BUY QUICKLY


Buy A Carton of 12 and Increase Your Saving

Your friends and neighbors will welcome a share of this rare buying opportunity. Have them join with you in making up a full carton order for the design of your choosing. Trellis made of redwood resist weather and decay longer than any other. All parts accurately and smoothly cut. Quickly and easily assembled with simple layout directions packed with each trellis.

Trellis 6 ft. high, 18 in. wide. Price, each, any style shown (shipping weight 4 lbs.)..... **35c**
Trellis 6 ft. high. Price of carton of 12 of any ONE style shown (shipping weight 60 lbs.) per carton..... **\$2.95**

Trellis 8 ft. high, 18 in. wide. Price each, any style shown (shipping weight 5 lbs.)..... **40c**
Trellis 8 ft. high. Price of carton of 12 of any ONE style shown (shipping weight 65 lbs.) Per carton..... **\$3.95**

Sturdy Home Work Benches



Work Benches \$265
Without Vise \$265

An ideal bench for the garage, basement, factory or workshop. Very substantially made, should sell for about \$3.50!

Length overall 48 inches and 72 inches. Depth 22 inches. Height 32 inches and 38 inches. (Bottom of legs can be cut off to lower.)

TOP is made of 2x6 No. 1 selected kiln dried Yellow Pine. FRAME under top 2x4's all around, with 2x4 brace underneath in center. 2x4 End Cross Braces, double at each end. 2x4 legs. 2x4 Bottom Braces, 1x2 "A" Brace strips for the back.

TOOL TRAY—8 inches front to back; 4 inches deep, five compartments, can be nailed to leg braces or to top of bench. It is completely made up.

CARPENTER'S SCREW VISE—This is a first class carpenter's Screw Vise, Hardwood follower block, 1 inch iron worm, two hardwood dowel guides. Completely fitted, ready for use.

PAINTED—One good coat of gray paint. All units are completely made. Only 4 bolts (which we furnish) and your Bench is set-up, ready for use.

Shipped under K.D. Classification; weight approximately 100 pounds.

If TOOL TRAY is wanted, add... **\$0.75**
If Carpenter's SCREW VISE is wanted, add..... **\$1.35**

38-AX-4823. Plain WORK BENCH, 48 in. long, 32 in. high and 22 in. deep, without Screw Vise or Tool Tray, Each.....

\$2.65

38-AX-7223. Same as above except that it is 72 in. long, 38 in. high and 22 in. deep.....

\$2.98

Splendid Two-Unit Painted Tennis Tables

\$10



Eight Leg 2-Unit Type

Plywood Top Officially Painted and Striped

We believe these are the finest tables the market offers at anywhere near the price. Official size 5 ft. by 9 ft. Regulation height, painted with special tennis table paint moss green with white division and edging stripes. This Table is made in two individual units that fasten together by a unique method at the center joint. Each unit has 4 legs which fold under when not in use. Legs are strong and sturdy. It takes a few moments to open them, or connect them; simplified by our unique bolt and slot hinge. Table legs when in place become as firm and rigid as though they were joined in place permanently.

10-AX-5938. 5 ft. by 9 ft. 3/4-inch 2-unit Tennis Table.....

\$10.00

10-AX-5912. Same as above, excepting top is 1/2" 5-Ply..

\$11.45

10-AX-5934. Same as above except top is 3/4" 5-Ply. This is a Championship table.....

\$14.90

HARRIS BROTHERS COMPANY, 35th and Iron Streets, CHICAGO

Digitized by:




ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:
Alan O'Bright



RUSTIC GARDEN FURNITURE

Built sturdy and rigid. Guaranteed not to crack or come apart. Made of natural bark, covered sassafras.
4-AX-1305. Straight back chair 35" high. Seat 29x22 1/2". \$1.25
4-AX-1306. Arm chair 35" high. 1.50
4-AX-1307. Table 30" high; top 30x30". 2.50
4-AX-1308. Settee 36" high. Seat 44x23". 2.50
4-AX-1309. COMPLETE SET OF FOUR PIECES ABOVE. \$7.50

HICKORY GARDEN FURNITURE

Hickory Garden Furniture with woven rattan seat and back.
4-AX-1200. Settee. \$9.50 | 4-AX-1202. Arm Chair. \$4.75
4-AX-1201. Rocker. \$5.50 | 4-AX-1203. Table. \$6.50

moss green with white stripes and edging stripes. This Table is made in two individual units that fasten together by a unique method at the center joint. Each unit has 4 legs which fold under when not in use. Legs are strong and sturdy. It takes a few moments to open them, or connect them; simplified by our unique bolt and slot hinge. Table legs when in place become as firm and rigid as though they were joined in place permanently.

10-AX-5938. 5 ft. by 9 ft. 3/4-inch 2-unit Tennis Table. \$10.00



10-AX-5912. Same as above, excepting top is 1/2" 5-Ply. \$11.88
10-AX-5934. Same as above except top is 3/4" 5-Ply. \$14.45
Championship table. \$14.90

SENSATIONAL TRELLIS SALE!

edwood

SAVINGS



10-AX-40

QUICKLY

our Saving

s rare buying oppor-
ton order for the de-
her and decay longer
Quickly and easily
ellis.

n. wide. Price each, any
weight 5 lbs.).....40c
rice of carton of 12 of any
shipping weight 65 lbs.)
.....\$3.95

ches

nch for the garage, basement,
workshop. Very substantially
sell for about \$3.50!
rail 48 inches and 72 inches.
nes. Height 32 inches and 38
tom of legs can be cut off to

ide of 2x6 No. 1 selected kiln
Pine. FRAME under top 2x4's
with 2x4 brace underneath in
End Cross Braces, double at
x4 legs. 2x4 Bottom Braces,
ce strips for the back.

AY—8 inches front to back; 4
five compartments, can be
braces or to top of bench. It is
made up.
TER'S SCREW VISE—This is
carpenter's Screw Vise, Hard-
r block, 1 inch iron worm, two
wel guides. Completely fitted.

—One good coat of gray paint.
e completely made. Only 4
we furnish) and your Bench is
for use.

nder K.D. Classification; weight
ly 100 pounds.

LAY is wanted, add. . . \$0.75

's SCREW VISE is wanted.
.....\$1.35

ennis Tables

Plywood Top
Officially Painted
and Striped